

ASX Announcement

8 July 2026

Maiden Drilling Confirms High-Grade Copper Discovery in Zambia

Maiden drilling confirms the new Tonic copper-silver-zinc-cobalt discovery from surface; with high-grade intervals within broader mineralised zones up to 1m @ 2.56% Cu, 62.3g/t Ag and 0.76% Zn from 55m (TBRC03)¹, and mineralisation remaining open at depth and along strike.

Patriot Resources Limited ("Patriot" or the "Company") is pleased to announce that its maiden Reverse Circulation (RC) drilling program has **confirmed a new copper-silver-zinc-cobalt discovery** at the Tonic prospect (formerly target B1), within the Company's 100%-owned mineral exploration licence 27715-HQ-LEL in the Mumbwa District of Zambia ("Kitumba 27715" or the "Project").

Discovery hole TBRC03 confirmed broad, **from-surface polymetallic mineralisation**, with **standout copper-silver-zinc-cobalt** intervals including:

- 17m @ 0.41% Cu, 4.7 g/t Ag and 0.30% Zn from 29m, including:
 - 7m @ 0.78% Cu, 5.1 g/t Ag and 0.38% Zn from 30m;
 - 3m @ 1.19% Cu, 4.9 g/t Ag, 0.56% Zn and 0.014% Co from 31m; and
- 3m @ 1.06% Cu, 25.3 g/t Ag & 0.97% Zn from 54m, including:
 - 1m @ 2.56% Cu, 62.3 g/t Ag & 0.76% Zn from 55m




Figure 1: Tonic Cross Section 8,363,016N (refer plan view in Appendix 1)

¹ All reported intercepts are down-hole lengths; true widths are not known. Intercepts are length weighted averages calculated using the parameters set out in JORC Table 1

For personal use only



A Compelling Greenfield Discovery

- New from-surface discovery confirmed on the first-ever drill program at Tonic, validating Patriot's in-house exploration model.
- **The discovery remains open at depth, along strike and laterally.** TBRC04 terminated in mineralisation due to groundwater-related drilling challenges, while additional holes intersected **higher-grade copper zones at depth**, supporting the potential for the system to continue below the current drilling.
- Tonic interpreted as a zoned hydrothermal polymetallic system hosted within Katanga Supergroup mudstones and shales. The high-grade copper-silver-cobalt core and zinc-lead halo mineralisation observed at Tonic, is hosted within a **~1km x 0.8km zone of broader coincident IP chargeability** confirmed partly by trenching and RC drilling that remains untested at depth and along strike, representing compelling follow up drill targets.
- Located 18kms from Sinomine's US\$600m Kitumba copper project which includes a processing facility and copper smelter being commissioned in 2026, offering a rare potential infrastructure pathway in close proximity to an early-stage discovery.

The result is significant because it represents the **first known drilling of the Tonic target** and confirms that Patriot's internally generated geological model has successfully progressed from surface mineralisation to **drill-confirmed copper-silver-zinc-cobalt mineralisation**. The Company's previous work at the Project had defined surface mineralisation, later expanded through trenching and geophysics into a potentially larger open-ended polymetallic system, with geophysical signatures extended to approximately 1km of strike, 800m width and modelled to around 100m depth by IP chargeability and resistivity surveys².

Patriot's decision to drill Tonic followed a strategic review of the Company's asset portfolio. As part of this review, Patriot has commenced an expression-of-interest process for its Gorman Lithium Project in Canada and reviewed the strategic value of its Zambian copper portfolio in the context of strengthening copper market fundamentals, increasing third-party interest, and the scarcity of new copper discoveries globally.

As part of the review, the Company acquired the remaining 20% interest in Kitumba 27715 for US\$50,000, consolidating 100% ownership before undertaking a capital-efficient first-pass RC drilling program. This strategy was designed to determine whether the Zambian copper portfolio could deliver material value and strategic optionality.

The Tonic discovery is strategically located within the Mumbwa district, approximately 18km from the Sinomine Kitumba copper mine and associated processing and smelting infrastructure which is scheduled to commence operations in 2026 and some 7kms to the South east of Sinomine's Target H Copper-Cobalt discovery. Subject to commercial terms being negotiated, Sinomine has previously offered access to its process plant and smelter,

² ASX Announcement: Geophysical Surveys Extends Polymetallic System (Copper, Gold, Silver, Zinc and Lead) to ~ 1km at Kitumba Project – 29 January 2026



creating a potential future infrastructure pathway that is unusual for an early-stage Greenfields copper discovery.

The initial RC program was planned as a 2,000 m campaign to test coincident IP anomalies and surface copper sulphide mineralisation defined by previous trenching. Several holes terminated in mineralisation or ended before their planned target depth due to water ingress and/or fractured ground conditions, indicating that the discovery remains open at depth, along strike and laterally.

Standout intercepts include:

- TBRC03** — 17m @ 0.41% Cu, 4.7 g/t Ag & 0.30% Zn from 29m
 - *incl. 7m @ 0.78% Cu, 5.1 g/t Ag & 0.38% Zn from 30m*
 - *incl. 3m @ 1.19% Cu, 4.9 g/t Ag, 0.56% Zn & 0.014% Co from 31m*
 - and, 3m @ 1.06% Cu, 25.3 g/t Ag & 0.97% Zn from 54m
 - *incl. 1m @ 2.56% Cu, 62.3 g/t Ag & 0.76% Zn from 55m*
- TBRC10** (fanned from TBRC03) — 22m @ 0.24% Cu, 2.8 g/t Ag & 0.06% Zn from 27m
 - *incl. 7m @ 0.54% Cu, 3.3 g/t Ag & 0.12% Zn from 34m*
 - *incl. 1m @ 1.01% Cu, 2.1 g/t Ag & 0.31% Zn from 35m*
 - and 4m @ 0.21% Cu from 61m
 - and a deeper 2m zone grading @ 0.76% Cu, 4.5 g/t Ag from 145m
 - *incl. 1 m @ 1.44% Cu, 7.6 g/t Ag from 145m - indicating grade continuity at depth*
- TBRC14** — 6m @ 0.32% Cu, 2.0 g/t Ag & 0.21% Zn from 42m,
 - *incl. 1m @ 1.69% Cu, 5.1 g/t Ag & 0.20% Zn from 43m*
 - and 1m @ 0.06 % Co from 50m
- TBRC08** — 16m @ 0.15% Cu, 5.5 g/t Ag & 0.19% Zn from 22m,
 - *incl. 3m @ 0.21% Cu, 8.2 g/t Ag, 0.13% Zn from 35m*
 - and 25m @ 0.01% Co from 90m
- TBRC02** — 12m @ 0.11% Cu, 4.25 g/t Ag & 0.25% Zn from 27m
 - and 5m @ 0.29% Cu, 3.6 g/t Ag from 121m,
 - *incl. 2m @ 0.56% Cu, 4.4 g/t Ag from 122m*
 - and 13m @ 0.014% Co from 143m
- TBRC09** — 7m @ 0.10% Cu, 15.5 g/t Ag & 0.08% Zn from 28m
 - *incl, 1 m @ 67.4 g/t Ag from 33 m*
- TBRC04** — 11m @ 0.15% Cu, 2.1g/t Ag from 18m
 - and 8m @ 0.22% Cu, 1.9 g/t Ag from 65m to EOH
 - *incl. 4m @ 0.39% Cu, 2.4 g/t Ag from 65m*
 - and 19m @ 0.01% Co from 48m
 - *incl. 1m @ 0.03% Co from 57m*
 - *incl. 1m @ 0.86% Cu and 0.02% Co from 66m*
- TBRC13** — 29m @ 0.11% Cu, 9.78 g/t Ag, 0.11% Zn from 2m,
 - *incl. 1m @ 0.32% Cu, 73.9 g/t Ag from 8m*



"This is a proud moment for our team. The Tonic prospect appears to be a genuine Greenfields discovery, the team took an undrilled target, advanced it through mapping, trenching and geophysics, and has now established copper-silver-zinc-cobalt mineralisation from surface via its maiden drilling program. The result gives us an exciting opportunity to test depth and strike extensions. While Tassa remains our flagship development priority, Tonic provides compelling optionality, located within 18kms of a new copper processing and smelting facility."

— Dominic Duggan, Managing Director & CEO

Results and Discussion

The maiden RC drilling program at Tonic has confirmed a coherent, near-surface polymetallic mineralised system, with copper-silver-zinc-cobalt mineralisation intersected across multiple holes. TBRC03 represents the discovery anchor, returning a broad 58m interval grading @ 0.23% Cu, 7.6 g/t Ag and 0.24% Zn from surface including several high-grade sub-zones; 7m @ 0.78% Cu, 5.1 g/t Ag and 0.38% Zn from 30m and 3m @ 1.06% Cu, 25.3 g/t Ag & 0.97% Zn from 54m

Follow-up fanned drilling in TBRC10 intersected a comparable broad 22m interval @ 0.24% Cu, 2.8 g/t Ag & 0.06% Zn from 27m including a 7m high grade sub zone @ 0.54% Cu, 3.3 g/t Ag & 0.12% Zn from 34m and a deeper high-grade copper interval of **2m @ 0.76% Cu & 4.5 g/t Ag from 145m**, supporting continuity of mineralisation both laterally and at depth. Additional intercepts from the rest of the holes further demonstrate that mineralisation is not isolated, but forms part of a broader structurally controlled hydrothermal system.

Several broad cobalt zones have been intercepted from this drilling campaign including **19m @ 0.010% Co from 48m from TBRC04 and 13m @ 0.014% Co from 143m from TBRC02**, further strengthening the polymetallic nature of the Tonic prospect. The combination of shallow mineralisation, localised higher-grade zones and deeper copper intersections indicates that the Tonic system remains open and provides a strong basis for targeted follow-up drilling.

Local Geological Setting

Tonic is interpreted as a structurally controlled, sediment-hosted hydrothermal polymetallic system hosted in shale and mudstone of the Katanga Supergroup. Mineralisation is associated with steeply dipping NW–SE and N–S striking units and includes disseminated chalcopyrite, galena and sphalerite. This assemblage defines a copper-silver-cobalt core with a zinc-lead halo, consistent with zonation commonly observed in this style of hydrothermal system. To the far east of the target, a late-stage granite intrusive body trends broadly NW–SE and may be controlled by regional faults. This intrusive event is interpreted to have helped drive hydrothermal fluid circulation and contributed to the development of mineralisation.



Regional Context – Sinomine’s Kitumba and Target H

The Company's high-grade copper discovery at Tonic lies within the Mumbwa-Kitumba Copper-Gold corridor controlled by the dominant NW-SE trending Mumbwa Fault Zone (MFZ), the same regional structure that hosts Sinomine's Kitumba copper deposit (Mineral Resource Estimate at 0.35% Cu cutoff ~109.2 Mt @ 0.96% Cu³) located approximately 18 km to the north-west and 7 km from Sinomine's Target H project. Sinomine's Kitumba copper deposit is the first recognised IOCG-style copper deposit in Zambia, developed by the intrusion of the Hook Granitoid Suite (porphyritic granite and quartz-syenite) into the host Katanga metasediments⁴.

Mineralisation at Sinomine's Kitumba is structurally controlled by the steeply-dipping Kitumba Fault Zone and its subsidiary splays, and displays a classic IOCG alteration architecture.




Figure 2: Project Tonic Regional Map of Copper Development and Exploration Corridor

³ IAU ASX Announcement: Mumbwa Project – Kitumba Mineral Resource Update – 17 August 2015

⁴ The Southern African Institute of Mining and Metallurgy Base Metals Conference 2013 – Kitumba – a new kind of copper deposit in a Zambian context. M. Robertson, The MSA Group



The Kitumba IOCG system is now documented to extend beyond the granite–syenite contact and laterally into the surrounding Katanga Supergroup metasediments. This is demonstrated at Sinomine's **Target H Cu–Co prospect**, located approximately 7 km North West of Patriot's Tonic prospect, where copper (chalcopyrite–bornite–chalcocite) and cobalt mineralisation is hosted within brecciated and stockwork-veined siltstone of the Kundelungu Group — alternating beds of sandstone and mudstone directly analogous to the host sequence at Tonic.

Key Results from early drilling at Sinomine's Target H

- HDD_004 – 51m at 0.91% Cu and 0.32 g/t Au from 229m⁵
- HDD_005 – 38.5m at 1.58% Cu from 8.5m⁶

Several historical Copper- Silver Mines are known within the Mumbwa district. Silver King lies approximately 27 km North west of Tonic prospect. Mineralisation at the Silverking mine is associated with an outcropping breccia pipe that contains vein and stockwork hosted copper-silver and appears structurally controlled by splay faults from the Mumbwa-Kitumba Fault Zone.

Key Take-Aways:

- The discovery remains open at depth, along strike and laterally. Several holes terminated in mineralisation or did not reach planned depth due to water ingress or fractured ground.
- The geophysical footprint remains substantially under-drilled. Drilling has confirmed mineralisation where IP chargeability, surface geochemistry and trench mineralisation coincide.
- This is a capital-efficient discovery. Patriot generated, advanced and drilled Tonic using its existing Zambia operating base, in-country team and staged low-cost field programs.
- **Tier-1 infrastructure on the doorstep:** ~18 km from Sinomine's Kitumba copper smelter and processing plant (commissioning 2026) — a position rarely available to a new discovery.
- Tonic creates strategic optionality without displacing Tassa. The discovery adds a genuine copper growth asset and potential non-dilutive funding pathway while the Tassa silver-gold project remains the Company's flagship priority.

Zambia: A world class copper jurisdiction

- Zambia is one of the top mining jurisdictions in Africa, ranked 3rd on the Investment Attractiveness Index – Africa (Fraser Institute 2025)
- Zambia is the 7th largest copper producer globally and is targeting 3Mt per year by 2031
- Copper production represents 15% of Zambian GDP in 2025

⁵ IAU ASX Announcement: Mumbwa Project – Target H Delivers Further Encouraging Copper and Gold Results – 16 November 2015

⁶ IAU ASX Announcement: Mumbwa Project – Final Assays, Target H Delivers More Shallow Copper Intercepts – 8 February 2016



Authorisation & Contact

This announcement has been approved by the Board of Directors of Patriot Resources Limited.

Dominic Duggan

CEO and Managing Director
Patriot Resources Limited
info@patriotresources.com.au

Jessica Fertig


Investor & Media Relations
Tau Media
jessica@taumedia.com.au

Competent Person's Statement: The technical information in this announcement relating to Exploration Results is based on, and fairly represents, information compiled by Eugene Gotor (Chief Geologist, Patriot Resources Limited), who is a member of the Australasian Institute of Mining and Metallurgy (MAusIMM). Mr Gotor has sufficient experience relevant to the style of mineralisation and type of deposit under consideration to qualify as a Competent Person as defined in the 2012 edition of the JORC Code. Mr Gotor consents to the inclusion in this announcement of the matters based on the information in the form and context in which it appears.

Forward-Looking Statements: Certain statements in this announcement relate to the future, including forward-looking statements relating to the Company and its business (including its projects). These forward-looking statements involve known and unknown risks, uncertainties, assumptions, and other important factors that could cause the actual results, performance or achievements of the Company to be materially different from future results, performance or achievements expressed or implied by such statements. Although the Company believes that its expectations, estimates and forecast outcomes are based on reasonable assumptions, it can give no assurance that they will be achieved.



APPENDIX 1: PROJECT TONIC DRILL COLLAR LOCATIONS - PLAN VIEW



Plan view of Collar locations plotted on background of Horizontal derivative (dx) map⁷

⁷ ASX Announcement: Geophysical Surveys Extends Polymetallic System (Copper, Gold, Silver, Zinc and Lead) to ~ 1km at Kitumba Project – 29 January 2026



APPENDIX 2: Handheld GPS drill collar positions (WGS84, Zone 35S)

BHID	Eastings	Northings	Elevation(m)	Depth(m)	Azimuth(°)	Ave.Dip(°)
TBRC01	489,506	8,362,971	1,306	181	84.92	-60.38
TBRC02	489,570	8,363,060	1,309	156	77.8	-60.08
TBRC03	489,642	8,363,058	1,308	160	66.47	-62.57
TBRC04	489,470	8,363,140	1,300	73	83.15	-59.39
TBRC05	489,569	8,363,196	1,304	203	82.73	-61.46
TBRC06	489,573	8,363,193	1,304	97	272.78	-54.66
TBRC07	489,494	8,363,021	1,306	150	72.35	-61.55
TBRC08	489,599	8,363,154	1,312	159	92.15	-58.6
TBRC09	489,591	8,363,142	1,315	180	269.15	-56.2
TBRC10	489,646	8,363,056	1,308	160	121.65	-59.65
TBRC11	489,720	8,363,160	1,296	206	250.78	-59.68
TBRC12	489,691	8,362,946	1,311	80	126.6	-57.8
TBRC13	489,641	8,363,117	1,313	61	104.65	-61.7
TBRC14	489,596	8,362,964	1,320	169	287.4	-58.3
Total				2035		

Appendix 3: Phase 1 Significant RC Assays

BHID	From (m)	To (m)	Cu (ppm)	Ag (g/t)	Co (ppm)	Pb (ppm)	Zn (ppm)	Mineralised Zone
TBRC01	120	121	36	1.4	16	17	104	
TBRC01	121	122	228	1.4	16	41	211	
TBRC01	122	123	111	1.4	16	75	615	
TBRC01	123	124	265	1.4	17	58	622	
TBRC01	124	125	235	1.4	16	133	1252	
TBRC01	125	126	130	1.4	16	81	809	
TBRC01	126	127	74	1.4	16	242	2198	26m @ 0.31% Zn from 126m
TBRC01	127	128	172	1.4	16	124	2112	
TBRC01	128	129	148	1.4	16	260	2365	
TBRC01	129	130	475	1.4	16	438	2597	
TBRC01	130	131	174	1.4	16	242	1596	
TBRC01	131	132	122	1.4	16	1205	2326	
TBRC01	132	133	201	1.4	17	668	936	
TBRC01	133	134	307	1.61	16	940	3109	
TBRC01	134	135	385	1.4	16	98	592	
TBRC01	135	136	123	1.4	16	87	355	
TBRC01	136	137	711	1.4	32	154	535	
TBRC01	137	138	114	1.4	16	505	2073	
TBRC01	138	139	286	1.4	16	181	3291	
TBRC01	139	140	574	1.4	16	144	2133	
TBRC01	140	141	376	1.4	21	213	3018	
TBRC01	141	142	203	1.4	86	215	3634	
TBRC01	142	143	185	1.4	16	404	7368	
TBRC01	143	144	224	1.59	16	606	6099	
TBRC01	144	145	362	1.5	16	266	3404	
TBRC01	145	146	205	1.4	16	127	2401	

TBRC01	146	147	484	1.4	22	65	2087	
TBRC01	147	148	282	1.4	19	91	2936	
TBRC01	148	149	164	1.4	17	182	6508	
TBRC01	149	150	304	1.4	16	231	6763	
TBRC01	150	151	182	1.4	16	233	6398	
TBRC01	151	152	284	1.4	18	161	2866	
TBRC01	152	153	207	1.4	16	132	952	
TBRC01	153	154	874	1.56	17	87	279	
TBRC01	154	155	111	1.4	16	96	209	
TBRC01	155	156	91	1.4	17	99	3027	
TBRC01	156	157	80	1.4	22	62	161	
TBRC01	157	158	580	1.4	55	60	143	
TBRC01	158	159	159	1.4	43	61	97	
TBRC01	159	160	195	1.4	32	87	101	
TBRC02	1	2	643.72	1.85	37.73	341.97	1023.29	4m @ 0.26% Zn from 1m
TBRC02	2	3	432.99	1.72	26.03	673.66	3861.62	
TBRC02	3	4	314.49	1.74	22.58	608.11	4285.96	
TBRC02	4	5	214.17	1.40	23.04	148.08	1362.22	
TBRC02	5	6	102.00	1.40	28.00	53.20	442.40	
TBRC02	6	7	146.92	1.40	32.77	236.36	643.23	
TBRC02	7	8	118.81	1.40	20.91	182.54	1756.38	3m @ 0.17% Zn from 7m
TBRC02	8	9	184.11	1.40	23.79	244.21	2102.12	
TBRC02	9	10	153.59	1.40	36.51	93.66	1261.73	
TBRC02	10	11	1749.74	3.07	65.96	757.31	1289.75	2m @ 0.13% Cu, 2.4 g/t Ag, 0.11% Zn from 10m
TBRC02	11	12	803.90	1.66	46.84	24.66	855.58	
TBRC02	12	13	409.33	1.40	26.34	17.16	342.46	
TBRC02	13	14	135.38	1.40	38.34	17.16	81.54	
TBRC02	14	15	188.58	1.40	86.38	53.94	597.63	
TBRC02	15	16	366.33	1.53	32.06	857.92	1902.86	12m @ 2.0 g/t Ag, 0.25% Zn from 15m
TBRC02	16	17	609.17	2.05	131.60	595.97	2577.19	
TBRC02	17	18	972.03	1.66	34.47	127.10	1754.22	
TBRC02	18	19	291.25	1.62	54.17	156.44	584.88	

TBRC02	19	20	566.66	2.28	128.18	541.10	771.97	
TBRC02	20	21	243.67	1.40	40.29	49.41	638.14	
TBRC02	21	22	180.11	1.40	19.71	203.86	3524.80	
TBRC02	22	23	279.87	1.58	35.61	273.35	6096.29	
TBRC02	23	24	440.14	2.31	35.29	304.46	1516.49	
TBRC02	24	25	516.38	2.41	17.14	211.15	4185.07	
TBRC02	25	26	410.01	3.07	20.16	103.91	2078.77	
TBRC02	26	27	870.65	2.19	20.81	243.13	3824.16	
TBRC02	27	28	1257.42	4.19	22.33	354.81	2794.19	12m @ 0.11% Cu, 4.25 g/t Ag, 0.25% Zn from 27m
TBRC02	28	29	1341.51	4.66	32.81	141.77	2667.98	
TBRC02	29	30	1542.73	3.08	25.68	32.04	2063.10	
TBRC02	30	31	1311.62	2.08	23.71	108.25	1478.97	
TBRC02	31	32	1298.92	2.53	23.21	155.65	2483.91	
TBRC02	32	33	630.71	3.43	21.96	780.86	2773.68	
TBRC02	33	34	778.42	4.31	103.35	544.17	2415.10	
TBRC02	34	35	541.05	4.36	48.61	44.03	2396.30	
TBRC02	35	36	1025.66	4.44	100.22	68.34	2494.93	
TBRC02	36	37	775.47	5.30	23.22	438.53	2886.36	
TBRC02	37	38	1311.14	6.13	39.61	1087.62	2892.86	
TBRC02	38	39	1241.95	6.53	86.76	2396.34	2672.21	
TBRC02	39	40	406.07	3.26	149.71	1088.54	3563.45	6m @ 2.64 g/t Ag, 0.34% Zn from 39m
TBRC02	40	41	380.28	2.56	95.29	531.49	5060.96	
TBRC02	41	42	893.73	4.11	144.14	412.98	2614.50	
TBRC02	42	43	252.43	1.40	27.75	578.15	3244.86	
TBRC02	43	44	202.46	3.12	52.58	819.17	2594.62	
TBRC02	44	45	118.37	1.40	31.42	666.01	3469.85	
TBRC02	45	46	253.84	1.40	21.03	112.95	522.02	6m @ 0.10% Cu, 2.48 g/t Ag from 46m
TBRC02	46	47	1040.47	1.40	29.97	84.26	163.89	
TBRC02	47	48	769.22	1.40	30.86	119.45	608.72	
TBRC02	48	49	581.52	1.40	41.21	199.49	236.48	
TBRC02	49	50	568.39	3.15	88.36	65.40	148.46	
TBRC02	50	51	1515.50	4.49	107.07	42.10	177.02	

TBRC02	51	52	1413.92	3.03	51.50	28.51	81.49	
TBRC02	52	53	457.75	22.36	37.13	25.15	92.53	
TBRC02	53	54	413.47	5.66	19.65	23.62	60.43	
TBRC02	54	55	254.69	1.78	16.45	20.40	71.41	
TBRC02	55	56	170.99	1.40	17.95	40.81	172.18	
TBRC02	56	57	684.83	1.59	61.16	58.72	190.76	
TBRC02	57	58	312.05	1.40	34.59	43.56	110.03	
TBRC02	58	59	200.00	1.40	16.45	32.39	143.33	
TBRC02	59	60	203.68	1.40	34.68	50.40	2403.72	
TBRC02	60	61	112.33	1.40	20.46	80.87	1269.09	
TBRC02	61	62	64.29	1.40	23.16	21.03	99.41	
TBRC02	62	63	34.24	1.40	16.45	17.16	42.27	
TBRC02	63	64	48.29	1.40	16.45	17.16	159.84	
TBRC02	64	65	57.00	1.40	16.45	17.16	160.33	
TBRC02	65	66	263.25	1.40	16.45	17.16	388.23	
TBRC02	66	67	56.77	1.40	16.45	17.16	182.80	
TBRC02	67	68	29.75	1.40	16.45	17.16	47.62	
TBRC02	68	69	29.47	1.40	16.45	17.16	43.44	
TBRC02	69	70	30.19	1.40	16.45	17.16	30.77	
TBRC02	70	71	29.32	1.40	16.45	17.16	21.62	
TBRC02	71	72	27.68	1.40	16.45	17.16	14.36	
TBRC02	72	73	34.59	1.40	18.91	17.16	27.11	
TBRC02	73	74	39.98	1.40	16.45	17.16	26.83	
TBRC02	74	75	26.36	1.40	33.59	17.16	9.13	
TBRC02	75	76	23.25	1.40	16.45	17.16	9.13	
TBRC02	76	77	45.73	1.40	16.45	17.16	11.50	
TBRC02	77	78	54.52	1.40	16.45	17.16	9.13	
TBRC02	78	79	23.25	1.40	16.45	17.16	48.18	
TBRC02	79	80	23.25	1.40	16.45	17.16	25.03	
TBRC02	80	81	23.25	1.40	27.26	17.16	27.78	
TBRC02	81	82	27.51	1.40	16.45	17.16	30.02	
TBRC02	82	83	23.25	1.40	16.45	17.16	9.13	

TBRC02	83	84	23.25	1.40	16.45	17.16	30.43	
TBRC02	84	85	23.25	1.40	16.45	17.16	18.25	
TBRC02	85	86	23.25	1.40	16.45	17.16	25.83	
TBRC02	86	87	276.83	1.40	20.80	17.16	13.67	
TBRC02	87	88	1176.56	1.40	25.54	17.16	19.31	2m @ 0.12% Cu from 87m
TBRC02	88	89	1203.10	1.40	23.68	17.16	16.11	
TBRC02	89	90	23.25	1.40	21.93	17.16	13.12	
TBRC02	90	91	23.25	1.40	16.45	17.16	26.12	
TBRC02	91	92	23.25	1.40	16.45	17.16	42.79	
TBRC02	92	93	84.16	1.40	36.15	17.16	52.25	
TBRC02	93	94	23.25	1.40	16.78	17.16	34.28	
TBRC02	94	95	25.37	1.40	31.92	17.16	23.90	
TBRC02	95	96	23.25	1.40	16.45	17.16	9.13	
TBRC02	96	97	23.25	1.40	16.65	17.16	10.82	
TBRC02	97	98	23.25	1.40	16.45	17.16	51.35	
TBRC02	98	99	23.25	1.40	16.45	17.16	96.46	
TBRC02	99	100	86.84	1.40	29.98	17.16	195.37	
TBRC02	100	101	903.42	2.40	37.72	17.16	534.03	
TBRC02	101	102	322.01	5.40	29.92	40.64	1904.40	18m @ 3.14 g/t Ag, 0.82% Zn from 101m
TBRC02	102	103	123.17	2.34	24.47	45.79	10635.13	
TBRC02	103	104	333.37	3.50	37.80	52.07	12280.09	
TBRC02	104	105	363.14	2.58	32.66	42.75	6071.14	
TBRC02	105	106	341.20	3.75	35.10	183.64	11991.71	
TBRC02	106	107	213.96	2.88	33.25	67.16	8607.01	
TBRC02	107	108	134.58	2.11	26.30	47.77	9665.68	
TBRC02	108	109	202.77	2.43	33.00	79.22	10375.13	
TBRC02	109	110	306.82	2.89	44.24	51.62	6692.20	
TBRC02	110	111	595.94	2.90	16.45	153.63	7904.60	
TBRC02	111	112	1251.32	4.56	53.63	56.85	8292.05	
TBRC02	112	113	165.31	1.69	28.83	17.16	8573.03	
TBRC02	113	114	295.38	2.95	43.56	17.16	13804.51	
TBRC02	114	115	242.73	2.58	33.99	17.16	9930.29	

TBRC02	115	116	272.94	3.43	29.20	17.16	9674.84	
TBRC02	116	117	294.39	2.61	40.65	44.15	3907.27	
TBRC02	117	118	147.10	2.76	34.53	17.16	2657.00	
TBRC02	118	119	309.61	5.23	53.88	17.16	5511.76	
TBRC02	119	120	212.25	3.72	48.97	17.16	391.53	
TBRC02	120	121	303.44	1.86	36.41	17.16	274.93	
TBRC02	121	122	1001.36	2.39	50.65	17.16	110.98	5m @ 0.29% Cu, 3.6 g/t Ag from 121m Incl. 2m @ 0.56% Cu, 4.4 g/t Ag from 122m
TBRC02	122	123	4536.60	4.13	66.98	17.16	125.97	
TBRC02	123	124	6662.91	4.76	65.27	17.16	64.49	
TBRC02	124	125	1399.79	2.94	39.53	17.16	90.34	
TBRC02	125	126	974.16	3.64	36.98	17.16	73.48	
TBRC02	126	127	682.64	3.68	44.53	20.12	109.29	
TBRC02	127	128	170.43	1.40	16.53	17.16	47.88	
TBRC02	128	129	46.33	1.40	28.07	17.16	28.40	
TBRC02	129	130	36.89	1.40	16.45	17.16	29.40	
TBRC02	130	131	33.17	1.40	16.80	17.16	35.18	
TBRC02	131	132	31.26	1.40	16.45	17.16	33.40	
TBRC02	132	133	24.70	1.40	16.45	17.16	23.50	
TBRC02	133	134	35.07	1.40	16.45	17.16	58.47	
TBRC02	134	135	37.45	1.40	16.45	17.16	40.38	
TBRC02	135	136	56.22	1.40	16.45	17.16	36.63	
TBRC02	136	137	35.89	1.40	16.45	17.16	9.13	
TBRC02	137	138	58.03	1.40	37.15	17.16	16.76	
TBRC02	138	139	23.25	1.40	16.45	17.16	16.07	
TBRC02	139	140	46.70	1.40	16.45	17.16	59.83	
TBRC02	140	141	35.23	1.40	16.45	17.16	27.60	
TBRC02	141	142	23.84	1.40	16.45	17.16	18.59	
TBRC02	142	143	51.49	1.40	29.57	17.16	22.87	
TBRC02	143	144	46.92	1.40	108.58	17.16	23.27	13m @ 0.014% Co from 143m
TBRC02	144	145	793.19	1.40	210.36	22.45	77.42	
TBRC02	145	146	182.96	1.40	177.69	17.16	34.31	
TBRC02	146	147	36.55	1.40	116.71	17.16	9.13	

TBRC02	147	148	43.46	1.40	62.68	17.16	9.13	
TBRC02	148	149	118.65	1.40	149.53	17.16	58.55	
TBRC02	149	150	204.33	1.40	163.00	30.76	94.06	
TBRC02	150	151	117.68	1.40	177.99	20.17	48.32	
TBRC02	151	152	565.95	1.40	204.71	32.40	63.83	
TBRC02	152	153	250.55	1.40	156.92	37.62	48.08	
TBRC02	153	154	244.68	1.40	92.80	59.99	166.29	
TBRC02	154	155	89.19	1.40	25.85	41.65	113.89	
TBRC02	155	156	168.36	1.40	124.48	75.67	205.44	
TBRC03	0	1	960.73	5.27	125.99	250.39	465.49	58m @ 0.23% Cu, 7.6g/t Ag, 0.24% Zn Incl. 17m @0.41% Cu, 4.7 g/t Ag, 0.30% Zn from 29m Incl. 7m @ 0.78% Cu, 5.1 g/t Ag, 0.38% Zn from 30m Incl. 3m @ 1.19 % Cu, 4.9 g/t Ag, 0.56% Zn and 0.014 % Co from 31m Incl. 3m @ 1.06 % Cu, 25.3 g/t Ag, 0.97% Zn from 54m Incl. 1m @ 2.56% Cu, 62.3g/t Ag and 0.76% Zn from 55m
TBRC03	1	2	900.62	5.72	69.50	154.30	601.49	
TBRC03	2	3	1091.38	6.14	30.94	111.29	406.32	
TBRC03	3	4	625.00	6.63	28.00	91.00	322.00	
TBRC03	4	5	430.00	6.15	16.00	48.00	303.00	
TBRC03	5	6	747.00	5.78	17.00	106.00	339.00	
TBRC03	6	7	695.00	7.26	21.00	139.00	358.00	
TBRC03	7	8	697.00	7.03	23.00	138.00	362.00	
TBRC03	8	9	1366.00	10.05	39.00	304.00	617.00	
TBRC03	9	10	777.00	12.16	41.00	35.00	418.00	
TBRC03	10	11	816.00	11.79	47.00	35.00	465.00	
TBRC03	11	12	912.00	9.52	32.00	54.00	325.00	
TBRC03	12	13	423.00	4.72	54.00	17.16	262.00	
TBRC03	13	14	554.00	5.93	77.00	18.00	348.00	
TBRC03	14	15	985.00	8.53	98.00	30.00	620.00	
TBRC03	15	16	1290.00	7.18	32.00	24.00	678.00	
TBRC03	16	17	1253.00	7.65	41.00	25.00	601.00	
TBRC03	17	18	1313.00	7.62	36.00	21.00	678.00	
TBRC03	18	19	958.00	10.84	55.00	19.00	713.00	
TBRC03	19	20	1576.00	9.64	81.00	31.00	1111.00	
TBRC03	20	21	1780.00	11.68	124.00	28.00	1397.00	
TBRC03	21	22	1608.00	6.97	76.00	19.00	1540.00	
TBRC03	22	23	324.00	7.85	23.00	25.00	301.00	

TBRC03	23	24	332.00	7.36	16.00	33.00	288.00
TBRC03	24	25	726.00	10.26	24.00	56.00	617.00
TBRC03	25	26	557.00	12.44	16.00	81.00	452.00
TBRC03	26	27	733.00	7.13	16.00	35.00	359.00
TBRC03	27	28	482.00	6.63	16.00	23.00	164.00
TBRC03	28	29	613.00	8.78	21.00	18.00	424.00
TBRC03	29	30	1650.00	8.99	53.00	17.16	879.00
TBRC03	30	31	9289.00	4.30	86.00	24.00	3715.00
TBRC03	31	32	13091.00	3.41	50.00	28.00	4835.00
TBRC03	32	33	11573.00	4.97	207.00	24.00	5768.00
TBRC03	33	34	11031.00	6.30	151.00	32.00	6228.00
TBRC03	34	35	3170.00	5.94	48.00	25.00	2865.00
TBRC03	35	36	3302.00	5.98	41.00	43.00	1512.00
TBRC03	36	37	3445.00	5.01	68.00	24.00	1361.00
TBRC03	37	38	1308.00	3.12	16.00	17.16	458.00
TBRC03	38	39	2745.00	4.52	90.00	17.16	1730.00
TBRC03	39	40	1928.00	5.49	64.00	33.00	2828.00
TBRC03	40	41	886.00	3.78	43.00	89.00	8625.00
TBRC03	41	42	1448.00	4.02	64.00	141.00	4296.00
TBRC03	42	43	1706.00	4.32	90.00	165.00	1996.00
TBRC03	43	44	438.00	3.28	44.00	17.16	878.00
TBRC03	44	45	372.00	2.79	26.00	17.16	604.00
TBRC03	45	46	2743.00	3.85	73.00	25.00	1647.00
TBRC03	46	47	851.00	2.54	37.00	17.16	681.00
TBRC03	47	48	858.00	2.07	37.00	17.16	674.00
TBRC03	48	49	508.00	2.89	27.00	17.00	470.00
TBRC03	49	50	897.00	5.98	65.00	17.00	4357.00
TBRC03	50	51	410.00	4.07	44.00	21.00	8322.00
TBRC03	51	52	567.00	5.82	41.00	26.00	18972.00
TBRC03	52	53	870.00	10.10	56.00	31.00	5427.00
TBRC03	53	54	821.00	13.20	31.00	21.00	4619.00
TBRC03	54	55	1385.00	8.02	117.00	20.00	20101.00

TBRC03	55	56	25555.00	62.28	43.00	32.00	7603.00	
TBRC03	56	57	4899.00	5.47	61.00	26.00	1276.00	
TBRC03	57	58	796.00	4.86	38.00	21.00	3197.00	
TBRC03	58	59	424.00	4.54	35.00	23.00	11161.00	
TBRC03	59	60	162.00	3.85	27.00	18.00	9513.00	
TBRC03	60	61	131.00	4.79	35.00	23.00	11415.00	
TBRC03	61	62	135.00	5.09	37.00	26.00	11400.00	
TBRC03	62	63	182.00	3.92	36.00	22.00	4012.00	
TBRC03	63	64	210.00	5.52	30.00	25.00	684.00	12m @ 4.78g/t Ag, 0.42% Zn from 58m
TBRC03	64	65	161.00	6.26	42.00	37.00	375.00	
TBRC03	65	66	108.00	3.42	27.00	24.00	247.00	
TBRC03	66	67	205.00	4.63	48.00	42.00	416.00	
TBRC03	67	68	289.00	6.88	60.00	35.00	308.00	
TBRC03	68	69	269.00	4.14	37.00	23.00	455.00	
TBRC03	69	70	218.00	4.30	44.00	29.00	366.00	
TBRC03	70	71	1032.00	9.55	114.00	56.00	322.00	
TBRC03	71	72	952.00	9.52	45.00	21.00	255.00	5m @ 9.5 g/t Ag from 70m
TBRC03	72	73	287.00	2.48	44.00	19.00	120.00	
TBRC03	73	74	340.00	2.71	50.00	18.00	104.00	
TBRC03	74	75	1000.00	23.12	56.00	23.00	131.00	
TBRC03	75	76	440.00	1.86	42.00	17.16	116.00	
TBRC03	76	77	935.00	2.25	40.00	17.16	97.00	
TBRC03	77	78	887.00	2.06	36.00	17.16	101.00	
TBRC03	78	79	294.00	1.40	21.00	17.16	75.00	
TBRC03	79	80	630.00	1.92	26.00	17.16	88.00	
TBRC03	80	81	1358.00	5.13	41.00	18.00	110.00	1m @ 0.14% Cu & 5.13 g/t from 80m
TBRC03	81	82	117.00	3.32	26.00	23.00	90.00	
TBRC03	82	83	119.00	1.40	36.00	17.16	108.00	
TBRC03	83	84	60.00	1.40	16.00	17.16	110.00	
TBRC03	84	85	34.00	1.40	27.00	17.16	49.00	
TBRC05	1	2	445.40	1.84	68.00	855.00	3552.00	

TBRC05	2	3	420.53	2.55	50.00	667.00	4067.00	6m @ 2.9 g/t Ag, 0.52% Zn from 1m
TBRC05	3	4	455.85	2.06	56.00	452.00	5802.00	
TBRC05	4	5	152.56	3.85	26.00	167.00	6093.00	
TBRC05	5	6	242.87	2.48	29.00	314.00	7676.00	
TBRC05	6	7	420.77	4.50	36.00	287.00	4047.00	
TBRC05	7	8	1194.49	6.16	39.00	180.00	2202.00	17m @ 0.086% Cu, 3.39 g/t Ag, 0.17% Zn from 7m
TBRC05	8	9	1152.80	5.53	39.00	113.00	2675.00	
TBRC05	9	10	1082.87	4.31	51.00	171.00	1475.00	
TBRC05	10	11	959.20	3.68	34.00	87.00	1563.00	
TBRC05	11	12	635.79	2.34	32.00	88.00	1613.00	
TBRC05	12	13	1011.90	4.56	44.00	127.00	3060.00	
TBRC05	13	14	1015.52	6.44	59.00	107.00	2469.00	
TBRC05	14	15	619.15	4.46	32.00	116.00	1573.00	
TBRC05	15	16	407.54	2.47	25.00	50.00	1134.00	
TBRC05	16	17	292.22	1.40	17.00	29.00	1004.00	
TBRC05	17	18	381.16	1.57	23.00	34.00	785.00	
TBRC05	18	19	871.76	1.53	62.00	80.00	954.00	
TBRC05	19	20	739.99	1.60	94.00	55.00	1120.00	
TBRC05	20	21	1076.73	1.78	94.00	157.00	2191.00	
TBRC05	21	22	971.53	1.48	88.00	157.00	2280.00	
TBRC05	22	23	1115.82	3.18	70.00	58.00	1078.00	
TBRC05	23	24	1087.52	5.16	80.00	27.00	936.00	
TBRC05	24	25	582.52	1.40	116.00	17.00	916.00	9m @ 0.01% Co from 24m
TBRC05	25	26	343.86	1.40	27.00	17.00	908.00	
TBRC05	26	27	39.81	1.40	102.00	17.00	1090.00	
TBRC05	27	28	23.25	1.40	79.00	17.00	811.00	
TBRC05	28	29	23.25	1.40	131.00	17.00	128.00	
TBRC05	29	30	40.48	1.40	113.00	17.00	111.00	
TBRC05	30	31	33.74	1.40	90.00	17.00	81.00	
TBRC05	31	32	77.14	1.40	165.00	17.00	81.00	
TBRC05	32	33	29.32	1.40	82.00	17.00	58.00	
TBRC05	33	34	30.45	1.40	45.00	17.00	30.00	

TBRC05	34	35	224.77	1.40	72.00	17.00	41.00	
TBRC05	35	36	23.25	1.40	16.00	17.00	48.00	
TBRC05	36	37	32.13	1.48	16.00	17.00	53.00	
TBRC05	37	38	23.25	1.40	16.00	17.00	42.00	
TBRC05	38	39	33.39	2.57	16.00	17.00	53.00	
TBRC05	39	40	23.25	1.40	16.00	17.00	48.00	
TBRC05	40	41	290.26	1.40	24.00	17.00	25.00	
TBRC05	41	42	382.59	1.40	39.00	17.00	24.00	
TBRC05	42	43	107.42	1.40	56.00	17.00	29.00	
TBRC05	43	44	1164.06	4.17	41.00	105.00	1848.00	
TBRC05	44	45	23.25	1.40	79.00	17.00	797.00	
TBRC05	45	46	23.25	1.40	16.00	17.00	50.00	
TBRC05	46	47	27.61	1.40	42.00	17.00	29.00	
TBRC05	47	48	23.25	1.40	47.00	17.00	24.00	
TBRC05	48	49	52.64	1.40	27.00	17.00	23.00	
TBRC06	2	3	259.60	2.12	33.00	437.00	4518.00	43m @ 3.5g/t Ag, 0.07% Pb, 0.39% Zn from 2m
TBRC06	3	4	155.91	2.55	21.00	889.00	7544.00	
TBRC06	4	5	116.10	2.07	24.00	1352.00	12207.00	
TBRC06	5	6	178.24	2.66	27.00	1091.00	14654.00	
TBRC06	6	7	174.75	3.61	20.00	1241.00	10335.00	
TBRC06	7	8	137.78	4.22	21.00	1284.00	7860.00	
TBRC06	8	9	589.90	6.60	31.00	355.00	2265.00	
TBRC06	9	10	842.36	7.26	24.00	99.00	2652.00	
TBRC06	10	11	620.87	7.86	44.00	142.00	2900.00	
TBRC06	11	12	467.05	13.15	31.00	197.00	3796.00	
TBRC06	12	13	391.45	9.10	41.00	118.00	2042.00	
TBRC06	13	14	846.56	11.54	163.00	102.00	2618.00	
TBRC06	14	15	126.73	4.28	26.00	40.00	972.00	
TBRC06	15	16	136.81	2.59	36.00	63.00	407.00	
TBRC06	16	17	55.66	2.39	37.00	89.00	497.00	
TBRC06	17	18	207.73	2.58	63.00	245.00	1183.00	
TBRC06	18	19	1250.02	2.93	23.00	385.00	1241.00	

TBRC06	19	20	194.83	2.45	19.00	666.00	2172.00	
TBRC06	20	21	248.77	2.42	22.00	467.00	2226.00	
TBRC06	21	22	185.61	2.89	16.00	1047.00	4585.00	
TBRC06	22	23	94.39	3.13	19.00	1390.00	5265.00	
TBRC06	23	24	302.97	3.27	18.00	1633.00	5218.00	
TBRC06	24	25	341.92	2.57	62.00	1205.00	5011.00	
TBRC06	25	26	84.24	1.90	17.00	573.00	2102.00	
TBRC06	26	27	204.38	2.57	16.00	610.00	4702.00	
TBRC06	27	28	145.60	1.76	20.00	295.00	2364.00	
TBRC06	28	29	155.06	1.40	22.00	492.00	2756.00	
TBRC06	29	30	54.87	2.46	24.00	1257.00	3358.00	
TBRC06	30	31	80.75	2.11	21.00	889.00	2080.00	
TBRC06	31	32	65.36	1.40	32.00	387.00	758.00	
TBRC06	32	33	106.95	2.05	26.00	397.00	2230.00	
TBRC06	33	34	1031.17	4.62	87.00	353.00	3965.00	
TBRC06	34	35	355.53	2.50	25.00	182.00	3451.00	
TBRC06	35	36	104.25	2.21	25.00	478.00	4193.00	
TBRC06	36	37	119.82	2.57	23.00	1035.00	4976.00	
TBRC06	37	38	72.36	3.75	19.00	2389.00	9294.00	
TBRC06	38	39	401.06	3.90	23.00	1805.00	7659.00	
TBRC06	39	40	300.87	2.21	16.00	372.00	3124.00	
TBRC06	40	41	300.42	1.40	16.00	155.00	1596.00	
TBRC06	41	42	382.94	1.62	37.00	329.00	1754.00	
TBRC06	42	43	835.67	2.27	43.00	45.00	592.00	
TBRC06	43	44	853.00	2.64	38.00	398.00	752.00	
TBRC06	44	45	328.34	2.24	20.00	1285.00	1906.00	
TBRC06	45	46	494.58	1.58	26.00	56.00	720.00	
TBRC06	46	47	252.74	1.40	16.00	80.00	496.00	
TBRC06	47	48	203.52	1.40	34.00	279.00	819.00	
TBRC06	48	49	274.14	1.80	37.00	698.00	1994.00	12m @ 2.7g/t Ag, 0.10% Pb, 0.31% Zn from 48m
TBRC06	49	50	341.14	1.56	35.00	322.00	1746.00	
TBRC06	50	51	190.96	3.08	37.00	2156.00	4615.00	

TBRC06	51	52	622.09	4.06	31.88	2132.58	3543.56	
TBRC06	52	53	224.15	2.88	26.23	2248.20	4689.70	
TBRC06	53	54	391.71	4.90	28.72	1575.74	6761.44	
TBRC06	54	55	304.06	2.48	29.75	1207.66	5021.76	
TBRC06	55	56	384.22	3.09	16.00	440.63	715.16	
TBRC06	56	57	788.32	2.92	16.00	489.23	431.78	
TBRC06	57	58	751.67	1.97	21.09	566.52	1292.54	
TBRC06	58	59	375.74	1.53	20.51	566.50	2758.96	
TBRC06	59	60	579.24	1.56	19.05	99.20	3110.92	
TBRC06	60	61	36.76	1.40	17.55	23.44	127.51	
TBRC06	61	62	23.00	1.40	39.92	17.00	46.33	
TBRC06	62	63	23.00	1.40	33.56	17.00	41.35	
TBRC06	63	64	23.00	1.40	44.95	17.00	47.11	
TBRC06	64	65	38.51	1.40	63.21	17.00	94.22	
TBRC06	65	66	23.00	1.40	28.46	17.00	50.70	
TBRC06	66	67	23.00	1.40	22.26	17.00	45.44	
TBRC06	67	68	45.91	1.40	18.47	17.00	60.41	
TBRC06	68	69	23.00	1.40	42.56	17.00	37.46	
TBRC06	69	70	31.55	1.40	21.59	17.00	132.36	
TBRC06	70	71	64.62	1.40	29.70	19.07	587.19	
TBRC06	71	72	83.98	1.40	39.80	17.00	560.52	
TBRC06	72	73	61.58	1.40	16.00	17.00	278.25	
TBRC06	73	74	89.42	1.64	16.00	42.81	212.39	
TBRC06	74	75	98.08	1.40	16.00	18.87	158.52	
TBRC06	75	76	1514.89	1.97	16.00	120.07	900.75	4m @ 0.12% Cu, 4.0 g/t Ag, 0.10% Zn from 75m
TBRC06	76	77	698.07	2.28	29.40	100.11	822.87	
TBRC06	77	78	951.52	3.61	24.85	602.45	1179.63	
TBRC06	78	79	1649.66	7.96	38.31	1337.88	1168.21	17m @ 0.11%Pb, 0.20% Zn from 79m
TBRC06	79	80	301.49	2.42	29.01	451.57	1773.63	
TBRC06	80	81	301.74	1.95	22.27	376.38	1415.72	
TBRC06	81	82	119.41	1.83	25.27	1026.41	1628.09	
TBRC06	82	83	122.16	2.01	16.75	1510.68	2385.90	

TBRC06	83	84	153.34	1.40	35.85	746.46	1282.67	
TBRC06	84	85	283.99	3.20	16.00	2047.07	3242.20	
TBRC06	85	86	611.36	3.04	24.31	2742.58	2197.42	
TBRC06	86	87	618.49	2.56	57.02	3898.58	2945.82	
TBRC06	87	88	454.48	1.83	42.00	1707.61	2311.75	
TBRC06	88	89	645.03	1.64	23.24	542.65	1386.70	
TBRC06	89	90	472.59	1.65	23.71	241.94	790.72	
TBRC06	90	91	445.60	1.40	16.00	208.66	1047.21	
TBRC06	91	92	366.42	1.46	16.88	1108.11	1676.02	
TBRC06	93	94	572.14	1.40	49.93	934.89	2527.06	
TBRC06	94	95	537.80	1.40	54.95	669.31	2263.56	
TBRC06	95	96	644.98	1.46	93.61	538.72	2719.18	
TBRC06	96	97	501.50	1.40	75.28	501.93	2126.81	
TBRC07	0	1	471.89	1.40	25.75	109.75	267.85	
TBRC07	1	2	434.73	1.40	17.22	100.06	186.90	
TBRC07	2	3	327.69	1.43	20.89	67.06	100.50	
TBRC07	3	4	537.08	1.40	16.00	44.17	78.98	
TBRC07	4	5	288.75	1.40	16.00	31.83	72.65	
TBRC07	5	6	226.56	1.40	24.22	33.89	123.79	
TBRC07	6	7	182.92	1.40	16.15	46.67	157.30	
TBRC07	7	8	166.17	1.40	42.16	19.46	187.68	
TBRC07	8	9	170.32	1.40	19.06	17.00	148.78	
TBRC07	9	10	239.10	1.40	22.32	17.00	152.46	
TBRC07	10	11	104.77	1.40	23.84	17.00	130.62	
TBRC07	11	12	90.91	1.40	24.71	20.18	371.69	
TBRC07	12	13	32.76	1.40	26.08	61.08	408.72	
TBRC07	13	14	23.00	1.40	25.18	190.06	477.09	
TBRC07	14	15	23.00	1.40	23.63	65.32	395.50	
TBRC07	15	16	23.00	1.40	20.05	82.34	319.39	
TBRC07	16	17	23.00	1.40	19.54	116.26	257.27	
TBRC07	17	18	95.48	1.40	34.48	66.76	215.52	
TBRC07	18	19	49.39	1.40	19.77	108.12	232.61	

TBRC07	19	20	35.92	1.40	21.98	161.90	286.41	
TBRC07	20	21	71.69	1.40	20.45	345.24	286.70	
TBRC07	21	22	77.85	1.40	17.19	52.78	313.69	
TBRC07	22	23	180.12	1.40	27.13	17.00	269.72	
TBRC07	23	24	77.67	1.40	33.49	17.00	149.60	
TBRC07	24	25	175.94	1.40	31.82	17.00	228.39	
TBRC07	25	26	303.31	1.40	26.06	17.00	224.68	
TBRC07	26	27	62.51	1.40	27.86	17.00	33.40	
TBRC07	27	28	110.75	1.40	16.00	17.00	30.16	
TBRC07	28	29	71.94	1.40	22.16	17.00	25.24	
TBRC07	29	30	53.23	1.40	16.00	17.00	23.79	
TBRC07	30	31	72.80	1.40	20.51	17.00	30.58	
TBRC07	31	32	99.73	1.40	26.73	17.00	41.34	
TBRC07	32	33	113.34	1.40	16.56	25.14	35.36	
TBRC07	33	34	102.09	1.40	18.16	17.00	46.34	
TBRC07	34	35	70.94	1.40	16.00	17.00	23.27	
TBRC07	35	36	70.24	1.40	16.00	17.00	24.76	
TBRC07	36	37	32.56	1.40	16.00	17.00	26.31	
TBRC07	37	38	88.39	1.40	16.00	17.00	26.65	
TBRC07	38	39	65.59	1.40	16.00	17.00	37.74	
TBRC07	39	40	87.66	1.40	16.00	17.00	56.00	
TBRC07	40	41	242.64	1.40	29.00	38.00	66.00	
TBRC07	41	42	431.76	1.40	26.00	43.00	111.00	
TBRC07	42	43	125.35	1.40	24.00	50.00	116.00	
TBRC07	43	44	286.85	1.40	32.00	45.00	72.00	
TBRC07	44	45	136.47	1.40	27.00	31.00	89.00	
TBRC07	45	46	23.03	1.40	16.00	17.00	80.00	
TBRC07	46	47	44.61	1.40	16.00	17.00	139.00	
TBRC07	47	48	116.59	1.40	16.00	77.00	1404.00	12m @ 0.35% Zn from 47m
TBRC07	48	49	121.23	1.40	16.00	186.00	1718.00	
TBRC07	49	50	118.30	1.56	16.00	1339.00	5291.00	
TBRC07	50	51	436.78	1.48	17.00	432.00	6341.00	

TBRC07	51	52	131.15	1.40	16.00	99.00	2585.00	
TBRC07	52	53	225.35	1.40	30.00	89.00	531.00	
TBRC07	53	54	359.89	1.40	19.00	171.00	4485.00	
TBRC07	54	55	405.08	1.40	21.00	196.00	4129.00	
TBRC07	55	56	294.28	1.40	16.00	114.00	5453.00	
TBRC07	56	57	1350.47	1.60	16.00	110.00	4286.00	
TBRC07	57	58	238.76	1.40	23.00	146.00	3127.00	
TBRC07	58	59	421.88	2.31	17.00	89.00	2696.00	
TBRC07	59	60	467.56	1.40	24.00	105.00	390.00	
TBRC07	60	61	390.81	1.40	25.00	143.00	367.00	
TBRC07	61	62	274.89	1.40	17.00	79.00	121.00	
TBRC07	62	63	58.11	1.40	16.00	89.00	100.00	
TBRC07	63	64	112.26	1.40	17.00	84.00	142.00	
TBRC07	64	65	47.69	1.40	16.00	55.00	161.00	
TBRC07	65	66	347.22	1.40	22.00	29.00	105.00	
TBRC07	66	67	425.51	1.40	16.00	39.00	166.00	
TBRC07	67	68	497.84	1.40	50.00	28.00	88.00	
TBRC07	68	69	288.76	1.40	16.00	60.00	1959.00	3m @ 0.24% Zn from 68m
TBRC07	69	70	612.90	1.40	16.00	87.00	2396.00	
TBRC07	70	71	442.39	1.40	16.00	106.00	2888.00	
TBRC07	71	72	867.63	1.40	16.00	168.00	2374.00	8m @ 0.10% Cu, 0.16% Zn from 71m
TBRC07	72	73	1391.41	1.40	16.00	112.00	336.00	
TBRC07	73	74	1566.31	1.40	23.00	102.00	540.00	
TBRC07	74	75	503.56	1.40	16.00	130.00	1740.00	
TBRC07	75	76	113.31	1.40	16.00	97.00	4381.00	
TBRC07	76	77	1085.49	1.40	16.00	56.00	2767.00	
TBRC07	77	78	1119.19	1.40	17.00	115.00	306.00	
TBRC07	78	79	1444.45	1.40	40.00	68.00	241.00	
TBRC07	79	80	181.33	1.40	23.00	111.00	3092.00	11m @ 0.09% Pb, 0.44% Zn from 79m
TBRC07	80	81	94.63	1.40	17.00	186.00	4211.00	
TBRC07	81	82	58.80	1.40	24.00	86.00	3239.00	
TBRC07	82	83	224.18	1.40	16.00	31.00	693.00	

TBRC07	83	84	302.31	1.40	18.00	64.00	2124.00	
TBRC07	84	85	229.43	2.58	16.00	1627.00	8034.00	
TBRC07	85	86	145.26	3.09	16.00	3017.00	9530.00	
TBRC07	86	87	132.65	2.12	16.00	2195.00	3470.00	
TBRC07	87	88	117.40	1.40	17.00	682.00	1351.00	
TBRC07	88	89	251.26	2.28	16.00	1223.00	8422.00	
TBRC07	89	90	248.99	1.43	18.00	305.00	4211.00	
TBRC07	90	91	58.17	1.40	26.00	77.00	387.00	
TBRC07	91	92	312.73	1.40	17.00	37.00	237.00	
TBRC07	92	93	49.17	1.40	66.00	41.00	651.00	
TBRC07	93	94	76.14	1.40	16.00	76.00	354.00	
TBRC07	94	95	77.88	1.53	23.00	1773.00	3696.00	
TBRC07	95	96	89.94	1.40	16.00	1057.00	2116.00	
TBRC07	96	97	241.36	1.40	23.00	246.00	1267.00	
TBRC07	97	98	3414.96	3.49	64.00	58.00	268.00	1m @ 0.34% Cu, 3.49 g/t Ag from 97m
TBRC07	98	99	126.67	1.40	30.00	480.00	435.00	
TBRC07	99	100	256.3847	1.65	16	1375	5578	22m @ 0.07% Pb, 0.26% Zn from 99m
TBRC07	100	101	202.954	2.88	16	2048	8385	
TBRC07	101	102	338.8167	1.86	52	661	3720	
TBRC07	102	103	504.7839	1.88	28	446	3624	
TBRC07	103	104	180.6172	1.48	27	823	2248	
TBRC07	104	105	150.9161	1.62	40	772	1944	
TBRC07	105	106	265.3865	2.12	51	1103	4386	
TBRC07	106	107	165.863	1.4	21	628	1730	
TBRC07	107	108	104.13	1.4	19	442	1075	
TBRC07	108	109	299.28	1.4	16	101	463	
TBRC07	109	110	273.6417	1.4	16	742	1296	
TBRC07	110	111	237.8747	1.4	16	853	1198	
TBRC07	111	112	276.7049	1.4	16	389	1040	
TBRC07	112	113	260.7517	1.4	21	1032	2694	
TBRC07	113	114	235.7552	1.4	18	406	2193	

TBRC07	114	115	321.7672	1.4	16	648	1920	
TBRC07	115	116	226.2882	1.4	16	148	3323	
TBRC07	116	117	291.4232	1.4	22	118	2805	
TBRC07	117	118	293.3371	1.4	39	522	1902	
TBRC07	118	119	370.0637	1.4	27	732	2010	
TBRC07	119	120	359.2299	1.4	21	299	2208	
TBRC07	120	121	375.2283	1.4	27	223	2129	
TBRC07	121	122	717.7177	1.88	48	24	159	
TBRC07	122	123	1238.7817	2.31	44	51	284	1m @ 0.12% Cu, 2.31 g/t Ag from 122m
TBRC07	123	124	654.9937	1.4	38	199	1804	
TBRC07	124	125	240.3132	1.4	17	742	1768	
TBRC07	125	126	427.1154	1.46	19	1390	3934	
TBRC07	126	127	235.1645	1.4	22	164	972	
TBRC07	127	128	575.2211	1.4	24	426	939	
TBRC07	128	129	749.2453	1.53	35	389	1363	
TBRC07	129	130	181.5762	1.4	18	1245	2841	
TBRC07	130	131	133.3403	1.4	16	1494	3216	
TBRC07	131	132	70.4004	1.4	17	122	135	
TBRC07	132	133	159.2411	1.4	43	655	1255	
TBRC07	133	134	271.3251	1.4	16	1486	2119	
TBRC07	134	135	586.9683	1.4	16	500	1408	
TBRC07	135	136	368.1098	1.42	16	922	1460	
TBRC07	136	137	420.2164	1.4	42	369	1156	
TBRC07	137	138	81.2848	1.4	24	543	692	
TBRC07	138	139	162.3932	1.4	27	513	1557	
TBRC07	139	140	588.8543	1.4	23	120	145	
TBRC07	140	141	538.4577	1.4	17	72	383	
TBRC07	141	142	594.8273	1.56	41	70	494	
TBRC07	142	143	582.4878	1.4	32	96	330	
TBRC07	143	144	182.3651	1.4	20	69	573	
TBRC07	144	145	299.4419	1.5	54	68	679	

TBRC07	145	146	498.7505	4.54	316	148	785	1m @ 4.54 g/t Ag, 0.03% Co from 145m
TBRC07	146	147	138.0274	1.4	41	72	820	
TBRC07	147	148	300.1393	1.4	36	172	722	
TBRC07	148	149	70.0585	1.4	16	17	95	
TBRC07	149	150	43.7188	1.4	26	19	172	
TBRC09	2	3	561.24	3.16	86.00	495.00	1452.00	26m @ 3.3g/t Ag, 0.07% Pb, 0.46% Zn from 2m
TBRC09	3	4	417.78	3.47	77.00	934.00	2343.00	
TBRC09	4	5	547.76	2.54	48.00	1425.00	4160.00	
TBRC09	5	6	121.60	1.71	18.00	308.00	3505.00	
TBRC09	6	7	105.33	1.96	24.00	388.00	3499.00	
TBRC09	7	8	184.90	2.15	25.00	649.00	5007.00	
TBRC09	8	9	92.71	1.61	23.00	427.00	1751.00	
TBRC09	9	10	48.58	2.40	25.00	408.00	5274.00	
TBRC09	10	11	113.05	3.10	26.00	415.00	8533.00	
TBRC09	11	12	304.33	3.22	29.00	430.00	11150.00	
TBRC09	12	13	304.53	4.35	33.00	425.00	6184.00	
TBRC09	13	14	510.07	7.96	17.00	746.00	2330.00	
TBRC09	14	15	525.73	7.01	19.00	1057.00	4099.00	
TBRC09	15	16	381.88	4.30	22.00	1169.00	5297.00	
TBRC09	16	17	181.85	6.10	30.00	1400.00	5930.00	
TBRC09	17	18	140.45	6.22	25.00	960.00	4399.00	
TBRC09	18	19	96.74	3.74	20.00	588.00	2750.00	
TBRC09	19	20	32.12	1.67	17.00	1099.00	4657.00	
TBRC09	20	21	171.16	2.56	18.00	651.00	8022.00	
TBRC09	21	22	70.95	1.99	16.00	402.00	7109.00	
TBRC09	22	23	77.79	1.80	16.00	497.00	3809.00	
TBRC09	23	24	148.20	2.30	16.00	1022.00	4824.00	
TBRC09	24	25	508.61	3.78	16.00	686.00	4562.00	
TBRC09	25	26	158.70	2.20	16.00	993.00	5271.00	
TBRC09	26	27	195.91	1.40	16.00	327.00	1661.00	
TBRC09	27	28	790.31	3.52	27.00	218.00	2729.00	

TBRC09	28	29	1275.84	3.68	21.00	49.00	769.00	7m @ 0.10% Cu, 15.46 g/t Ag, 0.08% Zn from 28m Incl. 1m @ 67.4 g/t Ag from 33m
TBRC09	29	30	1204.22	2.41	22.00	53.00	176.00	
TBRC09	30	31	209.61	1.48	30.00	61.00	270.00	
TBRC09	31	32	830.62	3.19	17.00	165.00	2282.00	
TBRC09	32	33	963.84	5.21	27.00	71.00	327.00	
TBRC09	33	34	1218.29	67.40	124.00	470.00	1104.00	
TBRC09	34	35	1148.32	24.84	74.00	234.00	1018.00	
TBRC09	35	36	836.79	4.37	21.00	223.00	408.00	
TBRC09	36	37	947.86	3.20	36.00	230.00	1297.00	
TBRC09	37	38	421.26	2.02	26.00	132.00	431.00	
TBRC09	38	39	85.58	1.54	24.00	157.00	1360.00	
TBRC09	39	40	384.30	1.72	16.00	296.00	1875.00	
TBRC09	40	41	91.26	1.40	16.00	696.00	3091.00	3m @ 3.54 g/t Ag, 0.11% Pb, 0.33% Zn from 41m
TBRC09	41	42	384.51	4.44	25.00	1676.00	4048.00	
TBRC09	42	43	643.41	3.62	22.00	971.00	3917.00	
TBRC09	43	44	484.23	2.56	21.00	534.00	1974.00	
TBRC09	44	45	38.86	1.40	16.00	241.00	1010.00	
TBRC09	45	46	117.18	1.40	16.00	78.00	601.00	
TBRC09	46	47	594.59	1.63	16.00	216.00	1216.00	
TBRC09	47	48	163.15	1.59	16.00	871.00	2309.00	
TBRC09	48	49	73.45	1.40	16.00	748.00	1975.00	
TBRC09	49	50	92.84	1.40	16.00	703.00	1928.00	
TBRC09	50	51	198.87	1.43	16.00	678.00	1794.00	
TBRC09	51	52	1263.12	3.88	16.00	400.00	939.00	8m @ 0.10% Cu, 4.23 g/t Ag,0.34% Zn from 51m
TBRC09	52	53	1324.85	4.27	21.00	520.00	4420.00	
TBRC09	53	54	315.46	2.19	16.00	564.00	2702.00	
TBRC09	54	55	248.14	2.42	17.00	1043.00	7322.00	
TBRC09	55	56	882.72	4.12	19.00	971.00	4236.00	
TBRC09	56	57	970.17	4.69	29.00	955.00	3877.00	
TBRC09	57	58	2025.98	8.54	21.00	796.00	1592.00	
TBRC09	58	59	1166.33	3.78	17.00	192.00	2292.00	
TBRC09	59	60	866.56	3.06	28.00	70.00	1045.00	

TBRC09	60	61	443.71	1.63	76.00	<17	212.00	
TBRC09	61	62	893.47	3.17	182.00	<17	306.00	
TBRC09	62	63	1282.38	4.31	126.00	<17	365.00	
TBRC09	63	64	471.09	1.40	36.00	81.00	1702.00	17m @ 2.1g/t Ag, 0.33% Zn from 63m
TBRC09	64	65	483.30	2.09	16.00	719.00	4981.00	
TBRC09	65	66	880.72	3.18	18.00	315.00	3603.00	
TBRC09	66	67	962.83	3.33	46.00	342.00	1582.00	
TBRC09	67	68	281.47	1.47	17.00	406.00	3659.00	
TBRC09	68	69	504.86	4.05	17.00	1036.00	6568.00	
TBRC09	69	70	211.09	2.33	20.00	1155.00	2489.00	
TBRC09	70	71	271.15	1.40	20.00	688.00	2824.00	
TBRC09	71	72	212.10	1.40	20.00	159.00	1721.00	
TBRC09	72	73	406.07	1.40	26.00	136.00	3377.00	
TBRC09	73	74	472.17	1.40	18.00	110.00	825.00	
TBRC09	74	75	921.08	3.48	30.00	795.00	4973.00	
TBRC09	75	76	550.59	3.31	29.00	1332.00	4845.00	
TBRC09	76	77	179.99	1.40	16.00	104.00	239.00	
TBRC09	77	78	75.56	1.40	20.00	295.00	1426.00	
TBRC09	78	79	112.01	1.76	22.00	1129.00	5268.00	
TBRC09	79	80	116.33	1.65	17.00	1160.00	5475.00	
TBRC09	80	81	73.70	1.40	16.00	663.00	1649.00	
TBRC09	81	82	167.84	1.40	16.00	880.00	1658.00	
TBRC09	82	83	166.40	1.40	36.00	77.00	1146.00	
TBRC09	83	84	73.00	1.40	28.00	<17	59.00	
TBRC09	84	85	56.42	1.40	27.00	<17	<9	
TBRC09	85	86	29.34	1.40	23.00	<17	<9	
TBRC09	86	87	122.91	1.40	26.00	<17	34.00	
TBRC09	87	88	309.81	1.40	51.00	29.00	275.00	
TBRC09	88	89	413.22	1.40	20.00	167.00	2829.00	
TBRC09	89	90	123.69	1.40	27.00	797.00	3391.00	
TBRC09	90	91	179.97	1.40	41.00	620.00	354.00	
TBRC09	91	92	298.66	1.40	28.00	912.00	2252.00	

TBRC09	92	93	177.11	1.40	24.00	416.00	1880.00	
TBRC09	93	94	822.95	1.77	44.00	206.00	2061.00	
TBRC09	94	95	284.13	1.55	40.00	587.00	1020.00	
TBRC09	95	96	141.64	1.40	33.00	250.00	291.00	
TBRC09	96	97	51.89	1.40	24.00	451.00	393.00	
TBRC09	97	98	538.06	1.40	125.00	220.00	503.00	
TBRC09	98	99	170.63	1.40	19.00	234.00	1219.00	
TBRC09	99	100	159.51	1.40	21.00	128.00	969.00	
TBRC09	100	101	209.65	1.40	43.00	65.00	775.00	
TBRC09	101	102	135.14	1.40	16.00	352.00	2792.00	
TBRC09	102	103	102.50	1.40	54.00	58.00	803.00	
TBRC09	103	104	267.64	1.40	16.00	25.00	546.00	
TBRC09	104	105	536.29	1.68	22.00	755.00	4300.00	
TBRC09	105	106	556.74	1.50	23.00	528.00	4597.00	
TBRC09	106	107	669.93	1.90	33.00	401.00	3140.00	
TBRC09	107	108	912.29	1.57	42.00	53.00	492.00	
TBRC09	108	109	596.15	1.40	23.00	70.00	653.00	
TBRC09	109	110	1372.37	1.95	19.00	103.00	1018.00	
TBRC09	110	111	171.06	1.40	27.00	88.00	2357.00	
TBRC09	111	112	209.22	1.40	26.00	52.00	5298.00	
TBRC09	112	113	53.46	1.40	55.00	<17	73.00	
TBRC09	113	114	23.25	1.40	33.00	<17	75.00	
TBRC09	114	115	53.32	1.40	41.00	<17	420.00	
TBRC09	115	116	452.04	1.40	24.00	24.00	458.00	
TBRC09	116	117	562.33	1.40	25.00	90.00	5194.00	
TBRC09	117	118	463.37	1.52	18.00	172.00	5252.00	6m @ 2.65 g/t Ag, 0.10% Pb, 0.42% Zn from 117m
TBRC09	118	119	313.42	7.63	18.00	1049.00	3743.00	
TBRC09	119	120	53.16	1.40	17.00	849.00	2231.00	
TBRC09	120	121	226.91	1.68	19.00	1241.00	4185.00	
TBRC09	121	122	65.93	1.70	16.00	1419.00	4974.00	
TBRC09	122	123	123.90	1.99	16.00	1248.00	4833.00	
TBRC09	123	124	1351.44	1.96	30.00	194.00	3021.00	

TBRC09	124	125	1344.19	1.40	49.00	53.00	537.00	2m @ 0.13% Cu, 0.18% Zn from 123m
TBRC09	125	126	776.49	2.36	27.00	44.00	313.00	
TBRC09	126	127	767.72	2.12	39.00	28.00	97.00	
TBRC09	127	128	378.05	2.61	18.00	193.00	4024.00	
TBRC09	128	129	104.62	1.64	20.00	1469.00	4234.00	8m @ 0.16% Pb, 0.38% Zn from 128m
TBRC09	129	130	69.70	1.42	20.00	1383.00	1956.00	
TBRC09	130	131	272.58	2.16	23.00	1336.00	3516.00	
TBRC09	131	132	396.03	3.71	21.00	1430.00	3557.00	
TBRC09	132	133	168.58	2.06	16.00	1452.00	4142.00	
TBRC09	133	134	69.31	1.95	16.00	1356.00	4062.00	
TBRC09	134	135	62.42	1.40	16.00	1117.00	4271.00	
TBRC09	135	136	61.11	3.09	19.00	3089.00	4741.00	
TBRC09	136	137	228.17	1.40	30.00	58.00	710.00	
TBRC09	137	138	102.36	1.40	16.00	241.00	1139.00	
TBRC09	138	139	508.88	1.40	20.00	75.00	1320.00	
TBRC09	139	140	239.33	1.40	16.00	33.00	400.00	
TBRC10	0	1	848.94	3.51	53.00	198.18	487.00	
TBRC10	1	2	758.97	3.58	37.00	134.53	509.00	
TBRC10	2	3	793.11	4.14	31.00	94.37	214.00	
TBRC10	3	4	847.31	4.92	93.00	87.69	178.00	
TBRC10	4	5	600.53	6.99	48.00	47.71	237.00	
TBRC10	5	6	829.47	4.96	29.00	165.55	556.00	
TBRC10	6	7	935.88	3.21	28.00	456.95	593.00	
TBRC10	7	8	1951.64	4.10	22.00	203.57	1316.00	15m @ 0.13% Cu, 10.5 g/t Ag, 0.07% Zn from 7m
TBRC10	8	9	875.09	12.55	60.00	195.91	405.00	
TBRC10	9	10	1075.31	14.48	123.00	110.55	231.00	
TBRC10	10	11	2405.12	34.43	226.00	307.99	287.00	
TBRC10	11	12	1718.69	20.04	188.00	316.78	499.00	
TBRC10	12	13	444.33	11.45	33.00	130.02	258.00	
TBRC10	13	14	339.69	10.77	16.00	75.88	229.00	
TBRC10	14	15	624.66	8.34	16.00	49.65	1044.00	

TBRC10	15	16	625.79	7.33	47.00	47.46	1188.00	
TBRC10	16	17	1110.25	7.34	51.00	17.16	886.00	
TBRC10	17	18	1418.18	6.13	82.00	17.16	316.00	
TBRC10	18	19	762.37	6.00	52.00	17.16	150.00	
TBRC10	19	20	2023.16	4.89	158.00	17.16	1289.00	
TBRC10	20	21	2080.97	3.65	91.00	17.16	1443.00	
TBRC10	21	22	2363.29	5.82	78.00	17.16	1321.00	
TBRC10	22	23	666.75	3.97	17.00	17.16	266.00	
TBRC10	23	24	348.39	2.88	16.00	18.34	142.00	
TBRC10	24	25	363.87	2.87	16.00	29.04	213.00	
TBRC10	25	26	395.64	4.15	16.00	24.36	285.00	
TBRC10	26	27	368.88	2.54	16.00	21.94	168.00	
TBRC10	27	28	989.44	2.97	17.00	37.20	196.00	
TBRC10	28	29	1764.89	3.65	55.00	24.43	380.00	
TBRC10	29	30	1787.77	3.50	41.00	17.16	454.00	
TBRC10	30	31	875.92	6.66	16.00	30.14	291.00	
TBRC10	31	32	475.28	5.43	16.00	30.01	331.00	
TBRC10	32	33	243.51	3.80	16.00	17.16	135.00	
TBRC10	33	34	520.62	2.54	16.00	17.16	165.00	
TBRC10	34	35	8922.02	4.91	106.00	59.55	2173.00	
TBRC10	35	36	10091.03	2.13	23.00	64.70	3111.00	
TBRC10	36	37	3139.16	2.72	17.00	30.11	1135.00	
TBRC10	37	38	4855.39	3.83	40.00	66.14	834.00	
TBRC10	38	39	7571.30	5.07	16.00	111.66	336.00	
TBRC10	39	40	1216.18	2.07	16.00	31.14	140.00	
TBRC10	40	41	2107.23	2.61	42.00	17.16	1006.00	
TBRC10	41	42	597.30	1.40	36.00	17.16	222.00	
TBRC10	42	43	686.20	1.40	27.00	17.16	54.00	
TBRC10	43	44	714.06	1.40	16.00	17.16	202.00	
TBRC10	44	45	214.40	1.40	61.00	17.16	62.00	
TBRC10	45	46	3084.08	1.43	40.00	17.16	38.00	
TBRC10	46	47	502.77	1.40	22.00	17.16	41.00	

**22m @ 0.24 % Cu, 2.8 g/t Ag,
 0.06% Zn from 27m
 Incl. 7m @ 0.54% Cu, 3.3 g/t
 Ag, 0.12% Zn from 34m
 Incl. 1m @ 1.01% Cu, 2.1 g/t Ag
 & 0.31% Zn from 35m**

TBRC10	47	48	1959.94	1.40	34.00	23.75	79.00	
TBRC10	48	49	836.32	1.40	25.00	17.16	941.00	
TBRC10	49	50	40.74	1.40	16.00	17.16	72.00	
TBRC10	50	51	37.75	1.40	16.00	17.16	28.00	
TBRC10	51	52	358.46	1.40	19.00	17.16	27.00	
TBRC10	52	53	78.96	1.40	16.00	17.16	26.00	
TBRC10	53	54	23.25	1.40	16.00	17.16	28.00	
TBRC10	54	55	39.78	1.40	16.00	17.16	444.00	
TBRC10	55	56	23.25	1.40	16.00	17.16	45.00	
TBRC10	56	57	23.25	1.40	16.00	17.16	78.00	
TBRC10	57	58	23.25	1.40	16.00	17.16	13.00	
TBRC10	58	59	23.25	1.40	16.00	17.16	15.00	
TBRC10	59	60	23.25	1.40	16.00	17.16	20.00	
TBRC10	60	61	267.84	1.40	20.00	17.16	110.00	
TBRC10	61	62	1270.19	1.40	29.00	17.16	23.00	4m @ 0.21% Cu from 61m Incl.1m @ 0.45% Cu from 62m
TBRC10	62	63	4516.17	1.95	83.00	30.67	28.00	
TBRC10	63	64	129.02	1.40	16.00	17.16	156.00	
TBRC10	64	65	2502.54	1.55	36.00	17.16	77.00	
TBRC10	65	66	23.25	1.40	16.00	17.16	35.00	
TBRC10	66	67	67.38	1.40	16.00	17.16	37.00	
TBRC10	67	68	23.25	1.40	16.00	17.16	28.00	
TBRC10	68	69	23.25	1.40	20.00	17.16	23.00	
TBRC10	69	70	23.25	1.40	18.00	17.16	21.00	
TBRC10	70	71	23.25	1.40	18.00	17.16	19.00	
TBRC10	71	72	23.25	1.40	16.00	17.16	22.00	
TBRC10	72	73	23.25	1.40	40.00	17.16	24.00	
TBRC10	73	74	23.25	1.40	16.00	17.16	16.00	
TBRC10	74	75	23.25	1.40	16.00	17.16	19.00	
TBRC10	75	76	23.25	1.40	16.00	17.16	31.00	
TBRC10	76	77	23.25	1.40	19.00	17.16	13.00	
TBRC10	77	78	23.25	1.40	16.00	17.16	12.00	
TBRC10	78	79	23.25	1.40	16.00	17.16	16.00	

TBRC10	79	80	23.25	1.40	16.00	17.16	13.00	
TBRC10	80	81	23.25	1.40	16.00	17.16	19.00	
TBRC10	81	82	23.25	1.40	16.00	17.16	13.00	
TBRC10	82	83	23.25	1.40	16.00	17.16	15.00	
TBRC10	83	84	23.25	1.40	16.00	17.16	18.00	
TBRC10	84	85	23.25	1.40	16.00	17.16	21.00	
TBRC10	85	86	23.25	1.40	16.00	17.16	15.00	
TBRC10	86	87	23.25	1.40	16.00	17.16	12.00	
TBRC10	87	88	40.41	1.40	18.00	17.16	9.00	
TBRC10	88	89	23.25	1.40	16.00	17.16	<9	
TBRC10	89	90	23.25	1.40	16.00	17.16	<9	
TBRC10	90	91	23.25	1.40	16.00	17.16	12.00	
TBRC10	91	92	23.25	1.40	16.00	17.16	24.00	
TBRC10	92	93	23.25	1.40	16.00	17.16	31.00	
TBRC10	93	94	23.25	1.40	16.00	17.16	62.00	
TBRC10	94	95	24.42	1.40	16.00	24.09	67.00	
TBRC10	95	96	23.25	1.40	16.00	17.16	32.00	
TBRC10	96	97	23.25	1.40	16.00	17.16	20.00	
TBRC10	97	98	23.25	1.40	16.00	17.16	17.00	
TBRC10	98	99	23.25	1.40	16.00	17.16	33.00	
TBRC10	99	100	34.08	1.40	16.00	17.16	33.00	
TBRC10	100	101	23.25	1.40	16.00	19.19	39.00	
TBRC10	101	102	23.25	1.40	16.00	17.16	39.00	
TBRC10	102	103	23.25	1.40	16.00	17.16	74.00	
TBRC10	103	104	23.25	1.40	16.00	17.16	80.00	
TBRC10	104	105	23.25	1.40	16.00	17.16	97.00	
TBRC10	105	106	23.25	1.40	16.00	17.16	80.00	
TBRC10	106	107	23.25	1.40	16.00	17.16	71.00	
TBRC10	107	108	23.25	1.40	17.00	17.16	90.00	
TBRC10	108	109	23.25	1.40	16.00	17.16	67.00	
TBRC10	109	110	23.25	1.40	17.00	17.16	86.00	
TBRC10	110	111	23.25	1.40	16.00	17.16	85.00	

TBRC10	111	112	23.25	1.40	17.00	17.16	96.00	
TBRC10	112	113	23.25	1.40	17.00	17.16	97.00	
TBRC10	113	114	23.25	1.40	16.00	17.16	90.00	
TBRC10	114	115	23.25	1.40	18.00	17.16	101.00	
TBRC10	115	116	23.25	1.40	17.00	17.16	101.00	
TBRC10	116	117	54.71	1.40	22.00	17.16	64.00	
TBRC10	117	118	23.25	1.40	19.00	17.16	83.00	
TBRC10	118	119	23.25	1.40	17.00	17.16	90.00	
TBRC10	119	120	23.25	1.40	16.00	17.16	80.00	
TBRC10	120	121	23.25	1.40	16.00	17.16	89.00	
TBRC10	121	122	23.25	1.40	16.00	17.16	80.00	
TBRC10	122	123	23.25	1.40	16.00	17.16	96.00	
TBRC10	123	124	23.25	1.40	16.00	17.16	77.00	
TBRC10	124	125	23.25	1.40	16.00	17.16	80.00	
TBRC10	125	126	23.25	1.40	19.00	17.16	69.00	
TBRC10	126	127	23.25	1.40	16.00	17.16	67.00	
TBRC10	127	128	23.25	1.40	16.00	17.16	72.00	
TBRC10	128	129	23.25	1.40	16.00	17.16	69.00	
TBRC10	129	130	23.25	1.40	18.00	17.16	72.00	
TBRC10	130	131	23.25	1.40	22.00	17.16	66.00	
TBRC10	131	132	23.25	1.40	24.00	17.16	78.00	
TBRC10	132	133	23.25	1.40	22.00	17.16	68.00	
TBRC10	133	134	23.25	1.40	20.00	17.16	66.00	
TBRC10	134	135	23.25	1.40	24.00	17.16	69.00	
TBRC10	135	136	23.25	1.40	22.00	17.16	67.00	
TBRC10	136	137	23.25	1.40	22.00	17.16	54.00	
TBRC10	137	138	23.25	1.40	19.00	17.16	55.00	
TBRC10	138	139	23.25	1.40	22.00	17.16	99.00	
TBRC10	139	140	23.25	1.40	17.00	17.16	39.00	
TBRC10	140	141	23.25	1.40	20.00	17.16	45.00	
TBRC10	141	142	39.10	1.40	39.00	17.16	26.00	
TBRC10	142	143	25.33	1.40	31.00	17.16	14.00	

TBRC10	143	144	319.37	1.40	22.00	17.16	<9	
TBRC10	144	145	26.02	1.40	26.00	17.16	25.00	
TBRC10	145	146	14393.47	7.57	17.00	17.16	11.00	2m @ 0.76% Cu, 4.5g/t Ag from 145m Incl. 1m @ 1.44% Cu, 7.6g/t Ag from 145m
TBRC10	146	147	799.78	1.40	16.00	17.16	16.00	
TBRC10	147	148	236.30	1.40	16.00	17.16	24.00	
TBRC10	148	149	235.17	1.40	20.00	17.16	24.00	
TBRC10	149	150	195.22	1.40	19.00	17.16	24.00	
TBRC10	150	151	105.25	1.40	17.00	17.16	26.00	
TBRC10	151	152	100.06	1.40	19.00	17.16	28.00	
TBRC10	152	153	26.36	1.40	18.00	17.16	29.00	
TBRC10	153	154	31.20	1.40	16.00	17.16	13.00	
TBRC10	154	155	24.51	1.40	18.00	17.16	21.00	
TBRC10	155	156	118.93	1.40	16.00	17.16	13.00	
TBRC10	156	157	34.07	1.40	16.00	17.16	32.00	
TBRC10	157	158	36.66	1.40	16.00	17.16	29.00	
TBRC10	158	159	23.25	1.40	16.00	17.16	32.00	
TBRC10	159	160	23.25	1.40	16.00	17.16	39.00	
TBRC14	0	1	400.87	2.05	27.00	179.21	570.00	
TBRC14	1	2	615.29	3.36	24.00	183.38	777.00	
TBRC14	2	3	494.08	4.31	35.00	155.24	957.00	
TBRC14	3	4	610.63	4.38	40.00	184.21	1009.00	11m @ 2.91 g/t Ag, 0.07% Pb, 0.31% Zn from 3m
TBRC14	4	5	610.98	5.41	67.00	204.46	1095.00	
TBRC14	5	6	458.54	4.89	28.00	715.12	1086.00	
TBRC14	6	7	378.94	2.50	70.00	546.70	2071.00	
TBRC14	7	8	271.14	1.66	78.00	451.41	2047.00	
TBRC14	8	9	206.42	1.65	25.00	445.93	2384.00	
TBRC14	9	10	360.86	1.95	57.00	991.83	3709.00	
TBRC14	10	11	454.60	2.07	45.00	1073.81	8668.00	
TBRC14	11	12	402.37	2.38	44.00	1122.59	4748.00	
TBRC14	12	13	308.29	1.92	29.00	868.24	4166.00	
TBRC14	13	14	228.65	3.15	21.00	1489.67	3255.00	

TBRC14	14	15	504.31	4.37	141.00	382.52	2025.00	2m @ 5.05 g/t Ag, 0.17% Zn, 0.01% Co from 14m
TBRC14	15	16	425.60	5.73	113.00	61.70	1471.00	
TBRC14	16	17	816.57	6.02	46.00	613.21	2742.00	
TBRC14	17	18	261.99	3.04	25.00	1459.92	4165.00	2m @ 3.17 g/t Ag, 0.16% Pb, 0.53% Zn from 17m
TBRC14	18	19	372.09	3.29	58.00	1715.76	6368.00	
TBRC14	19	20	391.37	2.40	36.00	624.60	3873.00	
TBRC14	20	21	1344.61	3.32	55.00	210.87	3845.00	
TBRC14	21	22	395.40	1.58	30.00	119.27	1716.00	
TBRC14	22	23	428.62	2.08	32.00	496.00	1595.00	
TBRC14	23	24	914.45	1.54	43.00	669.14	1620.00	
TBRC14	24	25	1627.19	1.53	71.00	1029.06	1416.00	3m @ 0.11% Cu, 2.46 g/t Ag, 0.10% Pb, 0.14% Zn from 24m
TBRC14	25	26	930.01	2.35	50.00	1169.64	1399.00	
TBRC14	26	27	697.74	3.51	43.00	800.97	1615.00	
TBRC14	27	28	277.63	1.40	16.00	383.90	3391.00	
TBRC14	28	29	206.95	1.40	16.00	119.64	3464.00	
TBRC14	29	30	316.70	1.40	16.00	119.38	2102.00	
TBRC14	30	31	572.23	1.40	37.00	180.19	1933.00	2m @ 0.10% Cu, 3.89g/t Ag, 0.54% Zn from 30m
TBRC14	31	32	1573.68	6.38	129.00	926.42	8884.00	
TBRC14	32	33	287.07	1.40	25.00	56.52	608.00	
TBRC14	33	34	212.11	1.40	17.00	57.39	733.00	
TBRC14	34	35	663.37	1.73	44.00	106.45	4012.00	
TBRC14	35	36	523.83	1.70	27.00	129.20	4719.00	
TBRC14	36	37	85.79	1.40	16.00	76.00	2818.00	
TBRC14	37	38	348.45	1.40	34.00	144.60	4093.00	
TBRC14	38	39	420.79	1.40	90.00	129.28	4912.00	
TBRC14	39	40	211.97	1.40	27.00	73.76	3465.00	
TBRC14	40	41	449.03	1.40	28.00	101.17	4650.00	
TBRC14	41	42	280.93	1.40	23.00	105.14	4143.00	
TBRC14	42	43	546.85	1.40	16.00	25.51	496.00	6m @ 0.32% Cu, 2.0 g/t Ag, 0.21% Zn from 42m Inc. 1m @ 1.69% Cu, 5.1 g/t Ag & 0.20% Zn from 43m
TBRC14	43	44	16933.97	5.07	28.00	51.26	2034.00	
TBRC14	44	45	267.85	1.40	16.00	42.11	2702.00	
TBRC14	45	46	295.99	1.40	16.00	49.07	1489.00	

TBRC14	46	47	527.35	1.40	18.00	80.68	3682.00	
TBRC14	47	48	730.40	1.40	31.00	68.67	2297.00	
TBRC14	48	49	341.75	1.40	94.00	32.01	764.00	
TBRC14	49	50	47.44	1.40	16.00	17.16	75.00	
TBRC14	50	51	197.55	2.54	588.00	50.76	375.00	1m @ 0.06% Co from 50m
TBRC14	51	52	38.12	1.40	17.00	17.50	116.00	
TBRC14	52	53	216.52	1.40	16.00	30.55	68.00	
TBRC14	53	54	249.06	1.60	20.00	29.73	107.00	
TBRC14	54	55	555.67	1.51	18.00	31.63	197.00	
TBRC14	55	56	244.86	1.93	16.00	31.80	218.00	
TBRC14	56	57	650.85	1.73	24.00	185.65	3411.00	
TBRC14	57	58	265.15	1.40	16.00	34.70	1176.00	
TBRC14	58	59	295.32	1.40	16.00	31.08	741.00	
TBRC14	59	60	1053.52	2.17	18.00	43.04	950.00	2m @ 0.13% Cu, 2.06 g/t Ag from 59m
TBRC14	60	61	1450.98	1.95	16.00	48.93	634.00	
TBRC14	61	62	255.80	1.40	16.00	61.25	2569.00	
TBRC14	62	63	149.57	1.40	16.00	26.70	1402.00	
TBRC14	63	64	332.12	1.40	16.00	45.68	874.00	
TBRC14	64	65	300.08	1.40	16.00	55.18	1645.00	
TBRC14	65	66	176.05	1.40	16.00	37.21	1204.00	
TBRC14	66	67	184.39	1.40	16.00	35.59	1183.00	
TBRC14	67	68	174.78	1.40	16.00	36.64	886.00	
TBRC14	68	69	501.83	1.40	16.00	57.88	1898.00	
TBRC14	69	70	323.49	1.40	16.00	43.62	1329.00	
TBRC14	70	71	1919.81	1.84	20.00	57.92	753.00	6m @ 0.12% Cu from 70m
TBRC14	71	72	1143.47	1.40	16.00	63.97	208.00	
TBRC14	72	73	1116.42	1.40	16.00	45.49	348.00	
TBRC14	73	74	1479.19	1.40	18.00	73.09	429.00	
TBRC14	74	75	550.22	1.40	17.00	78.21	524.00	
TBRC14	75	76	1089.19	1.40	16.00	53.18	275.00	
TBRC14	76	77	389.36	1.40	16.00	48.25	120.00	
TBRC14	77	78	135.46	1.40	16.00	31.53	97.00	

TBRC14	78	79	91.71	1.40	16.00	19.32	270.00	
TBRC14	79	80	193.39	1.40	16.00	17.16	310.00	
TBRC08	2	3	466.82	3.50	21.00	511.98	1178.00	11m @ 6.65 g/t Ag, 0.11% Zn from 2m
TBRC08	3	4	441.21	3.70	26.00	999.72	2527.00	
TBRC08	4	5	326.59	4.30	30.00	715.79	1729.00	
TBRC08	5	6	636.11	7.00	40.00	305.16	1733.00	
TBRC08	6	7	696.13	8.50	27.00	185.92	1130.00	
TBRC08	7	8	637.76	8.80	14.00	83.22	535.00	
TBRC08	8	9	726.24	13.80	18.00	65.65	976.00	
TBRC08	9	10	618.75	9.80	16.00	77.23	753.00	
TBRC08	10	11	585.90	6.00	14.00	34.21	600.00	
TBRC08	11	12	351.67	4.70	27.00	22.96	333.00	
TBRC08	12	13	750.56	3.10	33.00	135.72	834.00	
TBRC08	13	14	652.75	1.40	30.00	284.14	1348.00	
TBRC08	14	15	728.03	1.70	63.00	895.48	1333.00	
TBRC08	15	16	590.27	2.80	34.00	139.41	1142.00	
TBRC08	16	17	892.16	4.30	78.00	115.47	888.00	
TBRC08	17	18	1175.62	2.10	54.00	67.56	1023.00	
TBRC08	18	19	686.54	4.80	66.00	85.68	664.00	
TBRC08	19	20	518.88	6.80	22.00	37.85	304.00	
TBRC08	20	21	556.60	2.50	25.00	20.39	347.00	
TBRC08	21	22	851.66	2.80	59.00	61.19	817.00	
TBRC08	22	23	1474.96	2.10	39.00	385.07	2424.00	16m @ 0.15% Cu, 5.5 g/t Ag, 0.19% Zn from 22m Incl. 3m @ 0.21% Cu, 8.2 g/t Ag, 0.13% Zn from 35m
TBRC08	23	24	1057.33	5.30	36.00	126.35	1392.00	
TBRC08	24	25	1307.80	6.40	52.00	250.02	1243.00	
TBRC08	25	26	946.73	6.30	51.00	120.66	489.00	
TBRC08	26	27	1181.77	7.00	51.00	50.36	398.00	
TBRC08	27	28	1201.99	5.50	26.00	43.68	433.00	
TBRC08	28	29	1332.09	4.70	38.00	59.70	2073.00	
TBRC08	29	30	1918.09	2.70	33.00	318.53	6320.00	
TBRC08	30	31	1663.17	6.80	165.00	124.82	2683.00	
TBRC08	31	32	1572.44	5.20	35.00	64.12	2817.00	

TBRC08	32	33	1173.61	2.70	17.00	161.54	1987.00	
TBRC08	33	34	1282.99	4.70	27.00	36.77	901.00	
TBRC08	34	35	1193.47	4.20	58.00	50.62	2400.00	
TBRC08	35	36	2290.70	8.50	60.00	159.59	2526.00	
TBRC08	36	37	1849.06	10.90	184.00	40.86	573.00	
TBRC08	37	38	2026.02	5.20	137.00	29.41	818.00	
TBRC08	38	39	435.05	1.40	34.00	17.16	230.00	
TBRC08	39	40	130.69	1.40	24.00	17.16	60.00	
TBRC08	40	41	28.29	2.00	90.00	17.16	43.00	
TBRC08	41	42	23.25	1.40	30.00	17.16	22.00	
TBRC08	42	43	23.25	1.40	70.00	17.16	34.00	
TBRC08	43	44	24.94	1.40	59.00	17.16	44.00	
TBRC08	44	45	23.25	1.50	36.00	17.16	29.00	
TBRC08	45	46	23.25	1.40	41.00	17.16	31.00	
TBRC08	46	47	43.97	1.40	41.00	17.16	35.00	
TBRC08	47	48	23.25	1.40	19.00	17.16	21.00	
TBRC08	48	49	23.25	1.40	21.00	17.16	36.00	
TBRC08	49	50	23.25	1.40	14.00	17.16	25.00	
TBRC08	90	91	49.2827	1.4	105	17.16	21	25m @ 0.01% Co from 90m
TBRC08	91	92	52.0941	1.4	148	17.16	17	
TBRC08	92	93	65.6541	1.4	132	17.16	26	
TBRC08	93	94	23.25	1.4	48	17.16	15	
TBRC08	94	95	52.7489	1.4	147	17.16	18	
TBRC08	95	96	35.9685	1.4	104	17.16	19	
TBRC08	96	97	93.5862	1.4	106	17.16	98	
TBRC08	97	98	50.2669	1.4	117	17.16	32	
TBRC08	98	99	72.1595	1.4	147	17.16	21	
TBRC08	99	100	49.0029	1.4	122	17.16	17	
TBRC08	100	101	56.8927	1.4	112	17.16	16	
TBRC08	101	102	41.3195	1.4	82	17.16	21	
TBRC08	102	103	77.2688	1.4	130	17.16	18	
TBRC08	103	104	73.2218	1.4	133	17.16	18	

TBRC08	104	105	173.8409	1.4	154	17.16	47	
TBRC08	105	106	92.8941	1.4	116	17.16	35	
TBRC08	106	107	23.25	1.4	65	17.16	29	
TBRC08	107	108	66.774	1.4	133	17.16	25	
TBRC08	108	109	49.8791	1.4	125	17.16	16	
TBRC08	109	110	133.0617	1.4	119	17.16	21	
TBRC08	110	111	47.7924	1.4	65	17.16	21	
TBRC08	111	112	63.1817	1.4	87	17.16	21	
TBRC08	112	113	23.25	1.4	68	17.16	63	
TBRC08	113	114	23.25	1.4	28	17.16	54	
TBRC08	114	115	70.8253	1.4	110	17.16	32	
TBRC04	1	2	309.64	1.40	29.00	113.03	364.00	
TBRC04	2	3	129.51	1.40	22.00	141.93	196.00	
TBRC04	3	4	142.26	1.40	26.00	155.80	244.00	
TBRC04	4	5	114.97	1.40	15.00	118.03	185.00	
TBRC04	5	6	95.90	1.40	8.00	121.37	188.00	
TBRC04	6	7	178.10	1.40	28.00	306.86	357.00	
TBRC04	7	8	160.81	1.40	13.00	79.11	506.00	
TBRC04	8	9	154.44	1.40	22.00	27.61	665.00	
TBRC04	9	10	133.01	1.40	20.00	17.16	450.00	
TBRC04	10	11	77.69	1.40	17.00	17.16	337.00	
TBRC04	11	12	100.93	1.40	16.00	17.16	331.00	
TBRC04	12	13	180.18	1.40	23.00	17.16	327.00	
TBRC04	13	14	98.50	1.40	27.00	17.16	130.00	
TBRC04	14	15	130.62	1.40	23.00	17.16	197.00	
TBRC04	15	16	153.99	1.70	25.00	17.16	232.00	
TBRC04	16	17	266.44	2.20	15.00	17.16	380.00	
TBRC04	17	18	488.31	1.80	22.00	17.16	537.00	
TBRC04	18	19	1565.17	1.40	59.00	17.16	820.00	11m @0.15% Cu, 2.1 g/t Ag from 18m
TBRC04	19	20	612.27	1.40	105.00	17.16	559.00	
TBRC04	20	21	1801.52	2.10	139.00	45.60	436.00	
TBRC04	21	22	651.00	1.40	48.00	21.80	560.00	

TBRC04	22	23	990.88	1.60	44.00	17.16	483.00	
TBRC04	23	24	854.62	2.80	46.00	24.10	691.00	
TBRC04	24	25	1575.64	2.60	40.00	44.53	696.00	
TBRC04	25	26	2252.59	2.00	33.00	22.44	552.00	
TBRC04	26	27	1913.08	2.70	87.00	18.13	935.00	
TBRC04	27	28	2464.29	2.70	82.00	18.62	674.00	
TBRC04	28	29	1839.46	2.20	47.00	26.90	854.00	
TBRC04	29	30	430.24	2.80	58.00	17.99	867.00	
TBRC04	30	31	317.97	1.40	52.00	20.05	503.00	
TBRC04	31	32	247.82	1.40	67.00	23.92	371.00	
TBRC04	32	33	258.87	1.40	60.00	17.16	99.00	
TBRC04	33	34	343.59	1.40	63.00	17.16	351.00	
TBRC04	34	35	289.67	2.70	38.00	19.05	577.00	
TBRC04	35	36	418.18	2.20	50.00	17.16	896.00	
TBRC04	36	37	417.22	3.90	40.00	37.83	1184.00	
TBRC04	37	38	428.71	6.10	46.00	77.20	1269.00	
TBRC04	38	39	659.87	3.70	74.00	92.69	2081.00	
TBRC04	39	40	297.50	1.70	70.00	38.12	1216.00	
TBRC04	40	41	182.27	1.40	77.00	17.16	1029.00	
TBRC04	41	42	392.74	1.70	58.00	41.60	1137.00	12m@ 3.32 g/t Ag, 0.13% Zn from 36m
TBRC04	42	43	569.88	1.90	68.00	65.19	1643.00	
TBRC04	43	44	415.50	2.00	41.00	26.23	1200.00	
TBRC04	44	45	442.25	2.60	37.00	23.14	1117.00	
TBRC04	45	46	405.47	3.40	30.00	24.48	1235.00	
TBRC04	46	47	497.63	4.60	42.00	67.24	1079.00	
TBRC04	47	48	585.25	6.80	48.00	53.06	1032.00	
TBRC04	48	49	608.09	4.30	167.00	98.97	1179.00	
TBRC04	49	50	530.12	4.70	60.00	52.21	778.00	
TBRC04	50	51	930.74	3.20	217.00	114.19	1649.00	
TBRC04	51	52	922.34	2.80	178.00	124.80	1894.00	19m @ 0.08% Zn, 0.01% Co from 48m Incl. 1m @ 0.03% Co from 57m Incl. 1m @0.86% Cu and 0.02 Co from 66m
TBRC04	52	53	770.85	1.80	48.00	44.16	1470.00	
TBRC04	53	54	609.07	1.40	41.00	33.61	1314.00	

TBRC04	54	55	527.28	1.40	40.00	27.45	928.00	
TBRC04	55	56	255.38	1.40	37.00	18.54	791.00	
TBRC04	56	57	172.09	1.40	37.00	21.69	504.00	
TBRC04	57	58	773.92	1.40	312.00	17.16	481.00	
TBRC04	58	59	751.43	1.40	184.00	17.16	466.00	
TBRC04	59	60	329.47	1.40	48.00	17.16	699.00	
TBRC04	60	61	305.66	1.40	45.00	17.16	664.00	
TBRC04	61	62	332.11	1.40	42.00	17.16	567.00	
TBRC04	62	63	106.82	1.40	29.00	17.16	340.00	
TBRC04	63	64	771.23	1.40	119.00	17.16	86.00	
TBRC04	64	65	163.71	1.40	44.00	17.16	101.00	
TBRC04	65	66	2388.68	1.70	101.00	17.16	172.00	
TBRC04	66	67	8630.61	3.90	213.00	18.90	194.00	8m @ 0.22% Cu, 1.9 g/t Ag from 65m Incl. 4m @ 0.39% Cu, 2.4 g/t Ag from 65m
TBRC04	67	68	2777.86	2.50	65.00	17.52	135.00	
TBRC04	68	69	1651.24	1.40	49.00	17.16	187.00	
TBRC04	69	70	340.51	1.50	52.00	17.16	120.00	
TBRC04	70	71	472.73	1.40	57.00	17.16	59.00	
TBRC04	71	72	302.42	1.40	71.00	17.16	70.00	
TBRC04	72	73	1125.74	1.40	86.00	17.16	95.00	
TBRC13	1	2	432.25	6.80	24.00	43.08	103.00	29m @ 0.11% Cu, 9.78 g/t Ag, 0.11 % Zn from 2m Incl. 1 m @ 0.32% Cu, 73.9 g/t Ag from 8 m
TBRC13	2	3	1144.29	6.60	89.00	194.25	214.00	
TBRC13	3	4	1735.43	5.90	239.00	319.68	597.00	
TBRC13	4	5	666.12	7.00	95.00	106.77	203.00	
TBRC13	5	6	1156.71	7.00	42.00	144.00	856.00	
TBRC13	6	7	1026.59	7.80	64.00	77.73	657.00	
TBRC13	7	8	1267.75	15.10	83.00	99.93	750.00	
TBRC13	8	9	3187.25	73.90	89.00	65.18	1691.00	
TBRC13	9	10	709.36	14.80	58.00	17.16	330.00	
TBRC13	10	11	687.02	9.60	79.00	17.16	234.00	
TBRC13	11	12	591.78	15.40	64.00	17.16	172.00	
TBRC13	12	13	899.27	26.20	76.00	23.17	345.00	
TBRC13	13	14	654.80	10.90	39.00	17.16	317.00	

TBRC13	14	15	710.55	13.00	45.00	17.16	333.00	
TBRC13	15	16	896.37	15.50	52.00	17.16	464.00	
TBRC13	16	17	777.79	5.50	48.00	17.16	416.00	
TBRC13	17	18	868.68	5.70	35.00	17.16	446.00	
TBRC13	18	19	1574.18	5.30	46.00	17.16	1089.00	
TBRC13	19	20	1114.06	3.30	35.00	17.16	1116.00	
TBRC13	20	21	918.72	2.60	39.00	17.16	738.00	
TBRC13	21	22	939.30	2.60	36.00	17.16	634.00	
TBRC13	22	23	887.66	2.70	25.00	17.16	599.00	
TBRC13	23	24	734.79	2.80	26.00	17.16	530.00	
TBRC13	24	25	766.16	3.40	26.00	17.16	635.00	
TBRC13	25	26	1130.46	5.30	76.00	17.16	1129.00	
TBRC13	26	27	1181.07	3.40	44.00	17.16	2239.00	
TBRC13	27	28	1129.32	3.40	108.00	17.16	3053.00	
TBRC13	28	29	999.92	3.60	52.00	17.16	3724.00	
TBRC13	29	30	1436.33	3.20	36.00	18.14	4241.00	
TBRC13	30	31	1021.95	2.20	52.00	20.69	5306.00	
TBRC13	31	32	656.23	2.60	101.00	17.16	5079.00	4.12 g/t Ag, 0.01 % Co, 0.23% Zn
TBRC13	32	33	274.34	4.30	179.00	17.16	1791.00	
TBRC13	33	34	263.52	4.10	114.00	17.16	2055.00	
TBRC13	34	35	272.38	6.00	76.00	17.16	1501.00	
TBRC13	35	36	273.00	3.60	48.00	17.16	1218.00	
TBRC13	36	37	305.08	1.40	26.00	17.16	1766.00	
TBRC13	37	38	273.64	1.40	21.00	17.16	2402.00	
TBRC13	38	39	23.25	1.90	11.00	17.16	454.00	
TBRC13	39	40	29.06	1.70	12.00	17.16	798.00	
TBRC13	40	41	23.25	1.40	16.00	17.16	38.00	
TBRC13	41	42	23.25	1.40	16.00	17.16	69.00	

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Reverse circulation drilling was used to obtain continuous 1m sample producing approximately 20-35 kgs per meter. - Approximately 1.5 kg - 2.0 kg of material was bagged in plastic bags after riffle splitting the bulk sample and sent to Alfred Knight lab in Kitwe, Zambia for Cu, Ag, Zn, Pb and Co analysis. - The riffle splitter was cleaned out with compressed air after every meter. - The cyclone was cleaned out with compressed air at the end of each hole and periodically during the drilling. - Sampling techniques for field duplicates are discussed under Quality of assay data
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	Reverse Circulation drilling technique used on the program for a total of 2,035m using a truck mounted RF400 Reger Finley drill rig from Leos Drilling with a 4.5" bit diameter.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- Each 1m bulk sample was weighed to monitor sample recovery - Samples were riffled to produce 2 representative samples (for the lab and back-up) per each meter which were also weighed individually. - No relationship established between sample recovery and grade
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	- Rock chip samples were collected continuously per meter during drilling and stored in plastic chip trays for logging and as a visual record. - Rock Chips geologically logged to appropriate detail. - The Project is currently classified as early-stage exploration and

	<i>The total length and percentage of the relevant intersections logged.</i>	no Mineral Resource estimation is applicable. - Geological data is recorded in the field using analog methods. Data recorded includes collar GPS location, Prospect location, rock type, exposure type, lithology, alteration and potential mineralisation. - Photographs were taken on zones of interest. - Alteration and mineralisation are preliminary determined by field observations. - All zones/samples were logged to appropriate detail
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- Samples were submitted in their entirety for analysis - High quality sampling procedures and appropriate sample preparation techniques were followed. - Samples were checked for moisture. If wet or damp, allowed to dry for a few days and then split using a riffle splitter. - Several standards (commercial certified reference material) were inserted at intervals of 2 in 20 in rotation. Immediately following a blank, a standard was inserted. - Field duplicates were inserted at rate of 1 in 20 to give a total 15% QC representation. - Sample size (approximately 2kg in mass) considered appropriate to the grain size of material being sampled.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	- In addition to the laboratory's own quality control ("QC") procedure(s), the company regularly inserts its own QC samples, with 15% of samples in reported results corresponding to an inserted combination of certified reference materials (standards), certified blank material, field duplicate. - Certified laboratory utilised (Alfred Knight, Zambia), uses appropriate technique for elements assayed. - All samples were prepared, crushed, pulverised at Alfred Knight lab - The entire sample < 2.0 Kg is dried in an electric oven set at 105°C + 5 °C for 4 or more hours (drying time dependent on moisture content), then crushed to 90% passing 2.00mm, split

		• 0.25-1Kg and pulverized to 95% passing 150µm • For Cu, Ag, Co, Pb and Zn Mixed acid (HNO₃/HClO₄/HCl/HF) digest was used, 0.5g sample bulk to 250mls with ICP finish. • QA/QC monitored on the entire batch with results satisfactory • Sample preparation procedures at Alfred Knight and results accuracy and precision considered adequate for purpose.
Verification of sampling and assaying	• <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i>	• All assays/intersections were verified by the Senior geologist and the Chief Geologist before sharing with Senior management. • All geological data including the coordinates, lithological observations, strike, dip and mineralisation etc. was recorded on prepared logging templates in the field by the geologist, then inserted into Excel spreadsheet template (2021). • No twin holes used for this program • All analysis was reported in original element form • All data was ultimately stored into Company shared drive. • No adjustments were made to any current data.
Location of data points	• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i>	• Drill collar positions were set prior to and after drilling with a Garmin 66s handheld GPS in WGS84 UTM, Zone 35 South. • DGPS survey of all collar positions will be conducted later • Downhole survey was done using a Boart Longyear TRUSHOT connected to a manual winch wireline • Handheld GPS has an estimated accuracy of +/- 3m
Data spacing and distribution	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	• Three traverses trending roughly N-S to NW-SE established with drill holes approximately 80-120m apart along each traverse. • Drilling considered "scout style". • No geological and grade correlation or continuity established at the moment to support Mineral Resource and Ore Reserve Estimation. • No sample compositing applied, and all samples analysed individually per each meter.
Orientation of data in relation to	• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	• Drill holes oriented oblique or perpendicular to mapped/known field structures and zones • Bulk of drill holes set North-East to East (Azimuth 66 ° to 92°).

geological structure	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- Mineralisation is interpreted to strike NW-SE to N-S, dip steeply to the west - Drill hole azimuth set and drilled between (-54° to -62°) for all holes
Sample security	The measures taken to ensure sample security.	- Samples were collected by Patriot geologists and field assistants and held in a secure container/yard prior to shipment for laboratory analysis. - Samples are enclosed in polyweave sacks for delivery to the lab and weighed individually prior to shipment and upon arrival at the lab.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	- No audits of the sampling procedures or protocols has taken place as yet. - A review of all samples including mineralised intercepts was undertaken by the Chief Geologist.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The large-scale License 27715-HQ-LEL covering Tonic Target in Mumbwa is 100% owned by Patriot Resources Limited . - The License is active and valid till 30/05/2027 and covers 25,511.29 Ha.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- A regional geological map, 1:100,000 covering the License from the Geological Survey department, Zambia, 1998. - During the 1990's Billiton conducted soil geochemical surveys over the License - A regional airborne magnetics survey was done over the area in 2004 by BHP Billiton and Blackthorn Resources. - Sinomine Kitumba conducted geochemical soil sampling and drilling recently at Target H
Geology	Deposit type, geological setting and style of mineralisation.	Sequences of carbonates and calc-arenites interlayered with shales and siltstones of the Katanga Supergroup can be mapped over the Licence.

		The geological setting is structurally controlled with major NW-SE, N-S and NE-SW trending faults
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Information provided in Appendix 1,2 and 3.
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- In Appendix 3 metal grades are reported as single element (Cu, Ag, Pb, Zn and Co) - A cut-off grade of 0.05% (Zn, Cu, Pb), 1.4 g/t Ag and 100ppm for Co has been used to calculate mineralised zones. - Below limit intervals enveloped by above cutoff intervals were aggregated as a continuous mineralized zones - All samples below detection limit were treated to the specific detection limit eg, All Ag samples < 1.4 g/t where treated as 1.4 g/t to get an average grade - An average grade and width respectively of the entire assays has been calculated for reporting purposes. - No upper limit set for all grades. - No metal equivalent calculated
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	- Reported intersections are measured sample lengths. Reported drill intersections are down hole length. - Drilling is considered oblique to perpendicular strike of mineralisation.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being	See body of announcement and appendix for plans showing project location, maps and tables.

	<i>reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- This report discusses the findings of recent RC drilling program - Aggregate reporting is appropriate since mineralisation is disseminated through the host unit and is considered balanced by the Competent Person.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No bulk samples, metallurgical test work, density, water, geotechnical, or other including deleterious elements have been assessed in the current program.
Further work	- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Patriot Resources Limited is planning further exploration work programs, including phase 2 RC drilling and Diamond drilling.