

5 September 2024

## Iltni completes Antimony Reward mapping and sampling

Critical minerals and base metals explorer **Iltni Resources Limited** (ASX: ILT, “Iltni” or “the Company”) is pleased to announce it has completed an initial mapping and sampling program at the Antimony Reward Project in Herberton, North Queensland, which confirmed the presence of extensive antimony mineralisation.

### HIGHLIGHTS:

- Iltni has completed an initial mapping and sampling program at the Antimony Reward Project in Herberton, North Queensland.
- Mapping and sampling have confirmed the presence of at least two parallel structures with multiple epithermal quartz veins hosting extensive stibnite ( $Sb_2S_3$  - antimony sulphide) and minor stibiconite ( $Sb_3O_6(OH)$  - antimony oxide) mineralisation with a total strike extent of at least 800m.
- Nineteen samples were taken and have been dispatched to ALS Townsville for assay – results are expected in 1 to 2 weeks.
- Drill program design work for an initial reverse circulation (RC) drilling program has been completed with program consisting of 15 to 20 drill holes (1,500m drilling).
- Iltni is working with the landowner and First Nations group to accelerate drilling activities – with drilling planned to occur at the end of September / early October.
- China, the world’s biggest producer of antimony, has placed export bans on some antimony products from September 2024. Antimony is currently trading at US\$25,100/tonne (Argus Metals, antimony ingot min 99.65% fob China).

Figure 1 Sample AR014



*Fine disseminated to bladed stibnite in quartz veins*

***Visual estimates of mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations.***

Figure 2 Sample AR001



*Massive to subhedral orthorhombic stibnite crystals to 10cm bladed in hydrothermal/epithermal quartz vein, some chalcedonic quartz with drusy crystals lining vughs and milled breccia with rounded cordierite hornfels clasts to 2cm in altered felsics.*

Figure 3 Sample AR010



*Brecciated quartz vein to 1m wide, massive to subhedral stibnite crystals grading to stibiconite on weathered surface*

For personal use only




Iltni Managing Director Donald Garner commented: “With the antimony price increasing to US\$25,100/tonne plus a recently announced ban on Chinese antimony exports, we have accelerated exploration at our Antimony Reward deposit, part of our Herberton Project in Northern QLD.

We await results from sampling and mapping completed at Antimony Reward, which confirmed the presence of extensive antimony mineralisation. We have completed the design of an initial 15 to 20 hole (1,500m) RC drilling program and are working with the landowner and First Nations group to seek to commence drilling by end of September / early October.”

**1. Antimony Reward Project**

Iltni Resources Herberton Project (Figure 4) includes the Antimony Reward antimony deposit, which is located on Iltni’s wholly owned exploration permit EPM 27168, and is approximately 45km from Herberton, and 25km from the Orient Silver-Indium project, and part of Iltni’s Herberton Project in Northern Queensland.

Figure 4 Antimony Reward project location



For personal use only

Figure 5 Sample AR017




*Epithermal quartz float, abundant over a wide area with abundant stibnite grading to stibiconite on weathered surface.*

For personal use only

**2. Antimony Reward Mapping and Sampling**

The Antimony Reward prospect is located within the Featherbed Volcanic Complex, also host to the Orient silver-indium deposit. The prospect is hosted by rhyolitic ignimbrite near the southern margin of the caldera. Structurally controlled mineralisation along the two main NE-SW trending zones occurs as stibnite within epithermal-style chalcedonic quartz veining and hydrothermal breccias. There appears to be no other significant elements associated with the stibnite mineralisation. Vein widths at surface were recorded from over a metre to 10cm. Historical workings have mainly exploited the northern zone which has been traced on surface for approximately 500m. Vein outcrop has been traced over 200m strike extent along the southern zone, with sizeable stibnite-bearing quartz float samples recognised for a further 100m to the southwest.

Figure 6 Antimony Reward Sample Locations



**Next Steps**

Iltani has submitted the samples from the recent mapping and sampling program to ALS (Townsville), and assay results are expected in 1 to 2 weeks.

A preliminary 15 to 20 RC hole (1,500m) drilling program has been designed to test the mineralisation, and Iltani is working with the landowner and First Nations group to enable drilling to commence by end of September / early October.

For personal use only

Figure 7 Sample AR018



*Chloritic altered rhyolite breccia with massive stibnite as matrix infill on southern lode.*

For personal use only

**Authorisation**

This announcement has been approved for issue by Donald Garner, Iltani Resources Managing Director.

**Contact Details**

For further information, please contact:

**Donald Garner**

Managing Director  
Iltani Resources Limited  
+61 438 338 496  
[dgarner@iltaniresources.com.au](mailto:dgarner@iltaniresources.com.au)

**Nathan Ryan**

Investor Relations  
NWR Communications  
+61 420 582 887  
[nathan.ryan@nwrcommunications.com.au](mailto:nathan.ryan@nwrcommunications.com.au)

**Competent Persons Statement****Exploration Results**

The information in this report that relates to Exploration Results is based on information compiled by Mr Erik Norum who is a member of The Australasian Institute of Geologists (AIG), and is an employee of Iltani Resources Limited., and who has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves' (JORC Code).

Mr Norum consents to the inclusion in this report of the matters based on the information in the form and context in which it appears.






**About Iltani Resources**

Iltani Resources (ASX: ILT) is an ASX listed company focused exploring for the base metals and critical minerals required to create a low emission future. It has built a portfolio of advanced exploration projects in Queensland and Tasmania with multiple high quality, drill-ready targets. Iltani has completed drilling at the Orient Silver-Indium Project, part of its Herberton Project, in Northern Queensland. The drilling has returned outstanding intercepts of silver-lead-zinc-indium mineralisation, positioning Orient as Australia’s most exciting silver-indium discovery.

Other projects include the Northern Base Metal, Southern Gold and Rookwood Projects in Queensland plus the Mt Read Project, a highly strategic 99km<sup>2</sup> licence in Tasmania’s Mt Read Volcanics (MRV) Belt, located between the world-class Rosebery and Hellyer-Que River polymetallic (CuPbZn) precious metal rich volcanic hosted massive sulphide deposits.

Figure 8 Location of Iltani Resources' projects in Queensland and Tasmania



For personal use only



Table 1 Antimony Reward Sample Log

Sample ID	Easting	Northing	Sample description and notes	Estimated Stibnite (%)
AR001	294441	8073919	Massive to subhedral orthorhombic stibnite crystals to 10cm bladed in hydrothermal/epithermal quartz vein, some chalcedonic quartz with drusy crystals lining vughs and milled breccia with rounded cordierite hornfels clasts to 2cm in altered felsics.	50 to 60%
AR002	294332	8073898	Massive stibnite in epithermal brecciated quartz vein adjacent to narrow workings 10m x 2m	60 to 70%
AR 003	294332	8073898	As above with stibnite grading to stibiconite on weathered surface	40 to 50%
AR004	294332	8073898	White to grey chalcedonic quartz with fine disseminated stibnite, numerous vughs lined with drusy quartz and rare euhedral terminated stibiconite ex. stibnite pseudomorphs to 1cm in vughs	0 to 5%
AR005	294351	8073906	Epithermal/hydrothermal breccia with milled rounded clasts of quartz and cordierite hornfels. numerous narrow quartz veins to 1cm	0 to 5%
AR006	294362	8073914	Epithermal quartz breccia with angular clasts of hornfels and metasediments, granular to subhedral bladed stibnite to 5cm grading into stibiconite at weathered surface in wall of workings	10 to 15%
AR007	294513	8073996	Narrow quartz vein to 10cm in altered rhyolite, granular to subhedral stibnite to 3cm in quartz veins grading to stibiconite on weathered surface	10 to 15%
AR008	294559	8074025	Narrow chalcedonic veins in altered acid volcanics (?) with fine stibnite disseminated in chalcedony and massive to subhedral blades to 2cm grading to stibiconite on weathered surface.	5 to 10%
AR009	294573	8074021	Massive to subhedral stibnite in 15cm quartz vein float exposed along the banks of Gibbs Creek	50 to 60%
AR010	294273	8073836	Brecciated quartz vein to 1m wide, massive to subhedral stibnite crystals grading to stibiconite on weathered surface	50 to 60%
AR011	294262	8073825	Quartz vein to 1m in old workings, fine acicular euhedral stibnite crystal in quartz, massive stibnite grading into stibiconite on weathered surface with fine disseminated stibnite in quartz.	0 to 10%
AR012	294246	8073814	As above, bladed euhedral stibnite to 5cm in quartz.	0 to 10%
AR013	294190	8073775	Bladed stibnite grading into massive stibiconite	10 to 20%
AR014	294165	8073745	Numerous shallow workings, fine disseminated to bladed stibnite in quartz veins	10 to 20%
AR015	294123	8073606	Epithermal quartz float in costean ex stibnite - stibiconite blades to 5mm	10 to 20%
AR016	294112	8073564	Epithermal quartz float with bladed stibnite to 3cm and massive stibnite grading into stibiconite on weathered surface	40 to 50%
AR017	294189	8073593	Epithermal quartz float, abundant over a wide area with abundant stibnite grading to stibiconite on weathered surface.	30 to 40%
AR018	294228	8073611	Shallow workings, numerous epithermal quartz veins in brecciated pale green altered rhyolite with stibnite as infill matrix between clasts. Possibly multiple zones or pipe – high priority drill target	10-20%
AR019	294409	8073662	Epithermal quartz vein at edge of costean, drusy quartz lined vughs with minor arsenopyrite.	40 to 50%

All exploration works are conducted in the GDA94 Zone 55 Grid.

Stibnite:  $Sb_2S_3$  (antimony sulphide)

Stibiconite:  $Sb_3O_6(OH)$  (antimony oxide)

For personal use only



**JORC Code, 2012 Edition – Table 1**  
**Section 1 Sampling Techniques and Data**  
 (Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> <li>In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Sampling reported is rock chip sampling carried out by Ittani in August 2024</li> <li>Samples were bagged and sent to Australian Laboratory Services Pty Ltd (ALS) in Townsville for preparation and analysis.</li> <li>Assay protocol will be ME-MS61 (four acid digest followed by ICP-MS finish) with XRF15c for over-range antimony samples (&gt;10,000ppm Sb)</li> </ul>
Drilling techniques	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>No drilling was carried out.</li> </ul>
Drill sample recovery	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and</li> </ul>	<ul style="list-style-type: none"> <li>No drilling was carried out.</li> </ul>

For personal use only



For personal use only

Criteria	JORC Code explanation	Commentary
	<p>grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</p>	
Logging	<ul style="list-style-type: none"> <li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>• No drilling was carried out.</li> <li>• Samples were geologically logged.</li> </ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• No drilling was carried out.</li> </ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>• Nature of quality control procedures adopted (e.g. standards, blanks, duplicates,</li> </ul>	<ul style="list-style-type: none"> <li>• Samples were submitted for assay to ALS (Townsville)</li> <li>• Industry standard assay techniques were used: ME-MS61 (four acid digest followed by ICP-MS finish) with XRF15c for over-range antimony samples (&gt;10,000ppm Sb)</li> </ul>



For personal use only

Criteria	JORC Code explanation	Commentary
	external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>• The verification of significant intersections by either independent or alternative company personnel.</li> <li>• The use of twinned holes.</li> <li>• Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>• Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>• No drilling was carried out.</li> <li>• All data was entered into excel spreadsheet</li> </ul>
Location of data points	<ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>• All exploration works are conducted in the GDA94 Zone 55 Grid.</li> <li>• Topographic control is based on airborne geophysical survey and it is considered adequate.</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>• Data spacing for reporting of Exploration Results.</li> <li>• Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>• Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>• No drilling was carried out.</li> </ul>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>• If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this</li> </ul>	<ul style="list-style-type: none"> <li>• No drilling was carried out.</li> </ul>



Criteria	JORC Code explanation	Commentary
	should be assessed and reported if material.	
Sample security	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were transported to Cairns by Iltani personnel, then from Cairns to ALS Townsville by a commercial courier</li> </ul>
Audits or reviews	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No audits or reviews have been carried out at this point</li> </ul>

For personal use only


**Section 2 Reporting of Exploration Results**

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>Antimony Reward is located on EPM 27168</li> <li>EPM 27168 is wholly owned by Iltani Resources Limited</li> <li>All leases/tenements are in good standing</li> </ul>
Exploration done by other parties	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Exploration activities have been carried out (mapping, percussion drilling and surface geochemical surveys) by Kangaroo Metals in 2007 and 2008</li> <li>Gold Fields Exploration Pty Ltd carried out a program of mapping, sampling from May to November in 1985</li> </ul>
Geology	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>Mineralisation occurs in epithermal vein systems containing stibnite (antimony sulphide)</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes, including, easting and northing, elevation or RL, dip and azimuth, down hole length, interception depth and hole length.</li> <li>If the exclusion of this information is justified the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>No drilling was carried out</li> </ul>
Data aggregation methods	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in</li> </ul>	<ul style="list-style-type: none"> <li>No data aggregation methods have been used and no metal equivalents are used.</li> </ul>

For personal use only



Criteria	JORC Code explanation	Commentary
	detail. <ul style="list-style-type: none"> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<ul style="list-style-type: none"> <li>No drilling was undertaken by Iltani</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plans and sections.</li> </ul>	<ul style="list-style-type: none"> <li>Refer to plans and sections within report</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>The accompanying document is considered to represent a balanced report</li> </ul>
Other substantive exploration data	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported.</li> </ul>	<ul style="list-style-type: none"> <li>All meaningful and material data is reported</li> </ul>
Further work	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> </ul>	<ul style="list-style-type: none"> <li>Exploration of the target area is ongoing.</li> <li>Iltani plans to conduct a 15 to 20 hole RC drilling program in September/October 2024</li> </ul>

For personal use only