

# DRILL-FOR-EQUITY AGREEMENT SIGNED FOLLOWING HIGHLY SUCCESSFUL DRILL PROGRAM

## HIGHLIGHTS

- A substantial **10,000 metre diamond drilling program** has been planned under a drill-for-equity agreement with Easy Drilling, with two rigs to be mobilised to site
- The drill-for-equity agreement enhances African Gold's financial capacity to drive significant resource expansion at the Didievi Project
- The drill program will target the high-grade zone at Blaffo Guetto, which recently returned **65.0m at 5.6 g/t gold**, alongside testing highly prospective underexplored regional targets
- Additionally, pending assays have been received with key intercepts including:
  - **36m at 0.7 g/t of gold** from 33m, and **4m at 2.6 g/t of gold** from 203m
  - **3m at 3.2 g/t of gold** from 19m
- The Didievi Project hosts a maiden inferred resource of **4.93Mt for 452koz of gold at 2.9 g/t Au** (using a 1.0 g/t Au cutoff)<sup>1</sup>




Figure 1: Blaffo Guetto deposit chargeability map with drilling and interpreted mineralization overlay.

<sup>1</sup> ASX:A1G announcement 1 August 2024 "Amendment – 450koz at 2.9 g/t Au Maiden Gold Resource"

African Gold Ltd (**African Gold** or the **Company**) (**ASX: A1G**) is very pleased to announce it has executed a milestone drill-for-equity agreement with Easy Drilling SARM. The arrangement will enable African Gold to conduct a cost-effective 10,000 metre diamond drill program, marking the largest drilling campaign in the Company's history. This drilling program aims to expand the known mineralisation at Blaffo Guetto and explore highly prospective adjacent targets.

As illustrated in Figure 1, a large zone of alteration, containing numerous untested gold targets, extends along strike in both directions from known mineralisation. The upcoming drilling program will focus on testing these targets, which include a prominent high-grade gold trend.




Figure 2: Blaffo Guetto MRE envelope with interpreted high grade trend and mineralisation.

In addition to the extensional targets shown in Figure 2, there are several highly prospective proximal targets that surround the main alteration zone at the Blaffo Guetto prospect. These targets have the potential to substantially expand the current resource base.

African Gold's Chief Executive Officer, Mr Adam Oehlman, said "We are thrilled to announce a cost-effective drilling contract that allows us to build on the success of our recent drill program, which achieved impressive intercepts including 65.0m at 5.6 g/t gold from 177m. This new initiative will be the largest drill program the Company has undertaken. We are excited to explore extensions of the previously identified mineralisation, which remains open along strike and at depth.

"As highlighted in previous releases, in addition to the Blaffo Guetto deposit, the Didievi Project boasts several other exciting prospects that remain largely untested, including the Poku Trend, Kouassi and Akissi prospects. Having a wide array of highly prospective targets within a single tenement package provides us with significant flexibility to expand the Company's resource base at Didievi, which has the potential to evolve into a multi-million-ounce gold deposit."

Under the drill-for-equity agreement with Easy Drilling SARL, the Company can elect to pay 50% of the incurred drilling costs in African Gold shares with the issue price to be based on the next capital raising. The Company expects the first drill rig to mobilise to site by the end of November 2024, with a second rig to mobilise in January 2025.

The Company has also received the final assay results from its recent 6-hole drilling program at Blaffo Guetto. The program was designed to test potential extensions of the gold lodes and to infill previous drilling along key gold-controlling structures in the prospect. The goal was to expand the scale and improve the classification of the existing Inferred Resource. The assay results met expectations, confirming the strike direction of the gold mineralisation, and provided valuable insights for the focus of the next round of drilling.

Key intercepts included:

- **36m at 0.7 g/t of gold** from 33m including **7m at 2.0 g/t** (DDD050 Blaffo Guetto Northeast extension)
- **4m at 2.6 g/t of gold** from 203m
- **3m at 3.2 g/t of gold** from 19m

#### The Didievi Project

The Didievi Project is located in central Cote d'Ivoire, approximately 60km southeast of the capital city, Yamoussoukro (Figures 3 and 4).

African Gold announced a shallow, high-grade Maiden Inferred Resource for the Blaffo Guetto prospect within the Didievi Project. Based on a new geological model derived from recent geological logging and mapping, the resource totals **4.93Mt at 2.9 g/t gold, representing 452koz of gold** (using a 1.0 g/t Au cut-off). On October 15 2024, African Gold reported outstanding drilling results from the Didievi Project, including **65.0m at 5.6 g/t gold from 177m**, with notable intervals of **9.0m at 1.7 g/t gold from 23m** and **28.0m at 1.1 g/t gold from 77m**.

Previous drilling on Blaffo Guetto has produced exceptional shallow intercepts on the Blaffo Guetto prospect, including:

- **65.0m at 5.6 g/t gold** from 177m including **22m at 10.9 g/t gold** (ASX October 15 2024, DDD049)
- **10.0m at 123.7 g/t gold** from 66m including **2m at 613.1 g/t gold** (ASX 2021 8 September 2021, DRC334)
- **83.3m at 3.3 g/t gold** from 166.9m including **18.0m at 12 g/t gold** (ASX 2021 8 September 2021, DDD001)
- **17.4m at 17.0 g/t gold** from 244m including **1.0m at 216.0 g/t gold** (ASX 2021 8 September 2021, DDD029)
- **89.0m at 3.0 g/t gold** from 0m including **23.0m at 9.5 g/t gold** (ASX 2020 27 November 2020, DDD013)
- **43.0m at 4.3 g/t gold** from 57 m including **17.0m at 9.5 g/t gold** (ASX 2020 27 November 2020, DRC130)
- **69.0m at 2.9 g/t gold** from 31m including **37.0m at 4.9 g/t gold** (ASX 2020 27 November 2020, DRC138)
- **37.0m at 7.7 g/t gold** from 42m including **24m at 11.0 g/t gold** (ASX 2020 27 November 2020, DRC208)




Figure 3: Location map of identified gold prospects on the Didievi Project.

## Didievi Regional Prospects Potential

### 01. Pokou Trend

A highly prospective **9km long** gold in soil anomaly adjacent to Blaffo Guetto. Analogous to the >10M oz Au Subika discovery in Ghana.

### 02. Pranoi

The prospect is located in the north-western part of Didievi, 2km from the Pranoi village. Strike length of the gold mineralisation defined by drilling exceeds 600m and remains open. Drilling results include **10m at 5.3g/t Au; 4m 13.3 g/t Au; 8m at 8.0g/t Au.**

### 03. Kouassi Prospect

2km north of the Pranoi Prospect past drilling results include **12m at 4.5g/t gold and 40m at 1.72g/t gold** and 20m at 3.13g/t gold in shallow trenching.

### 04. GCH1 Prospect

Located in the far north of Didievi, drilling results include **16m at 3.07g/t gold and 3m at 5.53g/t gold**, plus a 1.3km long, 48m wide soil anomaly peaking up to 1.14g/t gold.

### 05. Boni Andokro

Defined a new **+1.4km anomaly** close to greenstone contact – up to 221ppb gold.

### 06. Jimmy Walker

Located in the northern part of Defined, 4.5km east of the Pranoi prospect. **+1.7km soil anomaly defined at 100ppb Au lower cut off**, includes 1.4 g/t Au soil results.

This announcement has been authorised for release by the Board of African Gold Ltd.

**For further information, please contact:**

Mr Adam Oehlman  
Chief Executive Officer  
T: +61 8 6143 6789  
E: admin@african-gold.com

## Competent Person's Statement

The information contained in this announcement that relates to new exploration results for the Didievi Project, Cote d'Ivoire, is based on and fairly reflects, information compiled by Dr Marat Abzalov, who is a fellow of the Australasian Institute of Mining and Metallurgy. Dr Abzalov, via his company Massa Geoservices, has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Abzalov consents to the inclusion in this announcement of the matters based on his information on the form and context in which it appears.

The Company confirms that the mineral resource estimate referred to in this announcement was reported on 30 July 2024 in accordance with Listing Rule 5.8 and that the historical exploration results referred to in this announcement were reported in accordance with Listing Rule 5.7 on the dates identified through the ASX release. The Company confirms it is not aware of any new information or data that materially affects the mineral resource estimate or the exploration results and all material assumptions and technical parameters underpinning the resource continue to apply and have not materially changed.

## Forward Looking Statements

This announcement may include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of the Company. Actual values, results or events may be materially different to those expressed or implied in this announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward looking statements. Any forward- looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law, the Company does not undertake any obligation to update or revise any information or any of the forward-looking statements in this announcement or any changes in events, conditions, or circumstances on which any such forward looking statement is based.

## Appendix 1: Drill collar details and intercept information

### Drill collar details:

Hole ID	Easting	Northing	RL	Dip	Azimuth	Hole length (m)
DDD047	279130.0	749114.0	211.8	-55	111	174.48
DDD049	276659.0	749334.5	226.3	-72	137	258.00
DDD048	279045.0	748897.1	237.8	-72	317	207.00
DDD050	279763.6	749480.1	232.3	-55	137	213.00
DDD051	279949.0	749577.0	253.4	-75	137	205.00
DDD052	279946.9	749642.8	281.0	-55	137	209.00

### Intercept information:

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	0.00	1.00	29052	1.00	0.17
DDD047	1.00	2.00	29053	1.00	0.12
DDD047	2.00	3.00	29054	1.00	0.10
DDD047	3.00	4.00	29055	1.00	0.04
DDD047	4.00	5.00	29056	1.00	0.01
DDD047	5.00	6.00	29057	1.00	0.04
DDD047	6.00	7.00	29058	1.00	0.01
DDD047	7.00	8.00	29059	1.00	0.01
DDD047	8.00	9.00	29061	1.00	0.01
DDD047	9.00	10.00	29062	1.00	0.01
DDD047	10.00	11.00	29063	1.00	0.01
DDD047	11.00	12.00	29064	1.00	0.03
DDD047	12.00	13.00	29065	1.00	0.02
DDD047	13.00	14.00	29066	1.00	0.03
DDD047	14.00	15.00	29067	1.00	0.04
DDD047	15.00	16.00	29068	1.00	0.01
DDD047	16.00	17.00	29069	1.00	0.01
DDD047	17.00	18.00	29071	1.00	0.01
DDD047	18.00	19.00	29072	1.00	0.03
DDD047	19.00	20.00	29073	1.00	0.03
DDD047	20.00	21.00	29074	1.00	0.01
DDD047	21.00	22.00	29075	1.00	0.07
DDD047	22.00	23.00	29076	1.00	0.01
DDD047	23.00	24.00	29077	1.00	0.01

For personal use only

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	24.00	25.00	29078	1.00	0.12
DDD047	25.00	26.00	29079	1.00	0.09
DDD047	26.00	27.00	29081	1.00	0.08
DDD047	27.00	28.00	29082	1.00	0.09
DDD047	28.00	29.00	29083	1.00	0.30
DDD047	29.00	30.00	29084	1.00	0.17
DDD047	30.00	31.00	29085	1.00	0.58
DDD047	31.00	31.50	29086	0.50	2.87
DDD047	31.50	32.00	29087	0.50	0.42
DDD047	32.00	32.50	29088	0.50	4.99
DDD047	32.50	33.00	29089	0.50	8.57
DDD047	33.00	33.50	29091	0.50	3.14
DDD047	33.50	34.00	29092	0.50	6.60
DDD047	34.00	34.50	29093	0.50	0.55
DDD047	34.50	35.00	29094	0.50	4.84
DDD047	35.00	35.50	29095	0.50	1.33
DDD047	35.50	36.00	29096	0.50	1.18
DDD047	36.00	36.50	29097	0.50	1.71
DDD047	36.50	37.00	29098	0.50	1.98
DDD047	37.00	37.50	29099	0.50	1.36
DDD047	37.50	38.00	29101	0.50	3.46
DDD047	38.00	38.50	29102	0.50	3.33
DDD047	38.50	39.00	29103	0.50	2.23
DDD047	39.00	39.50	29104	0.50	1.25
DDD047	39.50	40.00	29105	0.50	4.45
DDD047	40.00	40.50	29106	0.50	2.30
DDD047	40.50	41.00	29107	0.50	4.28
DDD047	41.00	41.50	29108	0.50	1.47
DDD047	41.50	42.00	29109	0.50	1.28
DDD047	42.00	42.50	29111	0.50	0.54
DDD047	42.50	43.00	29112	0.50	0.89
DDD047	43.00	43.50	29113	0.50	1.85
DDD047	43.50	44.00	29114	0.50	2.90
DDD047	44.00	44.50	29115	0.50	3.48
DDD047	44.50	45.00	29116	0.50	3.99
DDD047	45.00	45.50	29117	0.50	8.09
DDD047	45.50	46.00	29118	0.50	4.86
DDD047	46.00	46.50	29119	0.50	2.32
DDD047	46.50	47.00	29121	0.50	1.35

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	47.00	47.50	29122	0.50	0.94
DDD047	47.50	48.00	29123	0.50	1.43
DDD047	48.00	48.50	29124	0.50	1.32
DDD047	48.50	49.00	29125	0.50	0.42
DDD047	49.00	49.50	29126	0.50	3.33
DDD047	49.50	50.00	29127	0.50	4.90
DDD047	50.00	50.50	29128	0.50	3.71
DDD047	50.50	51.00	29129	0.50	1.55
DDD047	51.00	51.50	29131	0.50	0.46
DDD047	51.50	52.00	29132	0.50	0.32
DDD047	52.00	52.50	29133	0.50	0.68
DDD047	52.50	53.00	29134	0.50	1.27
DDD047	53.00	53.50	29135	0.50	0.45
DDD047	53.50	54.00	29136	0.50	1.92
DDD047	54.00	54.50	29137	0.50	1.19
DDD047	54.50	55.00	29138	0.50	0.83
DDD047	55.00	55.50	29139	0.50	1.21
DDD047	55.50	56.00	29141	0.50	6.66
DDD047	56.00	56.50	29142	0.50	1.44
DDD047	56.50	57.00	29143	0.50	0.61
DDD047	57.00	57.50	29144	0.50	1.48
DDD047	57.50	58.00	29145	0.50	0.88
DDD047	58.00	58.50	29146	0.50	0.32
DDD047	58.50	59.00	29147	0.50	0.43
DDD047	59.00	59.50	29148	0.50	0.88
DDD047	59.50	60.00	29149	0.50	1.56
DDD047	60.00	60.50	29151	0.50	1.36
DDD047	60.50	61.00	29152	0.50	0.83
DDD047	61.00	61.50	29153	0.50	2.30
DDD047	61.50	62.00	29154	0.50	0.04
DDD047	62.00	62.50	29155	0.50	0.03
DDD047	62.50	63.00	29156	0.50	1.26
DDD047	63.00	64.00	29157	1.00	9.14
DDD047	64.00	65.00	29159	1.00	0.32
DDD047	65.00	66.00	29161	1.00	0.20
DDD047	66.00	67.00	29162	1.00	0.24
DDD047	67.00	68.00	29163	1.00	0.16
DDD047	68.00	69.00	29164	1.00	0.51
DDD047	69.00	70.00	29165	1.00	0.54



For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	70.00	71.00	29166	1.00	1.17
DDD047	71.00	72.00	29167	1.00	0.68
DDD047	72.00	73.00	29168	1.00	0.54
DDD047	73.00	74.00	29169	1.00	0.49
DDD047	74.00	75.00	29171	1.00	0.16
DDD047	75.00	76.00	29172	1.00	0.13
DDD047	76.00	77.00	29173	1.00	0.23
DDD047	77.00	78.00	29174	1.00	0.17
DDD047	78.00	79.00	29175	1.00	0.17
DDD047	79.00	80.00	29176	1.00	0.63
DDD047	80.00	81.00	29177	1.00	0.33
DDD047	81.00	82.00	29179	1.00	0.15
DDD047	82.00	83.00	29181	1.00	0.14
DDD047	83.00	84.00	29182	1.00	0.15
DDD047	84.00	85.00	29183	1.00	0.27
DDD047	85.00	86.00	29184	1.00	0.30
DDD047	86.00	87.00	29185	1.00	0.09
DDD047	87.00	88.00	29186	1.00	0.04
DDD047	88.00	89.00	29187	1.00	0.03
DDD047	89.00	90.00	29188	1.00	0.11
DDD047	90.00	91.00	29189	1.00	0.01
DDD047	91.00	92.00	29191	1.00	0.08
DDD047	92.00	93.00	29192	1.00	0.03
DDD047	93.00	94.00	29193	1.00	0.11
DDD047	94.00	95.00	29194	1.00	1.34
DDD047	95.00	96.00	29195	1.00	0.21
DDD047	96.00	97.00	29196	1.00	0.09
DDD047	97.00	98.00	29197	1.00	0.09
DDD047	98.00	99.00	29198	1.00	0.09
DDD047	99.00	100.00	29199	1.00	0.26
DDD047	100.00	101.00	29201	1.00	0.13
DDD047	101.00	102.00	29202	1.00	0.51
DDD047	102.00	102.50	29203	0.50	0.51
DDD047	102.50	103.00	29204	0.50	0.30
DDD047	103.00	103.50	29205	0.50	0.20
DDD047	103.50	104.00	29206	0.50	0.27
DDD047	104.00	104.50	29207	0.50	0.32
DDD047	104.50	105.00	29208	0.50	0.31
DDD047	105.00	105.50	29209	0.50	0.30

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	105.50	106.00	29211	0.50	0.27
DDD047	106.00	106.50	29212	0.50	0.20
DDD047	106.50	107.00	29213	0.50	0.43
DDD047	107.00	108.00	29214	1.00	0.27
DDD047	108.00	109.00	29215	1.00	0.23
DDD047	109.00	110.00	29216	1.00	0.28
DDD047	110.00	111.00	29217	1.00	0.23
DDD047	111.00	112.00	29218	1.00	0.30
DDD047	112.00	113.00	29219	1.00	0.20
DDD047	113.00	114.00	29221	1.00	0.22
DDD047	114.00	115.00	29222	1.00	0.33
DDD047	115.00	116.00	29223	1.00	0.26
DDD047	116.00	117.00	29224	1.00	0.12
DDD047	117.00	118.00	29225	1.00	0.29
DDD047	118.00	119.00	29226	1.00	0.92
DDD047	119.00	120.00	29227	1.00	0.14
DDD047	120.00	121.00	29228	1.00	0.01
DDD047	121.00	122.00	29229	1.00	0.01
DDD047	122.00	123.00	29231	1.00	0.06
DDD047	123.00	124.00	29232	1.00	0.01
DDD047	124.00	125.00	29233	1.00	0.04
DDD047	125.00	126.00	29234	1.00	0.18
DDD047	126.00	127.00	29235	1.00	0.36
DDD047	127.00	128.00	29236	1.00	0.34
DDD047	128.00	129.00	29237	1.00	0.35
DDD047	129.00	130.00	29238	1.00	0.45
DDD047	130.00	131.00	29239	1.00	0.20
DDD047	131.00	132.00	29241	1.00	0.12
DDD047	132.00	133.00	29242	1.00	0.21
DDD047	133.00	134.00	29243	1.00	0.12
DDD047	134.00	135.00	29244	1.00	0.14
DDD047	135.00	136.00	29245	1.00	0.10
DDD047	136.00	137.00	29246	1.00	0.23
DDD047	137.00	138.00	29247	1.00	0.67
DDD047	138.00	139.00	29248	1.00	0.04
DDD047	139.00	140.00	29249	1.00	0.04
DDD047	140.00	141.00	29251	1.00	0.04
DDD047	141.00	142.00	29252	1.00	0.01
DDD047	142.00	143.00	29253	1.00	0.11

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD047	143.00	144.00	29254	1.00	0.08
DDD047	144.00	145.00	29255	1.00	0.30
DDD047	145.00	146.00	29256	1.00	0.68
DDD047	146.00	147.00	29257	1.00	0.16
DDD047	147.00	148.00	29258	1.00	0.14
DDD047	148.00	149.00	29259	1.00	0.25
DDD047	149.00	150.00	29261	1.00	0.43
DDD047	150.00	151.00	29262	1.00	0.19
DDD047	151.00	152.00	29263	1.00	0.51
DDD047	152.00	153.00	29264	1.00	0.31
DDD047	153.00	154.00	29265	1.00	0.57
DDD047	154.00	155.00	29266	1.00	0.14
DDD047	155.00	156.00	29267	1.00	0.01
DDD047	156.00	157.00	29268	1.00	0.01
DDD047	157.00	158.00	29269	1.00	0.02
DDD047	158.00	159.00	29271	1.00	0.11
DDD047	159.00	160.00	29272	1.00	0.13
DDD047	160.00	161.00	29273	1.00	0.01
DDD047	161.00	162.00	29274	1.00	0.07
DDD047	162.00	163.00	29275	1.00	0.14
DDD047	163.00	164.00	29276	1.00	0.10
DDD047	164.00	165.00	29277	1.00	0.13
DDD047	165.00	166.00	29278	1.00	0.11
DDD047	166.00	167.00	29279	1.00	0.19
DDD047	167.00	168.00	29281	1.00	0.17
DDD047	168.00	169.00	29282	1.00	0.18
DDD047	169.00	170.00	29283	1.00	0.20
DDD047	170.00	171.00	29284	1.00	0.13
DDD047	171.00	172.00	29285	1.00	0.16
DDD047	172.00	173.00	29286	1.00	0.30
DDD047	173.00	174.48	29287	1.48	0.21
DDD048	0.00	1.00	29288	1.00	0.25
DDD048	1.00	2.00	29289	1.00	0.27
DDD048	2.00	3.00	29291	1.00	0.24
DDD048	3.00	4.00	29292	1.00	0.17
DDD048	4.00	5.00	29293	1.00	0.15
DDD048	5.00	6.00	29294	1.00	0.25
DDD048	6.00	7.00	29295	1.00	0.19
DDD048	7.00	8.00	29296	1.00	0.14

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	8.00	9.00	29297	1.00	0.03
DDD048	9.00	10.00	29298	1.00	0.02
DDD048	10.00	11.00	29299	1.00	0.04
DDD048	11.00	12.00	29301	1.00	0.03
DDD048	12.00	13.00	29302	1.00	0.03
DDD048	13.00	14.00	29303	1.00	0.05
DDD048	14.00	15.00	29304	1.00	0.09
DDD048	15.00	16.00	29305	1.00	0.07
DDD048	16.00	17.00	29306	1.00	0.01
DDD048	17.00	18.00	29307	1.00	0.01
DDD048	18.00	19.00	29308	1.00	0.03
DDD048	19.00	20.00	29309	1.00	0.03
DDD048	20.00	21.00	29311	1.00	0.01
DDD048	21.00	22.00	29312	1.00	0.02
DDD048	22.00	23.00	29313	1.00	0.01
DDD048	23.00	24.00	29314	1.00	0.01
DDD048	24.00	25.00	29315	1.00	0.01
DDD048	25.00	26.00	29316	1.00	0.01
DDD048	26.00	27.00	29317	1.00	0.01
DDD048	27.00	28.00	29318	1.00	0.01
DDD048	28.00	29.00	29319	1.00	0.01
DDD048	29.00	30.00	29321	1.00	0.01
DDD048	30.00	31.00	29322	1.00	0.02
DDD048	31.00	32.00	29323	1.00	0.07
DDD048	32.00	33.00	29324	1.00	0.23
DDD048	33.00	34.00	29325	1.00	0.07
DDD048	34.00	35.00	29326	1.00	0.16
DDD048	35.00	36.00	29327	1.00	0.62
DDD048	36.00	37.00	29328	1.00	0.57
DDD048	37.00	38.00	29329	1.00	0.16
DDD048	38.00	39.00	29331	1.00	0.21
DDD048	39.00	40.00	29332	1.00	0.83
DDD048	40.00	41.00	29333	1.00	0.48
DDD048	41.00	42.00	29334	1.00	0.34
DDD048	42.00	43.00	29335	1.00	0.10
DDD048	43.00	44.00	29336	1.00	0.03
DDD048	44.00	45.00	29337	1.00	0.01
DDD048	45.00	46.00	29338	1.00	0.52
DDD048	46.00	47.00	29339	1.00	0.04

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	47.00	48.00	29341	1.00	0.03
DDD048	48.00	49.00	29342	1.00	0.43
DDD048	49.00	50.00	29343	1.00	0.54
DDD048	50.00	51.00	29344	1.00	0.16
DDD048	51.00	52.00	29345	1.00	0.07
DDD048	52.00	53.00	29346	1.00	0.03
DDD048	53.00	54.00	29347	1.00	0.04
DDD048	54.00	55.00	29348	1.00	0.07
DDD048	55.00	56.00	29349	1.00	0.03
DDD048	56.00	57.00	29351	1.00	0.03
DDD048	57.00	58.00	29352	1.00	0.06
DDD048	58.00	59.00	29353	1.00	0.02
DDD048	59.00	60.00	29354	1.00	0.05
DDD048	60.00	61.00	29355	1.00	0.06
DDD048	61.00	62.00	29356	1.00	0.06
DDD048	62.00	63.00	29357	1.00	0.07
DDD048	63.00	64.00	29358	1.00	0.13
DDD048	64.00	65.00	29359	1.00	0.07
DDD048	65.00	66.00	29361	1.00	0.05
DDD048	66.00	67.00	29362	1.00	0.04
DDD048	67.00	68.00	29363	1.00	0.05
DDD048	68.00	69.00	29364	1.00	0.11
DDD048	69.00	70.00	29365	1.00	0.22
DDD048	70.00	71.00	29366	1.00	0.08
DDD048	71.00	72.00	29367	1.00	0.12
DDD048	72.00	73.00	29368	1.00	0.09
DDD048	73.00	74.00	29369	1.00	0.03
DDD048	74.00	75.00	29371	1.00	0.04
DDD048	75.00	76.00	29372	1.00	0.01
DDD048	76.00	77.00	29373	1.00	0.02
DDD048	77.00	78.00	29374	1.00	0.01
DDD048	78.00	79.00	29375	1.00	0.01
DDD048	79.00	80.00	29376	1.00	0.01
DDD048	80.00	81.00	29377	1.00	0.01
DDD048	81.00	82.00	29378	1.00	0.01
DDD048	82.00	83.00	29379	1.00	0.01
DDD048	83.00	84.00	29381	1.00	0.01
DDD048	84.00	85.00	29382	1.00	0.01
DDD048	85.00	86.00	29383	1.00	0.01

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	86.00	87.00	29384	1.00	0.01
DDD048	87.00	88.00	29385	1.00	0.01
DDD048	88.00	89.00	29386	1.00	0.01
DDD048	89.00	90.00	29387	1.00	0.01
DDD048	90.00	91.00	29388	1.00	0.01
DDD048	91.00	92.00	29389	1.00	0.02
DDD048	92.00	93.00	29391	1.00	0.01
DDD048	93.00	94.00	29392	1.00	0.01
DDD048	94.00	95.00	29393	1.00	0.01
DDD048	95.00	96.00	29394	1.00	0.02
DDD048	96.00	97.00	29395	1.00	0.01
DDD048	97.00	98.00	29396	1.00	0.01
DDD048	98.00	99.00	29397	1.00	0.01
DDD048	99.00	100.00	29398	1.00	0.03
DDD048	100.00	101.00	29399	1.00	0.01
DDD048	101.00	102.00	29401	1.00	0.01
DDD048	102.00	103.00	29402	1.00	0.01
DDD048	103.00	104.00	29403	1.00	0.01
DDD048	104.00	105.00	29404	1.00	0.01
DDD048	105.00	106.00	29405	1.00	0.01
DDD048	106.00	107.00	29406	1.00	0.01
DDD048	107.00	108.00	29407	1.00	0.03
DDD048	108.00	109.00	29408	1.00	0.06
DDD048	109.00	110.00	29409	1.00	0.35
DDD048	110.00	111.00	29411	1.00	0.14
DDD048	111.00	112.00	29412	1.00	0.07
DDD048	112.00	113.00	29413	1.00	0.08
DDD048	113.00	114.00	29414	1.00	0.08
DDD048	114.00	115.00	29415	1.00	0.03
DDD048	115.00	116.00	29416	1.00	0.08
DDD048	116.00	117.00	29417	1.00	0.03
DDD048	117.00	118.00	29418	1.00	0.05
DDD048	118.00	119.00	29419	1.00	0.06
DDD048	119.00	120.00	29421	1.00	0.03
DDD048	120.00	121.00	29422	1.00	0.06
DDD048	121.00	122.00	29423	1.00	0.01
DDD048	122.00	123.00	29424	1.00	0.01
DDD048	123.00	124.00	29425	1.00	0.02
DDD048	124.00	125.00	29426	1.00	0.04

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	125.00	126.00	29427	1.00	0.05
DDD048	126.00	127.00	29428	1.00	0.11
DDD048	127.00	128.00	29429	1.00	0.09
DDD048	128.00	129.00	29431	1.00	0.05
DDD048	129.00	130.00	29432	1.00	0.01
DDD048	130.00	131.00	29433	1.00	0.03
DDD048	131.00	132.00	29434	1.00	0.05
DDD048	132.00	133.00	29435	1.00	0.08
DDD048	133.00	134.00	29436	1.00	0.05
DDD048	134.00	135.00	29437	1.00	0.01
DDD048	135.00	136.00	29438	1.00	0.01
DDD048	136.00	137.00	29439	1.00	0.03
DDD048	137.00	138.00	29441	1.00	0.01
DDD048	138.00	139.00	29442	1.00	0.01
DDD048	139.00	140.00	29443	1.00	0.02
DDD048	140.00	141.00	29444	1.00	0.01
DDD048	141.00	142.00	29445	1.00	0.01
DDD048	142.00	143.00	29446	1.00	0.01
DDD048	143.00	144.00	29447	1.00	0.02
DDD048	144.00	145.00	29448	1.00	0.01
DDD048	145.00	146.00	29449	1.00	0.01
DDD048	146.00	147.00	29451	1.00	0.02
DDD048	147.00	148.00	29452	1.00	0.03
DDD048	148.00	149.00	29453	1.00	0.01
DDD048	149.00	150.00	29454	1.00	0.01
DDD048	150.00	151.00	29455	1.00	0.02
DDD048	151.00	152.00	29456	1.00	0.01
DDD048	152.00	153.00	29457	1.00	0.01
DDD048	153.00	154.00	29458	1.00	0.01
DDD048	154.00	155.00	29459	1.00	0.02
DDD048	155.00	156.00	29461	1.00	0.01
DDD048	156.00	157.00	29462	1.00	0.03
DDD048	157.00	158.00	29463	1.00	0.02
DDD048	158.00	159.00	29464	1.00	0.01
DDD048	159.00	160.00	29465	1.00	0.01
DDD048	160.00	161.00	29466	1.00	0.02
DDD048	161.00	162.00	29467	1.00	0.01
DDD048	162.00	163.00	29468	1.00	0.02
DDD048	163.00	164.00	29469	1.00	0.01

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	164.00	165.00	29471	1.00	0.05
DDD048	165.00	166.00	29472	1.00	0.04
DDD048	166.00	167.00	29473	1.00	0.01
DDD048	167.00	168.00	29474	1.00	0.01
DDD048	168.00	169.00	29475	1.00	0.01
DDD048	169.00	170.00	29476	1.00	0.02
DDD048	170.00	171.00	29477	1.00	0.05
DDD048	171.00	172.00	29478	1.00	0.02
DDD048	172.00	173.00	29479	1.00	0.05
DDD048	173.00	174.00	29481	1.00	0.06
DDD048	174.00	175.00	29482	1.00	0.12
DDD048	175.00	176.00	29483	1.00	0.04
DDD048	176.00	177.00	29484	1.00	0.04
DDD048	177.00	178.00	29485	1.00	0.05
DDD048	178.00	179.00	29486	1.00	0.14
DDD048	179.00	180.00	29487	1.00	0.03
DDD048	180.00	181.00	29488	1.00	0.05
DDD048	181.00	182.00	29489	1.00	0.01
DDD048	182.00	183.00	29491	1.00	0.03
DDD048	183.00	184.00	29492	1.00	0.03
DDD048	184.00	185.00	29493	1.00	0.03
DDD048	185.00	186.00	29494	1.00	0.03
DDD048	186.00	187.00	29495	1.00	0.01
DDD048	187.00	188.00	29496	1.00	0.01
DDD048	188.00	189.00	29497	1.00	0.02
DDD048	189.00	190.00	29498	1.00	0.01
DDD048	190.00	191.00	29499	1.00	0.01
DDD048	191.00	192.00	29651	1.00	0.01
DDD048	192.00	193.00	29652	1.00	0.01
DDD048	193.00	194.00	29653	1.00	0.03
DDD048	194.00	195.00	29654	1.00	0.01
DDD048	195.00	196.00	29655	1.00	0.01
DDD048	196.00	197.00	29656	1.00	0.01
DDD048	197.00	198.00	29657	1.00	0.01
DDD048	198.00	199.00	29658	1.00	0.01
DDD048	199.00	200.00	29659	1.00	0.01
DDD048	200.00	201.00	29661	1.00	0.01
DDD048	201.00	202.00	29662	1.00	0.01
DDD048	202.00	203.00	29663	1.00	0.07



For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD048	203.00	204.00	29664	1.00	0.03
DDD048	204.00	205.00	29665	1.00	0.01
DDD048	205.00	206.00	29666	1.00	0.03
DDD048	206.00	207.00	29667	1.00	0.01
DDD049	0.00	1.00	29668	1.00	0.23
DDD049	1.00	2.00	29669	1.00	0.14
DDD049	2.00	3.00	29671	1.00	0.14
DDD049	3.00	4.00	29672	1.00	0.13
DDD049	4.00	5.00	29673	1.00	0.23
DDD049	5.00	6.00	29674	1.00	0.27
DDD049	6.00	7.00	29675	1.00	0.19
DDD049	7.00	8.00	29676	1.00	0.16
DDD049	8.00	9.00	29677	1.00	0.18
DDD049	9.00	10.00	29678	1.00	0.16
DDD049	10.00	11.00	29679	1.00	0.16
DDD049	11.00	12.00	29681	1.00	0.01
DDD049	12.00	13.00	29682	1.00	0.04
DDD049	13.00	14.00	29683	1.00	0.10
DDD049	14.00	15.00	29684	1.00	0.01
DDD049	15.00	16.00	29685	1.00	0.01
DDD049	16.00	17.00	29686	1.00	0.04
DDD049	17.00	18.00	29687	1.00	0.09
DDD049	18.00	19.00	29688	1.00	0.07
DDD049	19.00	20.00	29689	1.00	0.11
DDD049	20.00	21.00	29691	1.00	0.04
DDD049	21.00	22.00	29692	1.00	0.07
DDD049	22.00	23.00	29693	1.00	0.01
DDD049	23.00	24.00	29694	1.00	0.48
DDD049	24.00	25.00	29695	1.00	0.52
DDD049	25.00	26.00	29696	1.00	0.81
DDD049	26.00	27.00	29697	1.00	0.55
DDD049	27.00	28.00	29698	1.00	0.21
DDD049	28.00	29.00	29699	1.00	0.64
DDD049	29.00	30.00	29701	1.00	0.43
DDD049	30.00	31.00	29702	1.00	0.94
DDD049	31.00	32.00	29703	1.00	11.10
DDD049	32.00	33.00	29704	1.00	0.13
DDD049	33.00	34.00	29705	1.00	0.06
DDD049	34.00	35.00	29706	1.00	0.04

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	35.00	36.00	29707	1.00	0.01
DDD049	36.00	37.00	29708	1.00	0.01
DDD049	37.00	38.00	29709	1.00	0.06
DDD049	38.00	39.00	29711	1.00	0.01
DDD049	39.00	40.00	29712	1.00	0.02
DDD049	40.00	41.00	29713	1.00	0.03
DDD049	41.00	42.00	29714	1.00	0.10
DDD049	42.00	43.00	29715	1.00	0.19
DDD049	43.00	44.00	29716	1.00	0.18
DDD049	44.00	45.00	29717	1.00	0.07
DDD049	45.00	46.00	29718	1.00	0.36
DDD049	46.00	47.00	29719	1.00	0.26
DDD049	47.00	48.00	29721	1.00	0.39
DDD049	48.00	49.00	29722	1.00	0.09
DDD049	49.00	50.00	29723	1.00	0.83
DDD049	50.00	51.00	29724	1.00	0.67
DDD049	51.00	52.00	29725	1.00	0.17
DDD049	52.00	53.00	29726	1.00	0.12
DDD049	53.00	54.00	29727	1.00	0.02
DDD049	54.00	55.00	29728	1.00	0.26
DDD049	55.00	56.00	29729	1.00	0.27
DDD049	56.00	57.00	29731	1.00	0.19
DDD049	57.00	58.00	29732	1.00	0.13
DDD049	58.00	59.00	29733	1.00	0.13
DDD049	59.00	60.00	29734	1.00	0.11
DDD049	60.00	61.00	29735	1.00	0.26
DDD049	61.00	62.00	29736	1.00	0.24
DDD049	62.00	63.00	29737	1.00	0.25
DDD049	63.00	64.00	29738	1.00	0.30
DDD049	64.00	65.00	29739	1.00	0.48
DDD049	65.00	66.00	29741	1.00	0.50
DDD049	66.00	67.00	29742	1.00	0.34
DDD049	67.00	68.00	29743	1.00	0.07
DDD049	68.00	69.00	29744	1.00	0.27
DDD049	69.00	70.00	29745	1.00	0.04
DDD049	70.00	71.00	29746	1.00	0.27
DDD049	71.00	72.00	29747	1.00	0.81
DDD049	72.00	73.00	29748	1.00	0.36
DDD049	73.00	74.00	29749	1.00	0.45

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	74.00	75.00	29751	1.00	0.38
DDD049	75.00	76.00	29752	1.00	0.01
DDD049	76.00	77.00	29753	1.00	0.03
DDD049	77.00	78.00	29754	1.00	0.24
DDD049	78.00	79.00	29755	1.00	2.97
DDD049	79.00	80.00	29756	1.00	1.35
DDD049	80.00	81.00	29757	1.00	0.48
DDD049	81.00	82.00	29758	1.00	2.33
DDD049	82.00	83.00	29759	1.00	1.65
DDD049	83.00	84.00	29761	1.00	2.69
DDD049	84.00	85.00	29762	1.00	2.93
DDD049	85.00	86.00	29763	1.00	2.58
DDD049	86.00	87.00	29764	1.00	1.44
DDD049	87.00	88.00	29765	1.00	0.76
DDD049	88.00	89.00	29766	1.00	0.30
DDD049	89.00	90.00	29767	1.00	0.68
DDD049	90.00	91.00	29768	1.00	1.13
DDD049	91.00	92.00	29769	1.00	0.61
DDD049	92.00	93.00	29771	1.00	0.11
DDD049	93.00	94.00	29772	1.00	0.11
DDD049	94.00	95.00	29773	1.00	0.30
DDD049	95.00	96.00	29774	1.00	0.11
DDD049	96.00	97.00	29775	1.00	0.18
DDD049	97.00	98.00	29776	1.00	2.27
DDD049	98.00	99.00	29777	1.00	1.38
DDD049	99.00	100.00	29778	1.00	0.57
DDD049	100.00	101.00	29779	1.00	0.48
DDD049	101.00	102.00	29781	1.00	0.63
DDD049	102.00	103.00	29782	1.00	0.55
DDD049	103.00	104.00	29783	1.00	0.53
DDD049	104.00	105.00	29784	1.00	0.32
DDD049	105.00	106.00	29785	1.00	0.60
DDD049	106.00	107.00	29786	1.00	0.07
DDD049	107.00	108.00	29787	1.00	0.06
DDD049	108.00	109.00	29788	1.00	0.07
DDD049	109.00	110.00	29789	1.00	0.17
DDD049	110.00	111.00	29791	1.00	0.12
DDD049	111.00	112.00	29792	1.00	0.12
DDD049	112.00	113.00	29793	1.00	0.02

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	113.00	114.00	29794	1.00	0.10
DDD049	114.00	115.00	29795	1.00	0.01
DDD049	115.00	116.00	29796	1.00	0.33
DDD049	116.00	117.00	29797	1.00	0.40
DDD049	117.00	118.00	29798	1.00	0.14
DDD049	118.00	119.00	29799	1.00	0.02
DDD049	119.00	120.00	29801	1.00	0.09
DDD049	120.00	121.00	29802	1.00	0.09
DDD049	121.00	122.00	29803	1.00	0.01
DDD049	122.00	123.00	29804	1.00	0.01
DDD049	123.00	124.00	29805	1.00	0.02
DDD049	124.00	125.00	29806	1.00	0.03
DDD049	125.00	126.00	29807	1.00	0.07
DDD049	126.00	127.00	29808	1.00	0.02
DDD049	127.00	128.00	29809	1.00	0.03
DDD049	128.00	129.00	29811	1.00	0.04
DDD049	129.00	130.00	29812	1.00	0.01
DDD049	130.00	131.00	29813	1.00	0.04
DDD049	131.00	132.00	29814	1.00	0.03
DDD049	132.00	133.00	29815	1.00	0.04
DDD049	133.00	134.00	29816	1.00	0.01
DDD049	134.00	135.00	29817	1.00	0.01
DDD049	135.00	136.00	29818	1.00	0.01
DDD049	136.00	137.00	29819	1.00	0.05
DDD049	137.00	138.00	29821	1.00	0.01
DDD049	138.00	139.00	29822	1.00	0.05
DDD049	139.00	140.00	29823	1.00	0.01
DDD049	140.00	141.00	29824	1.00	0.05
DDD049	141.00	142.00	29825	1.00	0.03
DDD049	142.00	143.00	29826	1.00	0.03
DDD049	143.00	144.00	29827	1.00	0.04
DDD049	144.00	145.00	29828	1.00	0.08
DDD049	145.00	146.00	29829	1.00	0.14
DDD049	146.00	147.00	29831	1.00	0.01
DDD049	147.00	148.00	29832	1.00	0.09
DDD049	148.00	149.00	29833	1.00	0.34
DDD049	149.00	150.00	29834	1.00	0.46
DDD049	150.00	151.00	29835	1.00	0.37
DDD049	151.00	152.00	29836	1.00	0.16

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	152.00	153.00	29837	1.00	0.06
DDD049	153.00	154.00	29838	1.00	0.11
DDD049	154.00	155.00	29839	1.00	0.01
DDD049	155.00	156.00	29841	1.00	0.01
DDD049	156.00	157.00	29842	1.00	0.01
DDD049	157.00	158.00	29843	1.00	0.01
DDD049	158.00	159.00	29844	1.00	0.03
DDD049	159.00	160.00	29845	1.00	0.01
DDD049	160.00	161.00	29846	1.00	0.09
DDD049	161.00	162.00	29847	1.00	0.07
DDD049	162.00	163.00	29848	1.00	0.14
DDD049	163.00	164.00	29849	1.00	0.84
DDD049	164.00	165.00	29851	1.00	0.20
DDD049	165.00	166.00	29852	1.00	0.17
DDD049	166.00	167.00	29853	1.00	0.04
DDD049	167.00	168.00	29854	1.00	0.17
DDD049	168.00	169.00	29855	1.00	0.21
DDD049	169.00	170.00	29856	1.00	0.02
DDD049	170.00	171.00	29857	1.00	0.03
DDD049	171.00	172.00	29858	1.00	0.06
DDD049	172.00	173.00	29859	1.00	0.06
DDD049	173.00	174.00	29861	1.00	0.05
DDD049	174.00	175.00	29862	1.00	0.07
DDD049	175.00	176.00	29863	1.00	0.05
DDD049	176.00	177.00	29864	1.00	0.18
DDD049	177.00	178.00	29865	1.00	3.48
DDD049	178.00	179.00	29866	1.00	3.35
DDD049	179.00	180.00	29867	1.00	0.16
DDD049	180.00	181.00	29868	1.00	0.14
DDD049	181.00	182.00	29869	1.00	0.13
DDD049	182.00	183.00	29871	1.00	4.19
DDD049	183.00	184.00	29872	1.00	0.17
DDD049	184.00	185.00	29873	1.00	0.34
DDD049	185.00	186.00	29874	1.00	0.30
DDD049	186.00	187.00	29875	1.00	0.62
DDD049	187.00	188.00	29876	1.00	3.24
DDD049	188.00	189.00	29877	1.00	2.61
DDD049	189.00	190.00	29878	1.00	2.20
DDD049	190.00	191.00	29879	1.00	1.87

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	191.00	192.00	29881	1.00	1.16
DDD049	192.00	193.00	29882	1.00	1.53
DDD049	193.00	194.00	29883	1.00	4.77
DDD049	194.00	195.00	29884	1.00	4.65
DDD049	195.00	196.00	29885	1.00	5.08
DDD049	196.00	197.00	29886	1.00	1.86
DDD049	197.00	198.00	29887	1.00	3.21
DDD049	198.00	199.00	29888	1.00	4.14
DDD049	199.00	200.00	29889	1.00	4.39
DDD049	200.00	201.00	29891	1.00	4.67
DDD049	201.00	202.00	29892	1.00	15.89
DDD049	202.00	203.00	29893	1.00	10.39
DDD049	203.00	204.00	29894	1.00	16.53
DDD049	204.00	205.00	29895	1.00	5.52
DDD049	205.00	206.00	29896	1.00	11.72
DDD049	206.00	207.00	29897	1.00	8.71
DDD049	207.00	208.00	29898	1.00	36.05
DDD049	208.00	209.00	29899	1.00	8.31
DDD049	209.00	210.00	29901	1.00	15.22
DDD049	210.00	211.00	29902	1.00	6.61
DDD049	211.00	212.00	29903	1.00	5.48
DDD049	212.00	213.00	29904	1.00	6.58
DDD049	213.00	214.00	29905	1.00	0.77
DDD049	214.00	215.00	29906	1.00	5.10
DDD049	215.00	216.00	29907	1.00	18.63
DDD049	216.00	217.00	29908	1.00	2.19
DDD049	217.00	218.00	29909	1.00	0.51
DDD049	218.00	219.00	29911	1.00	0.81
DDD049	219.00	220.00	29912	1.00	6.36
DDD049	220.00	221.00	29913	1.00	8.96
DDD049	221.00	222.00	29914	1.00	25.44
DDD049	222.00	223.00	29915	1.00	24.62
DDD049	223.00	224.00	29916	1.00	0.07
DDD049	224.00	225.00	29917	1.00	1.39
DDD049	225.00	226.00	29918	1.00	7.24
DDD049	226.00	227.00	29919	1.00	2.55
DDD049	227.00	228.00	29921	1.00	5.57
DDD049	228.00	229.00	29922	1.00	4.88
DDD049	229.00	230.00	29923	1.00	7.99

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD049	230.00	231.00	29924	1.00	3.79
DDD049	231.00	232.00	29925	1.00	5.26
DDD049	232.00	233.00	29926	1.00	1.31
DDD049	233.00	234.00	29927	1.00	1.33
DDD049	234.00	235.00	29928	1.00	0.68
DDD049	235.00	236.00	29929	1.00	0.46
DDD049	236.00	237.00	29931	1.00	3.37
DDD049	237.00	238.00	29932	1.00	2.37
DDD049	238.00	239.00	29933	1.00	2.58
DDD049	239.00	240.00	29934	1.00	10.99
DDD049	240.00	241.00	29935	1.00	2.47
DDD049	241.00	242.00	29936	1.00	0.49
DDD049	242.00	243.00	29937	1.00	0.17
DDD049	243.00	244.00	29938	1.00	0.07
DDD049	244.00	245.00	29939	1.00	0.11
DDD049	245.00	246.00	29941	1.00	0.32
DDD049	246.00	247.00	29942	1.00	0.11
DDD049	247.00	248.00	29943	1.00	0.10
DDD049	248.00	249.00	29944	1.00	0.23
DDD049	249.00	250.00	29945	1.00	0.01
DDD049	250.00	251.00	29946	1.00	0.03
DDD049	251.00	252.00	29947	1.00	0.06
DDD049	252.00	253.00	29948	1.00	0.08
DDD049	253.00	254.00	29949	1.00	0.09
DDD049	254.00	255.00	29951	1.00	0.03
DDD049	255.00	256.00	29952	1.00	0.15
DDD049	256.00	257.00	29953	1.00	0.12
DDD049	257.00	258.00	29954	1.00	0.08
DDD050	0.00	1.00	29955	1.00	0.20
DDD050	1.00	2.00	29956	1.00	0.15
DDD050	2.00	3.00	29957	1.00	0.18
DDD050	3.00	4.00	29958	1.00	0.11
DDD050	4.00	5.00	29959	1.00	0.16
DDD050	5.00	6.00	29961	1.00	0.19
DDD050	6.00	7.00	29962	1.00	0.79
DDD050	7.00	8.00	29963	1.00	0.07
DDD050	8.00	9.00	29964	1.00	0.14
DDD050	9.00	10.00	29965	1.00	0.20
DDD050	10.00	11.00	29966	1.00	0.26

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	11.00	12.00	29967	1.00	0.08
DDD050	12.00	13.00	29968	1.00	0.11
DDD050	13.00	14.00	29969	1.00	0.19
DDD050	14.00	15.00	29971	1.00	0.14
DDD050	15.00	16.00	29972	1.00	0.56
DDD050	16.00	17.00	29973	1.00	0.16
DDD050	17.00	18.00	29974	1.00	0.38
DDD050	18.00	19.00	29975	1.00	0.48
DDD050	19.00	20.00	29976	1.00	0.29
DDD050	20.00	21.00	29977	1.00	0.39
DDD050	21.00	22.00	29978	1.00	0.29
DDD050	22.00	23.00	29979	1.00	0.26
DDD050	23.00	24.00	29981	1.00	0.99
DDD050	24.00	25.00	29982	1.00	1.78
DDD050	25.00	26.00	29983	1.00	0.95
DDD050	26.00	27.00	29984	1.00	0.55
DDD050	27.00	28.00	29985	1.00	0.87
DDD050	28.00	29.00	29986	1.00	0.96
DDD050	29.00	30.00	29987	1.00	0.26
DDD050	30.00	31.00	29988	1.00	0.39
DDD050	31.00	32.00	29989	1.00	0.84
DDD050	32.00	33.00	29991	1.00	0.52
DDD050	33.00	34.00	29992	1.00	0.26
DDD050	34.00	35.00	29993	1.00	0.48
DDD050	35.00	36.00	29994	1.00	0.28
DDD050	36.00	37.00	29995	1.00	0.23
DDD050	37.00	38.00	29996	1.00	0.33
DDD050	38.00	39.00	29997	1.00	0.64
DDD050	39.00	40.00	29998	1.00	1.10
DDD050	40.00	41.00	29999	1.00	1.04
DDD050	41.00	42.00	30001	1.00	8.90
DDD050	42.00	43.00	30002	1.00	1.29
DDD050	43.00	44.00	30003	1.00	0.78
DDD050	44.00	45.00	30004	1.00	0.49
DDD050	45.00	46.00	30005	1.00	0.29
DDD050	46.00	47.00	30006	1.00	0.87
DDD050	47.00	48.00	30007	1.00	0.37
DDD050	48.00	49.00	30008	1.00	0.16
DDD050	49.00	50.00	30009	1.00	0.46



For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	50.00	51.00	30011	1.00	0.27
DDD050	51.00	52.00	30012	1.00	0.30
DDD050	52.00	53.00	30013	1.00	1.27
DDD050	53.00	54.00	30014	1.00	0.26
DDD050	54.00	55.00	30015	1.00	0.19
DDD050	55.00	56.00	30016	1.00	0.51
DDD050	56.00	57.00	30017	1.00	1.13
DDD050	57.00	58.00	30018	1.00	0.45
DDD050	58.00	59.00	30019	1.00	0.47
DDD050	59.00	60.00	30021	1.00	0.31
DDD050	60.00	61.00	30022	1.00	0.32
DDD050	61.00	62.00	30023	1.00	0.33
DDD050	62.00	63.00	30024	1.00	0.03
DDD050	63.00	64.00	30025	1.00	0.05
DDD050	64.00	65.00	30026	1.00	0.02
DDD050	65.00	66.00	30027	1.00	0.22
DDD050	66.00	67.00	30028	1.00	0.13
DDD050	67.00	68.00	30029	1.00	0.22
DDD050	68.00	69.00	30031	1.00	0.14
DDD050	69.00	70.00	30032	1.00	1.35
DDD050	70.00	71.00	30033	1.00	0.40
DDD050	71.00	72.00	30034	1.00	0.05
DDD050	72.00	73.00	30035	1.00	0.08
DDD050	73.00	74.00	30036	1.00	0.16
DDD050	74.00	75.00	30037	1.00	0.20
DDD050	75.00	76.00	30038	1.00	0.18
DDD050	76.00	77.00	30039	1.00	0.11
DDD050	77.00	78.00	30041	1.00	0.17
DDD050	78.00	79.00	30042	1.00	0.01
DDD050	79.00	80.00	30043	1.00	0.04
DDD050	80.00	81.00	30044	1.00	0.10
DDD050	81.00	82.00	30045	1.00	0.03
DDD050	82.00	83.00	30046	1.00	0.07
DDD050	83.00	84.00	30047	1.00	0.08
DDD050	84.00	85.00	30048	1.00	0.13
DDD050	85.00	86.00	30049	1.00	0.18
DDD050	86.00	87.00	30051	1.00	1.78
DDD050	87.00	88.00	30052	1.00	0.09
DDD050	88.00	89.00	30053	1.00	0.01

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	89.00	90.00	30054	1.00	0.73
DDD050	90.00	91.00	30055	1.00	0.07
DDD050	91.00	92.00	30056	1.00	0.16
DDD050	92.00	93.00	30057	1.00	0.06
DDD050	93.00	94.00	30058	1.00	0.02
DDD050	94.00	95.00	30059	1.00	0.01
DDD050	95.00	96.00	30061	1.00	0.01
DDD050	96.00	97.00	30062	1.00	0.04
DDD050	97.00	98.00	30063	1.00	0.02
DDD050	98.00	99.00	30064	1.00	0.01
DDD050	99.00	100.00	30065	1.00	0.02
DDD050	100.00	101.00	30066	1.00	0.02
DDD050	101.00	102.00	30067	1.00	0.04
DDD050	102.00	103.00	30068	1.00	0.01
DDD050	103.00	104.00	30069	1.00	0.45
DDD050	104.00	105.00	30071	1.00	1.18
DDD050	105.00	106.00	30072	1.00	1.41
DDD050	106.00	107.00	30073	1.00	0.06
DDD050	107.00	108.00	30074	1.00	0.02
DDD050	108.00	109.00	30075	1.00	0.04
DDD050	109.00	110.00	30076	1.00	0.04
DDD050	110.00	111.00	30077	1.00	0.02
DDD050	111.00	112.00	30078	1.00	0.03
DDD050	112.00	113.00	30079	1.00	0.01
DDD050	113.00	114.00	30081	1.00	0.01
DDD050	114.00	115.00	30082	1.00	0.02
DDD050	115.00	116.00	30083	1.00	0.04
DDD050	116.00	117.00	30084	1.00	0.03
DDD050	117.00	118.00	30085	1.00	0.01
DDD050	118.00	119.00	30086	1.00	0.10
DDD050	119.00	120.00	30087	1.00	0.06
DDD050	120.00	121.00	30088	1.00	0.08
DDD050	121.00	122.00	30089	1.00	0.13
DDD050	122.00	123.00	30091	1.00	0.07
DDD050	123.00	124.00	30092	1.00	0.08
DDD050	124.00	125.00	30093	1.00	0.19
DDD050	125.00	126.00	30094	1.00	0.18
DDD050	126.00	127.00	30095	1.00	0.68
DDD050	127.00	128.00	30096	1.00	0.24

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	128.00	129.00	30097	1.00	0.07
DDD050	129.00	130.00	30098	1.00	0.35
DDD050	130.00	131.00	30099	1.00	0.39
DDD050	131.00	132.00	30101	1.00	0.71
DDD050	132.00	133.00	30102	1.00	0.16
DDD050	133.00	134.00	30103	1.00	0.39
DDD050	134.00	135.00	30104	1.00	0.27
DDD050	135.00	136.00	30105	1.00	0.07
DDD050	136.00	137.00	30106	1.00	0.06
DDD050	137.00	138.00	30107	1.00	0.05
DDD050	138.00	139.00	30108	1.00	0.11
DDD050	139.00	140.00	30109	1.00	0.17
DDD050	140.00	141.00	30111	1.00	0.03
DDD050	141.00	142.00	30112	1.00	0.17
DDD050	142.00	143.00	30113	1.00	0.07
DDD050	143.00	144.00	30114	1.00	0.04
DDD050	144.00	145.00	30115	1.00	0.07
DDD050	145.00	146.00	30116	1.00	0.07
DDD050	146.00	147.00	30117	1.00	0.02
DDD050	147.00	148.00	30118	1.00	0.17
DDD050	148.00	149.00	30119	1.00	0.03
DDD050	149.00	150.00	30121	1.00	0.02
DDD050	150.00	151.00	30122	1.00	0.02
DDD050	151.00	152.00	30123	1.00	0.03
DDD050	152.00	153.00	30124	1.00	0.01
DDD050	153.00	154.00	30125	1.00	0.01
DDD050	154.00	155.00	30126	1.00	0.01
DDD050	155.00	156.00	30127	1.00	0.02
DDD050	156.00	157.00	30128	1.00	0.01
DDD050	157.00	158.00	30129	1.00	0.01
DDD050	158.00	159.00	30131	1.00	0.01
DDD050	159.00	160.00	30132	1.00	0.01
DDD050	160.00	161.00	30133	1.00	0.01
DDD050	161.00	162.00	30134	1.00	0.01
DDD050	162.00	163.00	30135	1.00	0.01
DDD050	163.00	164.00	30136	1.00	0.03
DDD050	164.00	165.00	30137	1.00	0.03
DDD050	165.00	166.00	30138	1.00	0.06
DDD050	166.00	167.00	30139	1.00	0.03

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	167.00	168.00	30141	1.00	0.05
DDD050	168.00	169.00	30142	1.00	0.49
DDD050	169.00	170.00	30143	1.00	0.05
DDD050	170.00	171.00	30144	1.00	0.32
DDD050	171.00	172.00	30145	1.00	0.03
DDD050	172.00	173.00	30146	1.00	0.01
DDD050	173.00	174.00	30147	1.00	0.03
DDD050	174.00	175.00	30148	1.00	0.15
DDD050	175.00	176.00	30149	1.00	0.15
DDD050	176.00	177.00	30151	1.00	0.06
DDD050	177.00	178.00	30152	1.00	0.18
DDD050	178.00	179.00	30153	1.00	0.17
DDD050	179.00	180.00	30154	1.00	0.07
DDD050	180.00	181.00	30155	1.00	0.02
DDD050	181.00	182.00	30156	1.00	0.13
DDD050	182.00	183.00	30157	1.00	0.23
DDD050	183.00	184.00	30158	1.00	0.17
DDD050	184.00	185.00	30159	1.00	0.04
DDD050	185.00	186.00	30161	1.00	0.01
DDD050	186.00	187.00	30162	1.00	0.01
DDD050	187.00	188.00	30163	1.00	0.01
DDD050	188.00	189.00	30164	1.00	0.01
DDD050	189.00	190.00	30165	1.00	0.01
DDD050	190.00	191.00	30166	1.00	0.01
DDD050	191.00	192.00	30167	1.00	0.01
DDD050	192.00	193.00	30168	1.00	0.01
DDD050	193.00	194.00	30169	1.00	0.09
DDD050	194.00	195.00	30171	1.00	1.34
DDD050	195.00	196.00	30172	1.00	0.59
DDD050	196.00	197.00	30173	1.00	0.01
DDD050	197.00	198.00	30174	1.00	0.09
DDD050	198.00	199.00	30175	1.00	0.08
DDD050	199.00	200.00	30176	1.00	0.09
DDD050	200.00	201.00	30177	1.00	0.16
DDD050	201.00	202.00	30178	1.00	0.33
DDD050	202.00	203.00	30179	1.00	0.53
DDD050	203.00	204.00	30181	1.00	4.83
DDD050	204.00	205.00	30182	1.00	2.09
DDD050	205.00	206.00	30183	1.00	2.23

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD050	206.00	207.00	30184	1.00	1.16
DDD050	207.00	208.00	30185	1.00	0.39
DDD050	208.00	209.00	30186	1.00	0.07
DDD050	209.00	210.00	30187	1.00	0.15
DDD050	210.00	211.00	30188	1.00	0.22
DDD050	211.00	212.00	30189	1.00	0.29
DDD050	212.00	213.00	30191	1.00	0.06
DDD051	0.00	1.00	30192	1.00	0.04
DDD051	1.00	2.00	30193	1.00	0.03
DDD051	2.00	3.00	30194	1.00	0.06
DDD051	3.00	4.00	30195	1.00	0.08
DDD051	4.00	5.00	30196	1.00	0.03
DDD051	5.00	6.00	30197	1.00	0.05
DDD051	6.00	7.00	30198	1.00	0.01
DDD051	7.00	8.00	30199	1.00	0.01
DDD051	8.00	9.00	30201	1.00	0.02
DDD051	9.00	10.00	30202	1.00	0.07
DDD051	10.00	11.00	30203	1.00	0.01
DDD051	11.00	12.00	30204	1.00	0.01
DDD051	12.00	13.00	30205	1.00	0.01
DDD051	13.00	14.00	30206	1.00	0.01
DDD051	14.00	15.00	30207	1.00	0.04
DDD051	15.00	16.00	30208	1.00	0.01
DDD051	16.00	17.00	30209	1.00	0.09
DDD051	17.00	18.00	30211	1.00	0.13
DDD051	18.00	19.00	30212	1.00	0.13
DDD051	19.00	20.00	30213	1.00	0.11
DDD051	20.00	21.00	30214	1.00	9.22
DDD051	21.00	22.00	30215	1.00	0.33
DDD051	22.00	23.00	30216	1.00	0.09
DDD051	23.00	24.00	30217	1.00	0.06
DDD051	24.00	25.00	30218	1.00	0.03
DDD051	25.00	26.00	30219	1.00	0.04
DDD051	26.00	27.00	30221	1.00	0.03
DDD051	27.00	28.00	30222	1.00	0.01
DDD051	28.00	29.00	30223	1.00	0.04
DDD051	29.00	30.00	30224	1.00	0.03
DDD051	30.00	31.00	30225	1.00	0.04
DDD051	31.00	32.00	30226	1.00	0.04

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD051	32.00	33.00	30227	1.00	0.20
DDD051	33.00	34.00	30228	1.00	0.94
DDD051	34.00	35.00	30229	1.00	0.18
DDD051	35.00	36.00	30231	1.00	0.17
DDD051	36.00	37.00	30232	1.00	0.21
DDD051	37.00	38.00	30233	1.00	0.13
DDD051	38.00	39.00	30234	1.00	0.03
DDD051	39.00	40.00	30235	1.00	0.08
DDD051	40.00	41.00	30236	1.00	0.04
DDD051	41.00	42.00	30237	1.00	0.10
DDD051	42.00	43.00	30238	1.00	0.06
DDD051	43.00	44.00	30239	1.00	0.08
DDD051	44.00	45.00	30241	1.00	0.10
DDD051	45.00	46.00	30242	1.00	0.18
DDD051	46.00	47.00	30243	1.00	0.08
DDD051	47.00	48.00	30244	1.00	0.06
DDD051	48.00	49.00	30245	1.00	0.07
DDD051	49.00	50.00	30246	1.00	0.06
DDD051	50.00	51.00	30247	1.00	0.07
DDD051	51.00	52.00	30248	1.00	0.18
DDD051	52.00	53.00	30249	1.00	0.08
DDD051	53.00	54.00	30251	1.00	0.21
DDD051	54.00	55.00	30252	1.00	0.06
DDD051	55.00	56.00	30253	1.00	0.13
DDD051	56.00	57.00	30254	1.00	0.05
DDD051	57.00	58.00	30255	1.00	0.12
DDD051	58.00	59.00	30256	1.00	0.13
DDD051	59.00	60.00	30257	1.00	0.07
DDD051	60.00	61.00	30258	1.00	0.11
DDD051	61.00	62.00	30259	1.00	0.03
DDD051	62.00	63.00	30261	1.00	0.01
DDD051	63.00	64.00	30262	1.00	0.24
DDD051	64.00	65.00	30263	1.00	0.01
DDD051	65.00	66.00	30264	1.00	0.01
DDD051	66.00	67.00	30265	1.00	0.03
DDD051	67.00	68.00	30266	1.00	0.07
DDD051	68.00	69.00	30267	1.00	0.04
DDD051	69.00	70.00	30268	1.00	0.11
DDD051	70.00	71.00	30269	1.00	0.14

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD051	71.00	72.00	30271	1.00	0.08
DDD051	72.00	73.00	30272	1.00	0.38
DDD051	73.00	74.00	30273	1.00	0.15
DDD051	74.00	75.00	30274	1.00	0.14
DDD051	75.00	76.00	30275	1.00	0.05
DDD051	76.00	77.00	30276	1.00	0.02
DDD051	77.00	78.00	30277	1.00	0.01
DDD051	78.00	79.00	30278	1.00	0.03
DDD051	79.00	80.00	30279	1.00	0.01
DDD051	80.00	81.00	30281	1.00	0.01
DDD051	81.00	82.00	30282	1.00	0.04
DDD051	82.00	83.00	30283	1.00	0.01
DDD051	83.00	84.00	30284	1.00	0.01
DDD051	84.00	85.00	30285	1.00	0.01
DDD051	85.00	86.00	30286	1.00	0.01
DDD051	86.00	87.00	30287	1.00	0.01
DDD051	87.00	88.00	30288	1.00	0.01
DDD051	88.00	89.00	30289	1.00	0.02
DDD051	89.00	90.00	30291	1.00	0.01
DDD051	90.00	91.00	30292	1.00	0.01
DDD051	91.00	92.00	30293	1.00	0.01
DDD051	92.00	93.00	30294	1.00	0.02
DDD051	93.00	94.00	30295	1.00	0.12
DDD051	94.00	95.00	30296	1.00	0.04
DDD051	95.00	96.00	30297	1.00	0.03
DDD051	96.00	97.00	30298	1.00	0.07
DDD051	97.00	98.00	30299	1.00	0.13
DDD051	98.00	99.00	30301	1.00	0.25
DDD051	99.00	100.00	30302	1.00	0.11
DDD051	100.00	101.00	30303	1.00	0.04
DDD051	101.00	102.00	30304	1.00	0.03
DDD051	102.00	103.00	30305	1.00	0.22
DDD051	103.00	104.00	30306	1.00	0.19
DDD051	104.00	105.00	30307	1.00	0.33
DDD051	105.00	106.00	30308	1.00	0.07
DDD051	106.00	107.00	30309	1.00	0.81
DDD051	107.00	108.00	30311	1.00	0.42
DDD051	108.00	109.00	30312	1.00	0.14
DDD051	109.00	110.00	30313	1.00	0.29

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD051	110.00	111.00	30314	1.00	0.26
DDD051	111.00	112.00	30315	1.00	0.12
DDD051	112.00	113.00	30316	1.00	0.04
DDD051	113.00	114.00	30317	1.00	0.17
DDD051	114.00	115.00	30318	1.00	0.13
DDD051	115.00	116.00	30319	1.00	0.23
DDD051	116.00	117.00	30321	1.00	0.08
DDD051	117.00	118.00	30322	1.00	0.12
DDD051	118.00	119.00	30323	1.00	0.15
DDD051	119.00	120.00	30324	1.00	0.14
DDD051	120.00	121.00	30325	1.00	0.08
DDD051	121.00	122.00	30326	1.00	0.10
DDD051	122.00	123.00	30327	1.00	0.24
DDD051	123.00	124.00	30328	1.00	0.31
DDD051	124.00	125.00	30329	1.00	0.04
DDD051	125.00	126.00	30331	1.00	0.01
DDD051	126.00	127.00	30332	1.00	0.01
DDD051	127.00	128.00	30333	1.00	0.05
DDD051	128.00	129.00	30334	1.00	0.05
DDD051	129.00	130.00	30335	1.00	0.10
DDD051	130.00	131.00	30336	1.00	0.03
DDD051	131.00	132.00	30337	1.00	0.01
DDD051	132.00	133.00	30338	1.00	0.01
DDD051	133.00	134.00	30339	1.00	0.04
DDD051	134.00	135.00	30341	1.00	0.07
DDD051	135.00	136.00	30342	1.00	0.04
DDD051	136.00	137.00	30343	1.00	0.03
DDD051	137.00	138.00	30344	1.00	0.01
DDD051	138.00	139.00	30345	1.00	0.03
DDD051	139.00	140.00	30346	1.00	0.02
DDD051	140.00	141.00	30347	1.00	0.01
DDD051	141.00	142.00	30348	1.00	0.07
DDD051	142.00	143.00	30349	1.00	0.02
DDD051	143.00	144.00	30351	1.00	0.05
DDD051	144.00	145.00	30352	1.00	0.08
DDD051	145.00	146.00	30353	1.00	0.06
DDD051	146.00	147.00	30354	1.00	0.09
DDD051	147.00	148.00	30355	1.00	0.13
DDD051	148.00	149.00	30356	1.00	0.10



For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD051	149.00	150.00	30357	1.00	0.06
DDD051	150.00	151.00	30358	1.00	0.09
DDD051	151.00	152.00	30359	1.00	0.07
DDD051	152.00	153.00	30361	1.00	0.06
DDD051	153.00	154.00	30362	1.00	0.08
DDD051	154.00	155.00	30363	1.00	0.09
DDD051	155.00	156.00	30364	1.00	0.02
DDD051	156.00	157.00	30365	1.00	0.01
DDD051	157.00	158.00	30366	1.00	0.05
DDD051	158.00	159.00	30367	1.00	0.12
DDD051	159.00	160.00	30368	1.00	0.04
DDD051	160.00	161.00	30369	1.00	0.13
DDD051	161.00	162.00	30371	1.00	0.16
DDD051	162.00	163.00	30372	1.00	0.08
DDD051	163.00	164.00	30373	1.00	0.30
DDD051	164.00	165.00	30374	1.00	0.15
DDD051	165.00	166.00	30375	1.00	0.14
DDD051	166.00	167.00	30376	1.00	0.05
DDD051	167.00	168.00	30377	1.00	0.10
DDD051	168.00	169.00	30378	1.00	0.03
DDD051	169.00	170.00	30379	1.00	0.03
DDD051	170.00	171.00	30381	1.00	0.04
DDD051	171.00	172.00	30382	1.00	0.03
DDD051	172.00	173.00	30383	1.00	0.12
DDD051	173.00	174.00	30384	1.00	0.26
DDD051	174.00	175.00	30385	1.00	0.33
DDD051	175.00	176.00	30386	1.00	0.15
DDD051	176.00	177.00	30387	1.00	2.16
DDD051	177.00	178.00	30388	1.00	0.55
DDD051	178.00	179.00	30389	1.00	5.46
DDD051	179.00	180.00	30391	1.00	0.63
DDD051	180.00	181.00	30392	1.00	0.32
DDD051	181.00	182.00	30393	1.00	0.22
DDD051	182.00	183.00	30394	1.00	0.69
DDD051	183.00	184.00	30395	1.00	0.01
DDD051	184.00	185.00	30396	1.00	0.17
DDD051	185.00	186.00	30397	1.00	0.08
DDD051	186.00	187.00	30398	1.00	0.02
DDD051	187.00	188.00	30399	1.00	0.05

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD051	188.00	189.00	30401	1.00	0.06
DDD051	189.00	190.00	30402	1.00	0.10
DDD051	190.00	191.00	30403	1.00	0.26
DDD051	191.00	192.00	30404	1.00	0.12
DDD051	192.00	193.00	30405	1.00	0.15
DDD051	193.00	194.00	30406	1.00	0.18
DDD051	194.00	195.00	30407	1.00	0.04
DDD051	195.00	196.00	30408	1.00	0.31
DDD051	196.00	197.00	30409	1.00	0.21
DDD051	197.00	198.00	30411	1.00	0.26
DDD051	198.00	199.00	30412	1.00	0.19
DDD051	199.00	200.00	30413	1.00	0.63
DDD051	200.00	201.00	30414	1.00	0.51
DDD051	201.00	202.00	30415	1.00	0.32
DDD051	202.00	203.00	30416	1.00	0.26
DDD051	203.00	204.00	30417	1.00	0.55
DDD051	204.00	205.50	30418	1.50	0.07
DDD052	0.00	1.00	30419	1.00	0.22
DDD052	1.00	2.00	30421	1.00	0.14
DDD052	2.00	3.00	30422	1.00	0.10
DDD052	3.00	4.00	30423	1.00	0.25
DDD052	4.00	5.00	30424	1.00	0.12
DDD052	5.00	6.00	30425	1.00	0.07
DDD052	6.00	7.00	30426	1.00	0.02
DDD052	7.00	8.00	30427	1.00	0.02
DDD052	8.00	9.00	30428	1.00	0.03
DDD052	9.00	10.00	30429	1.00	0.07
DDD052	10.00	11.00	30431	1.00	0.08
DDD052	11.00	12.00	30432	1.00	0.05
DDD052	12.00	13.00	30433	1.00	0.01
DDD052	13.00	14.00	30434	1.00	0.01
DDD052	14.00	15.00	30435	1.00	0.03
DDD052	15.00	16.00	30436	1.00	0.09
DDD052	16.00	17.00	30437	1.00	0.04
DDD052	17.00	18.00	30438	1.00	0.07
DDD052	18.00	19.00	30439	1.00	0.07
DDD052	19.00	20.00	30441	1.00	0.02
DDD052	20.00	21.00	30442	1.00	0.11
DDD052	21.00	22.00	30443	1.00	0.04

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD052	22.00	23.00	30444	1.00	0.05
DDD052	23.00	24.00	30445	1.00	0.06
DDD052	24.00	25.00	30446	1.00	0.24
DDD052	25.00	26.00	30447	1.00	0.03
DDD052	26.00	27.00	30448	1.00	0.03
DDD052	27.00	28.00	30449	1.00	0.05
DDD052	28.00	29.00	30451	1.00	0.01
DDD052	29.00	30.00	30452	1.00	0.07
DDD052	30.00	31.00	30453	1.00	0.09
DDD052	31.00	32.00	30454	1.00	0.06
DDD052	32.00	33.00	30455	1.00	0.04
DDD052	33.00	34.00	30456	1.00	0.03
DDD052	34.00	35.00	30457	1.00	0.01
DDD052	35.00	36.00	30458	1.00	0.13
DDD052	36.00	37.00	30459	1.00	0.01
DDD052	37.00	38.00	30461	1.00	0.12
DDD052	38.00	39.00	30462	1.00	0.01
DDD052	39.00	40.00	30463	1.00	0.08
DDD052	40.00	41.00	30464	1.00	0.04
DDD052	41.00	42.00	30465	1.00	0.02
DDD052	42.00	43.00	30466	1.00	0.02
DDD052	43.00	44.00	30467	1.00	0.02
DDD052	44.00	45.00	30468	1.00	0.01
DDD052	45.00	46.00	30469	1.00	0.03
DDD052	46.00	47.00	30471	1.00	0.01
DDD052	47.00	48.00	30472	1.00	0.04
DDD052	48.00	49.00	30473	1.00	0.06
DDD052	49.00	50.00	30474	1.00	0.02
DDD052	50.00	51.00	30475	1.00	0.01
DDD052	51.00	52.00	30476	1.00	0.02
DDD052	52.00	53.00	30477	1.00	0.01
DDD052	53.00	54.00	30478	1.00	0.01
DDD052	54.00	55.00	30479	1.00	0.02
DDD052	55.00	56.00	30481	1.00	0.01
DDD052	56.00	57.00	30482	1.00	0.01
DDD052	57.00	58.00	30483	1.00	0.01
DDD052	58.00	59.00	30484	1.00	0.03
DDD052	59.00	60.00	30485	1.00	0.11
DDD052	60.00	61.00	30486	1.00	0.05

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD052	61.00	62.00	30487	1.00	0.08
DDD052	62.00	63.00	30488	1.00	0.05
DDD052	63.00	64.00	30489	1.00	1.29
DDD052	64.00	65.00	30491	1.00	0.01
DDD052	65.00	66.00	30492	1.00	0.01
DDD052	66.00	67.00	30493	1.00	0.01
DDD052	67.00	68.00	30494	1.00	0.02
DDD052	68.00	69.00	30495	1.00	0.02
DDD052	69.00	70.00	30496	1.00	0.01
DDD052	70.00	71.00	30497	1.00	0.05
DDD052	71.00	72.00	30498	1.00	0.04
DDD052	72.00	73.00	30499	1.00	0.05
DDD052	73.00	74.00	30726	1.00	0.04
DDD052	74.00	75.00	30727	1.00	0.13
DDD052	75.00	76.00	30728	1.00	0.10
DDD052	76.00	77.00	30729	1.00	0.15
DDD052	77.00	78.00	30731	1.00	0.57
DDD052	78.00	79.00	30732	1.00	0.34
DDD052	79.00	80.00	30733	1.00	0.09
DDD052	80.00	81.00	30734	1.00	0.09
DDD052	81.00	82.00	30735	1.00	0.29
DDD052	82.00	83.00	30736	1.00	0.15
DDD052	83.00	84.00	30737	1.00	0.12
DDD052	84.00	85.00	30738	1.00	0.18
DDD052	85.00	86.00	30739	1.00	0.05
DDD052	86.00	87.00	30741	1.00	0.03
DDD052	87.00	88.00	30742	1.00	0.01
DDD052	88.00	89.00	30743	1.00	0.09
DDD052	89.00	90.00	30744	1.00	0.01
DDD052	90.00	91.00	30745	1.00	0.03
DDD052	91.00	92.00	30746	1.00	0.07
DDD052	92.00	93.00	30747	1.00	0.09
DDD052	93.00	94.00	30748	1.00	0.07
DDD052	94.00	95.00	30749	1.00	0.13
DDD052	95.00	96.00	30751	1.00	0.37
DDD052	96.00	97.00	30752	1.00	0.49
DDD052	97.00	98.00	30753	1.00	0.07
DDD052	98.00	99.00	30754	1.00	0.02
DDD052	99.00	100.00	30755	1.00	0.29

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD052	100.00	101.00	30756	1.00	0.01
DDD052	101.00	102.00	30757	1.00	0.08
DDD052	102.00	103.00	30758	1.00	0.09
DDD052	103.00	104.00	30759	1.00	0.06
DDD052	104.00	105.00	30761	1.00	0.03
DDD052	105.00	106.00	30762	1.00	0.01
DDD052	106.00	107.00	30763	1.00	0.03
DDD052	107.00	108.00	30764	1.00	0.02
DDD052	108.00	109.00	30765	1.00	0.01
DDD052	109.00	110.00	30766	1.00	0.05
DDD052	110.00	111.00	30767	1.00	0.13
DDD052	111.00	112.00	30768	1.00	0.01
DDD052	112.00	113.00	30769	1.00	0.01
DDD052	113.00	114.00	30771	1.00	0.22
DDD052	114.00	115.00	30772	1.00	0.01
DDD052	115.00	116.00	30773	1.00	0.09
DDD052	116.00	117.00	30774	1.00	0.04
DDD052	117.00	118.00	30775	1.00	0.17
DDD052	118.00	119.00	30776	1.00	0.06
DDD052	119.00	120.00	30777	1.00	0.06
DDD052	120.00	121.00	30778	1.00	0.03
DDD052	121.00	122.00	30779	1.00	0.09
DDD052	122.00	123.00	30781	1.00	0.22
DDD052	123.00	124.00	30782	1.00	0.08
DDD052	124.00	125.00	30783	1.00	0.01
DDD052	125.00	126.00	30784	1.00	0.14
DDD052	126.00	127.00	30785	1.00	0.04
DDD052	127.00	128.00	30786	1.00	0.23
DDD052	128.00	129.00	30787	1.00	0.05
DDD052	129.00	130.00	30788	1.00	0.08
DDD052	130.00	131.00	30789	1.00	0.05
DDD052	131.00	132.00	30791	1.00	0.02
DDD052	132.00	133.00	30792	1.00	0.16
DDD052	133.00	134.00	30793	1.00	0.07
DDD052	134.00	135.00	30794	1.00	0.01
DDD052	135.00	136.00	30795	1.00	0.26
DDD052	136.00	137.00	30796	1.00	0.04
DDD052	137.00	138.00	30797	1.00	0.01
DDD052	138.00	139.00	30798	1.00	0.03

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD052	139.00	140.00	30799	1.00	0.06
DDD052	140.00	141.00	30801	1.00	0.26
DDD052	141.00	142.00	30802	1.00	0.61
DDD052	142.00	143.00	30803	1.00	0.19
DDD052	143.00	144.00	30804	1.00	0.28
DDD052	144.00	145.00	30805	1.00	0.15
DDD052	145.00	146.00	30806	1.00	0.41
DDD052	146.00	147.00	30807	1.00	0.07
DDD052	147.00	148.00	30808	1.00	0.04
DDD052	148.00	149.00	30809	1.00	0.06
DDD052	149.00	150.00	30811	1.00	0.07
DDD052	150.00	151.00	30812	1.00	0.09
DDD052	151.00	152.00	30813	1.00	0.06
DDD052	152.00	153.00	30814	1.00	0.05
DDD052	153.00	154.00	30815	1.00	0.17
DDD052	154.00	155.00	30816	1.00	0.19
DDD052	155.00	156.00	30817	1.00	2.13
DDD052	156.00	157.00	30818	1.00	0.01
DDD052	157.00	158.00	30819	1.00	0.04
DDD052	158.00	159.00	30821	1.00	0.06
DDD052	159.00	160.00	30822	1.00	0.19
DDD052	160.00	161.00	30823	1.00	0.10
DDD052	161.00	162.00	30824	1.00	0.08
DDD052	162.00	163.00	30825	1.00	0.10
DDD052	163.00	164.00	30826	1.00	0.10
DDD052	164.00	165.00	30827	1.00	0.10
DDD052	165.00	166.00	30828	1.00	0.06
DDD052	166.00	167.00	30829	1.00	0.96
DDD052	167.00	168.00	30831	1.00	0.31
DDD052	168.00	169.00	30832	1.00	0.04
DDD052	169.00	170.00	30833	1.00	0.07
DDD052	170.00	171.00	30834	1.00	0.13
DDD052	171.00	172.00	30835	1.00	0.05
DDD052	172.00	173.00	30836	1.00	0.01
DDD052	173.00	174.00	30837	1.00	0.01
DDD052	174.00	175.00	30838	1.00	0.01
DDD052	175.00	176.00	30839	1.00	0.02
DDD052	176.00	177.00	30841	1.00	0.05
DDD052	177.00	178.00	30842	1.00	0.07

For personal use only

HOLE_ID	FROM	TO	SAMPLE_ID	LENGTH	Au_g/t
DDD052	178.00	179.00	30843	1.00	0.08
DDD052	179.00	180.00	30844	1.00	0.07
DDD052	180.00	181.00	30845	1.00	0.06
DDD052	181.00	182.00	30846	1.00	0.05
DDD052	182.00	183.00	30847	1.00	0.25
DDD052	183.00	184.00	30848	1.00	0.15
DDD052	184.00	185.00	30849	1.00	0.10
DDD052	185.00	186.00	30851	1.00	0.29
DDD052	186.00	187.00	30852	1.00	0.05
DDD052	187.00	188.00	30853	1.00	0.01
DDD052	188.00	189.00	30854	1.00	0.20
DDD052	189.00	190.00	30855	1.00	0.11
DDD052	190.00	191.00	30856	1.00	0.04
DDD052	191.00	192.00	30857	1.00	0.01
DDD052	192.00	193.00	30858	1.00	0.25
DDD052	193.00	194.00	30859	1.00	0.42
DDD052	194.00	195.00	30861	1.00	0.18
DDD052	195.00	196.00	30862	1.00	0.04
DDD052	196.00	197.00	30863	1.00	0.11
DDD052	197.00	198.00	30864	1.00	0.06
DDD052	198.00	199.00	30865	1.00	0.08
DDD052	199.00	200.00	30866	1.00	0.02
DDD052	200.00	201.00	30867	1.00	0.02
DDD052	201.00	202.00	30868	1.00	0.01
DDD052	202.00	203.00	30869	1.00	0.03
DDD052	203.00	204.00	30871	1.00	0.01
DDD052	204.00	205.00	30872	1.00	0.02
DDD052	205.00	206.00	30873	1.00	0.07
DDD052	206.00	207.00	30874	1.00	0.07
DDD052	207.00	208.00	30875	1.00	0.07
DDD052	208.00	209.00	30876	1.00	0.06

## Appendix 2: JORC Tables

### JORC Code, 2012 Edition – Table 1

#### Section 1 - Sampling Techniques and Data

*(Criteria in this section apply to all succeeding sections)*



ASX : AIG



For personal use only

Criteria	Explanation	Details of the Reported Project
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialized industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	<ul style="list-style-type: none"> <li>The latest results are from the final four holes of the 6 diamond drillholes drilled by A1G in September 2024 with an objective to extend the mineralised domains and infill gaps in the maiden Mineral Resources of the Blaffo Guetto prospect estimated in 2024 and referred here as MRE2024</li> <li>Total length of the drilling program is 1,266.48 m.</li> </ul>
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	<ul style="list-style-type: none"> <li>The diamond drillcore was orientated, marked, logged, and split in half using a diamond core saw before being sampled. Sample intervals are typically 1m, in rare cases e.g. at end of hole &lt;1m.</li> </ul>
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	<ul style="list-style-type: none"> <li>The determination of mineralisation has been by a combination of geological observations (logging and mapping) in conjunction with assay results from the surface drilling.</li> <li>Drilling and sampling has been undertaken following best practice standard operating procedures and in accordance with the industry standards.</li> </ul>
Drilling techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<ul style="list-style-type: none"> <li>The drilling was carried out by Easy Drilling Sarl using standard recognised techniques and procedures, which includes wireline techniques for retreating the samples from the drillhole.</li> <li>Most of the diamond core drilling was made using NQ diameter drill bits for drilling the fresh rocks and the HQ size drill bits for drilling the pre-collar and the weathered rocks (i.e. laterites). This drilling was oriented. Orientation was made using the REFLEX Downhole Core Orientation Unit:               <ul style="list-style-type: none"> <li>Name of the instrument: REFLEX ACT III RD NTW Core Orientation Kit</li> <li>REFLEX reference: AURUM15052024_2</li> <li>Serial numbers: Act32139, Act36243, Act3c1113</li> </ul> </li> </ul>
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	<ul style="list-style-type: none"> <li>Diamond drill core losses were recorded using the linear method, based on comparison of the recovered core length vs nominal length of the drilled interval.</li> <li>No significant sample losses were noted.</li> </ul>
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	<ul style="list-style-type: none"> <li>Core recovery was supervised by the field geologists and drillers were requested to adjust drilling parameters where this was found to be appropriate.</li> </ul>
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	<ul style="list-style-type: none"> <li>No significant sampling issues were noted and it is therefore considered that both sample recovery and quality is adequate for Mineral Resource and Ore Reserves estimation.</li> </ul>






ASX : AIG



For personal use only

Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	<ul style="list-style-type: none"> <li>All drill samples were geologically logged by experienced qualified geologists and this included recording the drilled rocks, alteration style and composition, RQD measurements providing the geotechnical information and structural measurements of the rock contacts, bedding and metamorphic structures.</li> <li>The level of geological and geotechnical logging was adequate to support Mineral Resource estimation and applicable for the mining and metallurgical studies.</li> </ul>																
	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	<ul style="list-style-type: none"> <li>Geological logging used a standardised logging system. It was essentially qualitative and descriptive in nature.</li> <li>Geotechnical logging, mainly recording the RQD, was semi-quantitative.</li> <li>Structural measurements (dip and azimuth) were quantitative and made using a core orientational device.</li> </ul>																
	The total length and percentage of the relevant intersections logged.	<ul style="list-style-type: none"> <li>Total length of the 6 drillholes is 1,266.48 m.</li> <li>100% of the drillholes, including mineralised intervals and their host rocks, were logged.</li> </ul>																
Sub-sampling techniques and sample preparation	If core, whether cut or sawn and whether quarter, half or all core taken	<ul style="list-style-type: none"> <li>Drill core was split in half using a diamond core saw.</li> </ul>																
	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	<ul style="list-style-type: none"> <li>Not applicable as current drilling included only the diamond drill core drilling.</li> </ul>																
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	<ul style="list-style-type: none"> <li>Sample preparation was undertaken at MSALABS in Yamoussoukro, Cote d'Ivoire. The preparation procedure consists of crushing the entire sample to 1mm at 80% pass, and then splitting the crushed material, collecting a 1000g subsample which is pulverized to 200 mesh (74 microns). A 300g aliquot is collected and assayed for Au using the Photon assay instrument.</li> </ul> <table border="1"> <thead> <tr> <th colspan="2">SAMPLE PREPARATION</th> </tr> <tr> <th>METHOD CODE</th> <th>DESCRIPTION</th> </tr> </thead> <tbody> <tr> <td>ADM-300</td> <td>Single charge for each batch of samples submitted</td> </tr> <tr> <td>CPA-Jar</td> <td>Unit charge per CPA Jar</td> </tr> <tr> <td>CRU-999</td> <td>Crush to client specification</td> </tr> <tr> <td>PLG-100</td> <td>Log Sample - No preparation required</td> </tr> <tr> <td>PPU-530</td> <td>Pulverize 1000g to 85% -75 µm</td> </tr> <tr> <td>SPL-425</td> <td>Split 1000g material (Rotary Split)</td> </tr> </tbody> </table> <p>CRU-999: Crush entire sample to 1mm at 80% passing</p> <ul style="list-style-type: none"> <li>Sample sizes and laboratory preparation techniques correspond to common industry practices and are considered to be appropriate for Mineral Resource estimation of orogenic gold deposits.</li> </ul>	SAMPLE PREPARATION		METHOD CODE	DESCRIPTION	ADM-300	Single charge for each batch of samples submitted	CPA-Jar	Unit charge per CPA Jar	CRU-999	Crush to client specification	PLG-100	Log Sample - No preparation required	PPU-530	Pulverize 1000g to 85% -75 µm	SPL-425	Split 1000g material (Rotary Split)
	SAMPLE PREPARATION																	
	METHOD CODE	DESCRIPTION																
ADM-300	Single charge for each batch of samples submitted																	
CPA-Jar	Unit charge per CPA Jar																	
CRU-999	Crush to client specification																	
PLG-100	Log Sample - No preparation required																	
PPU-530	Pulverize 1000g to 85% -75 µm																	
SPL-425	Split 1000g material (Rotary Split)																	
Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	<ul style="list-style-type: none"> <li>Laboratories used sieving tests to assure particle size is matching to the certified parameters of the sample preparation protocol. This analysis is conducted routinely by the laboratory personnel and represents the operational practice of the laboratory.</li> <li>The sieving test is performed in each batch to ensure the correct grind size is achieved.</li> </ul>																	
Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	<ul style="list-style-type: none"> <li>Duplicates of the coarse rejects (~1mm material after first crush) were systematically collected and analysed.</li> <li>Results of the duplicate analysis show a good repeatability of the original sample assays.</li> </ul>																	
Whether sample sizes are appropriate to the grain size of the material being sampled.	<ul style="list-style-type: none"> <li>The drillhole samples are 2-3 kg which is appropriate for obtaining representative samples of the Blaffo Guetto orogenic gold deposit. This conclusion is based on geological and petrographic studies of the</li> </ul>																	

For personal use only

		deposit and was confirmed during the Mineral Resource estimation in 2024.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	<ul style="list-style-type: none"> <li>Drillhole samples were assayed for Au by gamma ray analysis of samples for gold by photon assay instrument. This is a relatively new method which at present is broadly used in the mining industry and has become a modern standard of the gold mining industry.</li> <li>The method uses 300g aliquots which is superior to a conventional fire-assay method that uses 50g aliquots.</li> <li>This is a total recovery technique.</li> </ul>
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i>	<ul style="list-style-type: none"> <li>Not applicable as no such tools used.</li> </ul>
	<i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	<ul style="list-style-type: none"> <li>QAQC procedures used by African Gold Ltd included systematic analysis of the coarse and pulp duplicates, assay of the standards (CRM) and blanks. Duplicate assays results show a good repeatability of the sample assays.</li> </ul>  <p>Fig. Scatter-diagram of the duplicates vs. original samples (2024 drilling data)</p> <ul style="list-style-type: none"> <li>QAQC results of the CRM and blanks did not reveal issues that could affect quality of the sample assay results and allow to conclude that the sample assays quality, are sufficient for Mineral Resource and Ore Reserves estimation.</li> </ul>
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	<ul style="list-style-type: none"> <li>The QAQC procedures used by the African Gold at this drilling campaign includes systematic assaying of the sample coarse and pulp duplicates for the all samples that have returned the high grade results.</li> <li>Lower grade mineralisation (&gt;0.3 g/t Au) is also verified by analysing the coarse reject duplicates.</li> </ul>
	<i>The use of twinned holes.</i>	<ul style="list-style-type: none"> <li>Not applicable as no twinned holes.</li> </ul>
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	<ul style="list-style-type: none"> <li>The logging procedure consisted of direct entering data into a portable (laptop) computer which have been electronically transferred to a database administrator for the data review and uploading into the database.</li> </ul>



ASX : AIG



For personal use only

		<ul style="list-style-type: none"> <li>Assay results were received from the laboratory by email, reviewed by database administrator and uploaded into the company database.</li> <li>African Gold Ltd uses a relational database built using Microsoft ACCESS.</li> </ul>
	<i>Discuss any adjustment to assay data.</i>	<ul style="list-style-type: none"> <li>Not applicable as no adjustments were made to the data.</li> </ul>
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	<ul style="list-style-type: none"> <li>All drill collars were originally located with a handheld GPS and after drilling were resurveyed using a handheld GPS.</li> </ul>
	<i>Specification of the grid system used.</i>	<ul style="list-style-type: none"> <li>All data location is in UTM WGS84 Zone30N grid system.</li> </ul>
	<i>Quality and adequacy of topographic control.</i>	<ul style="list-style-type: none"> <li>Digital topography was generated using the DGPS data that were obtained during the topographic survey campaign undertaken by the previous owners. Comparison of the different data generation has shown their good matching assuring accurate topographic control of the drilling data.</li> </ul>
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i>	<ul style="list-style-type: none"> <li>Not applicable as this was an extensional drill program.</li> </ul>
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	
	<i>Whether sample compositing has been applied.</i>	<ul style="list-style-type: none"> <li>Drill core was sampled at the regular intervals, 0.5m or 1m of the mineralised zones, and 1m of the wall rocks.</li> <li>No physical compositing of the samples was used.</li> </ul>
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	<ul style="list-style-type: none"> <li>Orientation of the drillholes (azimuth and dip) provides intersections close to perpendicular to interpreted mineralized structure being targeted.</li> </ul>
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	<ul style="list-style-type: none"> <li>Orientation of the drillhole intersections is adequate for 3D geological modelling and Resource estimation and cannot be source of the sampling bias</li> </ul>
Sample security	<i>The measures taken to ensure sample security</i>	<ul style="list-style-type: none"> <li>African Gold Ltd personnel have guarded samples during drilling and sampling.</li> <li>The collected and safely stored on-site samples have been delivered by African Gold Ltd personnel to MSALABS.</li> <li>After samples have been removed from the site, they were securely stored in the laboratory facilities.</li> </ul>
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	<ul style="list-style-type: none"> <li>The MSALABS laboratory was visited and the procedures reviewed by the company personnel, including P. Gallagher (Managing Director), D.Sie (Project geologist), and also by consultant M. Abzalov (CP of the project).</li> </ul>

## Section 2 - Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria	Explanation	Details of the Reported Project																																						
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	<ul style="list-style-type: none"> <li>African Gold Mali SARL has entered into a number of agreements with companies – details are provided in ASX releases dated 4 July 2019; 5 September 2019 and 27 November 2021.</li> <li>Details of the permits are shown in the Table 2.1-1.</li> </ul> <p><b>Table 2.1-1:</b> Permits obtained and applied by the African Gold Ltd for Gold exploration and mining in Cote d'Ivoire</p> <table border="1"> <thead> <tr> <th>Permit</th> <th>Permit type</th> <th>Date Granted</th> <th>Area (km<sup>2</sup>)</th> <th>Duration</th> </tr> </thead> <tbody> <tr> <td>Didievi</td> <td rowspan="9">Permis de recherche (Gold)</td> <td>18 Nov 2019</td> <td>391</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Agboville</td> <td>25 Oct 2017</td> <td>395</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Sikensi</td> <td>19 Oct 2016</td> <td>397</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Konahiri Nord</td> <td>12 Jan 2022</td> <td>391</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Konahiri Sud</td> <td>Application TBA</td> <td>255</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Koyekro</td> <td>Application TBA</td> <td>290</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Azaguire</td> <td>Application TBA</td> <td>397</td> <td>4 + 3+ 3 years</td> </tr> <tr> <td>Gomon</td> <td>Application TBA</td> <td>212</td> <td>4 + 3+ 3 years</td> </tr> </tbody> </table>	Permit	Permit type	Date Granted	Area (km <sup>2</sup> )	Duration	Didievi	Permis de recherche (Gold)	18 Nov 2019	391	4 + 3+ 3 years	Agboville	25 Oct 2017	395	4 + 3+ 3 years	Sikensi	19 Oct 2016	397	4 + 3+ 3 years	Konahiri Nord	12 Jan 2022	391	4 + 3+ 3 years	Konahiri Sud	Application TBA	255	4 + 3+ 3 years	Koyekro	Application TBA	290	4 + 3+ 3 years	Azaguire	Application TBA	397	4 + 3+ 3 years	Gomon	Application TBA	212	4 + 3+ 3 years
Permit	Permit type	Date Granted	Area (km <sup>2</sup> )	Duration																																				
Didievi	Permis de recherche (Gold)	18 Nov 2019	391	4 + 3+ 3 years																																				
Agboville		25 Oct 2017	395	4 + 3+ 3 years																																				
Sikensi		19 Oct 2016	397	4 + 3+ 3 years																																				
Konahiri Nord		12 Jan 2022	391	4 + 3+ 3 years																																				
Konahiri Sud		Application TBA	255	4 + 3+ 3 years																																				
Koyekro		Application TBA	290	4 + 3+ 3 years																																				
Azaguire		Application TBA	397	4 + 3+ 3 years																																				
Gomon		Application TBA	212	4 + 3+ 3 years																																				
		The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	<ul style="list-style-type: none"> <li>There are no known issues affecting the security of title or impediments to operating in the area.</li> </ul>																																					
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	<p>Details of exploration by previous groups has been reported to the ASX in 4 July 2019; 5 September 2019 and 27 November 2021.</p> <p>This is briefly summarised here.</p> <p><b>Didievi Permit – Cote d'Ivoire:</b></p> <ul style="list-style-type: none"> <li>Regional surveys by Glencore and Equigold and then by Lihir and Newcrest include geological mapping, surface geochemical sampling, airborne magnetic and radiometric data and remote sensing data. This was done during 2006 and 2012 and included several exploration campaigns.</li> <li>Work by Glencore and Equigold focused on the western part of the current permit consisted of acquisition of the high-resolution airborne magnetic and radiometric data, broad (800m x 50m &amp; 200m) spaced soil sampling followed up with infill sampling on 9 discrete areas, limited trenching, rock chip sampling, RAB, RC and diamond drilling. During this time Equigold made two discoveries, namely Blaffo Guetto (BG) and Pranoi.</li> <li>From 2008 the exploration was focused almost exclusively on the Blaffo Guetto, where a total of 312 RC holes and 23 diamond holes were drilled for 26,850m and 4,275m respectively</li> <li>At the Pranoi a total of 73 RAB, 7 RC and 1 diamond hole were drilled for 2,368m, 940m and 350m respectively (best intercept 13.0 at 2.65g/t Au).</li> <li>At Jonny Walker 7 RC holes were drilled and at geochemical anomalies DAS005 and DSA003 10 and 15 RAB holes respectively.</li> </ul>																																						




For personal use only



ASX : AIG



For personal use only

<p><i>Geology</i></p>	<p><i>Deposit type, geological setting and style of mineralisation.</i></p>	<ul style="list-style-type: none"> <li>In Côte d'Ivoire – the area under consideration is situated within the central portion of the Oumé-Fetekro Birimian greenstone belt. The belt is striking North-East to South-West direction. These belts belong to the Proterozoic basement in the Baoulé-Mossi domain of the West African Craton (WAC) formed between 2.2 and 1.9 Ga. The belt is almost 300 km long and 40 to 5km width extends from south of Dabakala (north of the belt) to Divo (south of the belt). Around the parallel 7°, it is divided in two parts.</li> <li>Blaffo Guetto prospect is situated in the southern Oumé-Hiré portion. The supracrustal geology of this greenstone belt, that is present within the prospect area includes schist and quartzite and also sandstone and conglomerates aligned NE-SW and intruded by the different mafic intrusions and the felsic porphyries. Gold lodes are hosted in the intensely altered and deformed rocks that are characterized by broad distribution of the mm-scale stockwork quartz veinlets (Fig. 2.3 – 1)</li> </ul> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>DDD029, 160.8 m; 0.08 g/t</p> </div> <div style="text-align: center;">  <p>DDD029, 146.2 m; 0.32 g/t</p> </div> <div style="text-align: center;">  <p>DDD029, 250.4 m; 6.9 g/t</p> </div> </div> <p>Fig. 2.3-1: Host rocks of the gold mineralisation, Blaffo Guetto prospect. (a) barren; (b) low-grade; (c) high-grade</p>
<p><i>Drill hole Information</i></p>	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p>	<ul style="list-style-type: none"> <li>Mineral Resource database contains 203 drillholes which includes 600 mineralised intersections.</li> <li>Details of the drillhole information has been reported to the ASX previously, including: <ul style="list-style-type: none"> <li>African Gold Ltd – ASX, 2023, 17 October</li> <li>African Gold Ltd – ASX, 2022, 18 October</li> <li>African Gold Ltd – ASX, 2021, 7 December</li> <li>African Gold Ltd – ASX, 2020, 27 November</li> </ul> </li> <li>A summary of this information is presented in this section of JORC Table 1.</li> </ul>
	<p><i>Easting and Northing of the drill hole collar.</i></p> <hr/> <p><i>Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar.</i></p> <hr/> <p><i>Dip and azimuth of the hole.</i></p>	<ul style="list-style-type: none"> <li>Coordinates of the drillhole collars, dip and azimuth of drilling and length of the drillholes are presented in Table 2.4-1</li> </ul> <p><b>Table 2.4-1: Location, orientation and length of the drillholes</b></p>



ASX : AIG



For personal use only

Hole ID	Easting	Northing	RL	Dip	Azi	Hole Length (m)
DDD047	279130.0	749114.0	211.8	-55	111	174.48
DDD048	279045.0	748897.1	237.8	-72	317	207.00
DDD049	279659.0	749334.5	226.3	-72	137	258.00
DDD050	279763.6	749480.1	232.3	-55	137	213.00
DDD051	279949.0	749577.0	263.4	-75	137	205.00
DDD052	279946.9	749642.8	281.0	-55	137	209.00
<b>Total length:</b>						<b>1266.48</b>

*Down hole length and interception depth*

- Gold mineralisation intersected by the completed program is as follows:

Hole_ID	FROM	TO	LENGTH	Au g/t	Contained metal (gram - metres)
DDD047	31.00	64.00	33.00	2.4	79.1
DDD047	69.00	72.00	3.00	0.8	2.4
DDD047	117.00	119.00	2.00	0.6	1.2
DDD048	35.00	40.00	5.00	0.5	2.5
DDD049	23.00	32.00	9.00	1.7	15.7
DDD049	78.00	92.00	14.00	1.6	21.9
DDD049	97.00	106.00	9.00	0.8	7.3
DDD049	177.00	241.00	64.00	5.7	362.9
DDD050	23.00	33.00	10.00	0.8	8.1
DDD050	33.00	69.00	36.00	0.7	24.6
DDD050	86.00	90.00	4.00	0.7	2.6
DDD050	103.00	106.00	3.00	1.0	3.0
DDD050	194.00	196.00	2.00	1.0	1.9
DDD050	203.00	207.00	4.00	2.6	10.3
DDD051	19.00	22.00	3.00	3.2	9.7
DDD051	106.00	108.00	2.00	0.6	1.2
DDD051	176.00	180.00	4.00	2.2	8.8
DDD052	62.00	64.00	2.00	0.7	1.3
DDD052	153.00	156.00	3.00	0.8	2.5

*Hole length.*

- Total length of the 6 holes drilled is 1266.48m. The drillholes length is in the range of 174.48m – 258.00m.

- If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.*

- Not applicable - all relevant information is included in the current report.

*Data aggregation methods*

- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.*

For personal use only




Fig. 2.5-1: Mineralised intercept

Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.

- Not applicable. Samples in this intercept are 1.0 long..

The assumptions used for any reporting of metal equivalent values should be clearly stated.

- Not applicable. Only gold grade is reported

Relationship between mineralisation widths and intercept lengths

These relationships are particularly important in the reporting of Exploration Results.  
If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.

- Gold lodes are dipping steeply and close to vertical, therefore downhole length of the mineralisation exceeds the actual thickness




Fig. 2.6 -1 Example of the gold lodes (Cross-section looking North-East). One of the recently drilled holes (DDD049) is shown for the reference



ASX : AIG



For personal use only

	<i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	<ul style="list-style-type: none"> <li>Mineralised zones (gold lodes) were interpreted on the cross-sections, containing the 3D models (wireframes) of the drilled gold lodes. The wireframes will be updated using the new drilling results and will be used for updating the Mineral Resource estimates. Therefore, conversion of the down-hole intervals into thickness it is not required, because it will be accurately estimated using 3D wireframes.</li> </ul>
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	<ul style="list-style-type: none"> <li>The appropriate maps and the sections are present in the body of this announcement.</li> </ul>
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	<ul style="list-style-type: none"> <li>The current announcement that reports a new drilling data obtained at the Blaffo Guetto prospect is made as a balanced reporting. The report includes information on the all completed drillholes.</li> </ul>
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	<ul style="list-style-type: none"> <li>Petrographic study of the gold mineralisation and their host rocks was made in 2011 by Dr. Eva S. Schandl (<a href="http://www.consultgeo.com">www.consultgeo.com</a>) who concluded, that “In the present suite of samples, gold occurs as very small single grains within the matrix of fine-grained carbonate + quartz + sericite-rich sediments (BG-FLP-.05, 07, 10), and in one sample, gold occurs as an inclusion in pyrrhotite (22)”.</li> </ul>
Further work	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i>	<ul style="list-style-type: none"> <li>African Gold Ltd is planning to continue exploration drilling and has prepared a second stage drilling program.</li> <li>The first stage consisted of 5,000m diamond core drilling and will be exploration the new targets identified as a result of the completed 6 holes drilling program and explained in this report.</li> <li>The second stage for an additional 10,000m of diamond drilling, will be focused on follow up exploration of the targets discovered during the first stage of drilling.</li> </ul>





ASX : AIG



*Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*

- Diagrams are presented in the body of the report.

For personal use only