



First ore from high-grade Deacon North delivered on schedule

Grade control drilling results and face sampling align with expectations


Key Points

- First development ore has been mined from Deacon North on schedule
- The development is proceeding in line with the Company's budgets and guidance
- Deacon North will be a key source of high-grade material in FY27
- Results from grade control drilling at Deacon North align well with expectations
- The combined output from Deacon North and the adjacent Deacon Main area is expected to provide a consistent source of ore, supporting stable production for FY27 and beyond.

Bellevue Gold Limited (Company or Bellevue) (ASX: BGL) is pleased to advise that it mined its first ore from the high-grade Deacon North area on schedule in May 2026.

Development will continue in this initial level for the remainder of FY26 with stoping scheduled to commence early in the next financial year (FY27 Q1). Both development and stoping production will ramp up steadily throughout FY27.

Figure 1: Development face in Deacon North (May 2026).



Note: See Appendix 1 for location (ORD_200_F4).

For personal use only




The growing production from Deacon North will complement the established Deacon Main mining area, which is situated immediately to the south along the strike. The combined output from both mining areas is expected to provide a reliable and consistent source of ore for Bellevue, supporting stable production for FY27 and beyond.

Sampling of the first 13 production faces has shown the average development grade is performing better than initially anticipated. The main structure of the Deacon North orebody has aligned well with geological expectations, showing a flatter dip and high quartz content on the initial level (Figure 1). The main structure becomes steeper with higher sulphide content in subsequent levels along with increasing ore grades. Grade control drilling confirms these trends and matches resource definition grades and widths (Figure 2).

Key results from the grade control drilling¹ are:

- 6m @ 32 g/t gold
- 2.5m @ 59.1 g/t gold
- 8.1m @ 16.9 g/t gold
- 4.6m @ 29.6 g/t gold
- 4.5m @ 29.2 g/t gold
- 7.4m @ 14.2 g/t gold

Figure 2: Deacon North mining area, grade control drilling results.



Note: The preliminary development schedule to 30 September 2026 is shown in green, with development to date in grey. Recent grade control drilling pierce points shown as circles.

¹ See Appendix 2.

For personal use only



ASX Announcement

19 May 2026

All major mining areas are now in production at the Bellevue Gold Mine. Mining areas at Deacon Main and Viago are now well established in line with FY26 guidance. The growing contribution of ore from Deacon Main, Viago and Deacon North are the key drivers of the progressive increase in production through FY26 and FY27. FY27 guidance, including production, AISC and growth capital guidance will be provided early in FY27.

Ongoing exploration activities

Exploration activities continue to advance, with the first surface drilling program now complete and a phase two program underway. This will carry on through the June quarter and into FY2027. Downhole electromagnetic (DHEM) surveys are commencing to refine targeting and support the next phase of work.

In addition, a sixth underground diamond rig is scheduled to arrive on site during the June 2026 quarter and will commence underground exploration drilling in FY27 as scheduled.

For further information regarding Bellevue Gold Limited please visit the ASX platform (ASX: BGL) or the Company's website www.bellevuegold.com.au.

Authorised by the Board of Directors.

For enquiries please contact:

Darren Stralow
Managing Director &
Chief Executive Officer
T: +61 8 6373 9000
E: admin@bgl.gold

Duncan Hughes
Chief Corporate
Development Officer
T: +61 8 6373 9000
E: admin@bgl.gold

Paul Armstrong
Media enquiries - Read Corporate
T: +61 8 9388 1474
E: paul@readcorporate.com.au

For personal use only



End Notes, Competent Persons' Statements and JORC Compliance Statements

Information in this announcement that relates to new exploration results at the Bellevue Gold Project is based on and fairly represents information and supporting documentation compiled by Mr Shaun Hackett. Mr Hackett is a full-time employee of Bellevue Gold Limited and a competent person for the reporting of exploration results. Mr Hackett holds securities in Bellevue Gold Limited. Mr Hackett is a Fellow of the Australian Institute of Mining and Metallurgy. Mr Hackett has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (**JORC Code**). Mr Hackett has reviewed this announcement and consents to the inclusion in this announcement of all technical statements based on his information in the form and context in which they appear.

Disclaimer

This announcement has been prepared by the Company based on information from its own and third party sources available at the date of this announcement and is not a disclosure document. No party other than the Company has authorised or caused the issue, lodgement, submission, despatch or provision of this announcement, or takes any responsibility for, or makes or purports to make any statements, representations or undertakings in this announcement. Except for any liability that cannot be excluded by law, the Company and its related bodies corporate, directors, employees, servants, advisers and agents disclaim and accept no responsibility or liability for any expenses, losses, damages or costs incurred by any recipient or reader of this announcement relating in any way to this announcement including, without limitation, the information contained in or provided in connection with it, any errors or omissions from it however caused, lack of accuracy, completeness, currency or reliability or a recipient of this announcement or any other person placing any reliance on this announcement, its accuracy, completeness, currency or reliability. Information in this announcement which is attributed to a third-party source has not been checked or verified by the Company.

Summary information

This announcement contains summary information about the Company and its subsidiaries (together, the Bellevue Group) and the activities of the Bellevue Group, which is current as at the date of this announcement, unless otherwise indicated. This announcement does not purport to contain all the information that a prospective investor may require in connection with any potential investment in the Company. It should be read in conjunction with, and full review made of, the Company's disclosures and releases lodged with the Australian Securities Exchange (ASX) and available at www.asx.com.au. Each recipient must make its own independent assessment of the Company before acquiring any shares in the Company.

All dollar values are in Australian dollars (A\$ or AUD) unless otherwise stated.

Forward-looking information

This announcement contains forward-looking statements. Wherever possible, words such as "intends", "expects", "scheduled", "estimates", "anticipates", "believes", and similar expressions or statements that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved, have been used to identify these forward-looking statements, but not always. Although the forward-looking statements contained in this announcement reflect management's current beliefs based upon information currently available to management and based upon what management believes to be reasonable assumptions, the Company cannot be certain that actual results will be consistent with these

For personal use only



forward-looking statements. A number of factors could cause events and achievements to differ materially from the results expressed or implied in the forward-looking statements. These factors should be considered carefully and prospective investors should not place undue reliance on the forward-looking statements. Forward-looking statements necessarily involve significant known and unknown risks, assumptions and uncertainties that may cause the Company's actual results, events, prospects and opportunities to differ materially from those expressed or implied by such forward-looking statements. Although the Company has attempted to identify important risks and factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors and risks that cause actions, events or results not to be anticipated, estimated or intended, including those risks discussed in the Company's ASX announcements (including in Appendix B titled 'Key Risks' of the investor presentation released to the ASX on 14 April 2025) and other public filings. There can be no assurance that the forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, prospective investors should not place undue reliance on forward-looking statements.

Any forward-looking statements are made as of the date of this announcement, and the Company assumes no obligation to update or revise them to reflect new events or circumstances, unless otherwise required by law. This announcement may contain certain forward-looking statements and projections regarding:

- estimated Mineral Resources and Ore Reserves;
- planned production and operating costs profiles, including life of mine plans and associated projections or targets in respect of production outlook;
- planned capital requirements; and
- planned strategies and corporate objectives.


Such forward-looking statements/projections are estimates for illustrative purposes only and should not be relied upon. They are not guarantees of future performance and involve known and unknown risks, uncertainties and other factors, many of which are beyond the control of the Company. The forward-looking statements/projections are inherently uncertain and may therefore differ materially from results ultimately achieved. The Company does not make any representations and provides no warranties concerning the accuracy of the projections and disclaims any obligation to update or revise any forward-looking statements/projections based on new information, future events or otherwise except to the extent required by applicable laws.

Forward-looking All-In Sustaining Cost estimates have been prepared on a real basis at a project level (i.e. not adjusted for possible future inflation and do not include the effects of corporate costs) and assume a gold price of A\$5,000/oz of gold, which has an effect on the value of royalties assumed in all-in sustaining cost estimates. Certain mining related costs are considered expansionary in nature and allocated to growth and mine expansionary capital costs that are not included in All-In Sustaining Costs.

For personal use only

APPENDIX 1

Deacon North face location



For personal use only



APPENDIX 2

Deacon North grade control drilling

| <i>HOLEID</i> | <i>EAST</i> | <i>NORTH</i> | <i>RL</i> | <i>Total Depth</i> | <i>AZIMUTH</i> | <i>DIP</i> |
|---------------|-------------|--------------|-----------|--------------------|----------------|------------|
| DDUG0025 | 9125 | 45537 | 1401 | 564 | 113 | -85 |
| DDUG3539 | 9040 | 45654 | 1070 | 156 | 57 | -38 |
| DDUG3542 | 9040 | 45654 | 1070 | 144 | 82 | -40 |
| DDUG3544 | 9040 | 45653 | 1070 | 222 | 93 | -37 |
| DDUG3545 | 9040 | 45653 | 1070 | 216 | 97 | -46 |
| DDUG3547 | 9042 | 45612 | 1071 | 153 | 79 | -37 |
| DDUG3549 | 9042 | 45612 | 1071 | 225 | 89 | -36 |
| DDUG3552 | 9042 | 45612 | 1071 | 225 | 101 | -44 |
| DDUG3553 | 9042 | 45612 | 1071 | 180 | 107 | -30 |
| DDUG3554 | 9042 | 45612 | 1071 | 164 | 108 | -34 |
| DDUG3556 | 9042 | 45611 | 1071 | 219 | 122 | -26 |
| DDUG3557 | 9042 | 45611 | 1071 | 205 | 127 | -23 |
| DDUG3558 | 9042 | 45611 | 1071 | 228 | 130 | -27 |
| DDUG3638 | 9042 | 45613 | 1071 | 183 | 117 | -37 |
| DDUG3639 | 9042 | 45613 | 1071 | 236 | 128 | -25 |
| DDUG3640 | 9042 | 45613 | 1071 | 203 | 124 | -35 |
| DDUG3642 | 9042 | 45613 | 1071 | 171 | 126 | -53 |
| DDUG3643 | 9042 | 45613 | 1071 | 189 | 117 | -53 |
| DDUG3644 | 9042 | 45613 | 1071 | 192 | 123 | -45 |
| DDUG3645 | 9042 | 45613 | 1071 | 183 | 115 | -43 |
| DDUG3646 | 9042 | 45613 | 1071 | 234 | 127 | -48 |
| DDUG3647 | 9042 | 45613 | 1071 | 276 | 127 | -38 |
| DDUG3648 | 9042 | 45612 | 1071 | 210 | 141 | -42 |
| DDUG3649 | 9042 | 45613 | 1071 | 225 | 132 | -31 |
| DDUG3650 | 9042 | 45612 | 1071 | 287 | 134 | -35 |
| DDUG3651 | 9042 | 45613 | 1071 | 198 | 137 | -47 |
| DDUG3652 | 9042 | 45613 | 1071 | 196 | 134 | -44 |
| DDUG3653 | 9042 | 45613 | 1071 | 192 | 131 | -41 |
| DDUG3654 | 9042 | 45613 | 1071 | 269 | 121 | -32 |
| DDUG3655 | 9042 | 45613 | 1071 | 168 | 108 | -38 |
| DDUG3786 | 9133 | 45446 | 1004 | 92 | 28 | -23 |
| DDUG3787 | 9133 | 45446 | 1004 | 78 | 34 | -13 |
| DDUG3788 | 9134 | 45444 | 1003 | 60 | 47 | -33 |
| DDUG3793 | 9134 | 45445 | 1004 | 180 | 58 | -2 |
| DDUG3795 | 9134 | 45444 | 1004 | 156 | 71 | -18 |
| DDUG3796 | 9135 | 45443 | 1004 | 104 | 72 | -2 |
| DDUG3797 | 9135 | 45443 | 1003 | 147 | 91 | -34 |
| DDUG3801 | 9135 | 45442 | 1004 | 96 | 99 | -16 |
| DDUG3802 | 9135 | 45442 | 1004 | 111 | 94 | -4 |
| DDUG3805 | 9135 | 45441 | 1004 | 117 | 104 | -4 |
| DDUG3806 | 9042 | 45613 | 1071 | 200 | 142 | -55 |
| DDUG3807 | 9042 | 45613 | 1071 | 207 | 137 | -53 |
| DDUG3808 | 9042 | 45613 | 1071 | 192 | 132 | -59 |
| DDUG3809 | 9042 | 45613 | 1071 | 189 | 128 | -56 |
| DDUG3810 | 9042 | 45613 | 1071 | 183 | 118 | -62 |
| DDUG3811 | 9042 | 45614 | 1071 | 234 | 100 | -36 |
| DDUG3812 | 9043 | 45614 | 1071 | 201 | 98 | -40 |

For personal use only



| <i>HOLEID</i> | <i>EAST</i> | <i>NORTH</i> | <i>RL</i> | <i>Total Depth</i> | <i>AZIMUTH</i> | <i>DIP</i> |
|---------------|-------------|--------------|-----------|--------------------|----------------|------------|
| DDUG3813 | 9042 | 45614 | 1071 | 162 | 88 | -32 |
| DDUG3814 | 9043 | 45614 | 1071 | 153 | 87 | -41 |
| DDUG3817 | 9043 | 45614 | 1071 | 153 | 76 | -42 |
| DDUG3818 | 9040 | 45653 | 1070 | 153 | 95 | -33 |
| DDUG3819 | 9040 | 45653 | 1070 | 144 | 92 | -43 |
| DDUG3824 | 9040 | 45654 | 1071 | 138 | 71 | -45 |
| DDUG3826 | 9041 | 45609 | 1071 | 210 | 150 | -57 |
| DDUG3827 | 9041 | 45609 | 1071 | 201 | 145 | -44 |
| DDUG3828 | 9042 | 45609 | 1071 | 207 | 143 | -40 |
| DDUG3829 | 9041 | 45609 | 1071 | 212 | 148 | -46 |
| DDUG3830 | 9041 | 45609 | 1071 | 186 | 141 | -48 |
| DDUG3831 | 9042 | 45609 | 1071 | 198 | 143 | -51 |
| DDUG3832 | 9042 | 45609 | 1071 | 186 | 136 | -42 |
| DDUG3833 | 9041 | 45609 | 1071 | 213 | 147 | -54 |
| DDUG3878 | 9133 | 45446 | 1003 | 114 | 17 | -27 |
| DDUG3879 | 9133 | 45446 | 1003 | 78 | 7 | -32 |
| DDUG3880 | 9133 | 45446 | 1003 | 84 | 357 | -37 |
| DDUG3881 | 9133 | 45446 | 1003 | 123 | 19 | -43 |
| DDUG3882 | 9134 | 45445 | 1003 | 93 | 41 | -24 |
| DDUG3883 | 9133 | 45446 | 1003 | 90 | 34 | -36 |
| DDUG3884 | 9134 | 45444 | 1004 | 69 | 52 | -24 |
| DDUG3885 | 9134 | 45444 | 1003 | 100 | 44 | -58 |
| DDUG3886 | 9134 | 45444 | 1003 | 84 | 69 | -32 |
| DDUG3887 | 9134 | 45444 | 1003 | 78 | 65 | -46 |
| DDUG3888 | 9135 | 45443 | 1003 | 90 | 93 | -48 |
| DDUG3889 | 9135 | 45442 | 1003 | 60 | 100 | -63 |
| DDUG3890 | 9134 | 45440 | 1003 | 67 | 148 | -62 |
| DDUG3893 | 9134 | 45441 | 1003 | 95 | 132 | -52 |
| DDUG3894 | 9134 | 45440 | 1003 | 111 | 148 | -38 |
| DDUG3895 | 9135 | 45441 | 1004 | 111 | 124 | -16 |
| DDUG3905 | 9085 | 45435 | 1000 | 153 | 118 | -42 |
| DDUG3906 | 9085 | 45435 | 1000 | 117 | 100 | -38 |
| DDUG3907 | 9085 | 45435 | 1000 | 135 | 98 | -56 |
| DDUG3908 | 9084 | 45439 | 1000 | 174 | 53 | -45 |
| DDUG3910 | 9085 | 45434 | 1000 | 129 | 128 | -33 |
| DDUG3912 | 9085 | 45435 | 1000 | 126 | 116 | -33 |
| DDUG3913 | 9085 | 45435 | 1000 | 144 | 121 | -50 |
| DDUG3914 | 9085 | 45435 | 1000 | 117 | 100 | -47 |
| DDUG3916 | 9085 | 45438 | 1000 | 114 | 79 | -49 |
| DDUG3917 | 9084 | 45438 | 1000 | 177 | 75 | -59 |
| DDUG3919 | 9085 | 45439 | 1000 | 180 | 60 | -38 |
| DDUG3920 | 9083 | 45440 | 1000 | 173 | 50 | -51 |
| DDUG3921 | 9083 | 45440 | 1000 | 107 | 45 | -33 |
| DDUG3922 | 9083 | 45440 | 1000 | 111 | 38 | -38 |
| DDUG3942 | 9041 | 45617 | 1071 | 222 | 93 | -55 |
| DDUG3943 | 9041 | 45617 | 1071 | 234 | 83 | -50 |
| DDUG3944 | 9041 | 45617 | 1071 | 225 | 77 | -55 |
| DDUG3945 | 9040 | 45654 | 1070 | 159 | 96 | -52 |
| DDUG3946 | 9040 | 45654 | 1070 | 147 | 91 | -57 |
| DDUG3948 | 9040 | 45654 | 1070 | 138 | 63 | -54 |
| DDUG3949 | 9040 | 45654 | 1070 | 143 | 51 | -52 |
| DDUG3950 | 9040 | 45654 | 1070 | 146 | 36 | -50 |

For personal use only



| HOLEID | EAST | NORTH | RL | Total Depth | AZIMUTH | DIP |
|---------------|-------------|--------------|-----------|--------------------|----------------|------------|
| DDUG3952 | 9040 | 45654 | 1070 | 138 | 55 | -48 |
| DDUG3953 | 9040 | 45654 | 1070 | 136 | 70 | -50 |
| DDUG3955 | 9040 | 45654 | 1070 | 138 | 56 | -43 |
| DDUG3956 | 9040 | 45654 | 1071 | 156 | 47 | -37 |
| DDUG3959 | 9040 | 45654 | 1071 | 150 | 62 | -35 |
| DDUG3999 | 9082 | 45441 | 1000 | 122 | 6 | -42 |
| DDUG4001 | 9082 | 45441 | 1000 | 149 | 353 | -49 |
| DDUG4002 | 9083 | 45440 | 1000 | 113 | 14 | -45 |
| DDUG4003 | 9083 | 45440 | 1000 | 110 | 9 | -51 |
| DDUG4004 | 9082 | 45440 | 1000 | 126 | 356 | -60 |
| DDUG4005 | 9082 | 45440 | 1000 | 135 | 3 | -56 |
| DDUG4006 | 9083 | 45441 | 1000 | 189 | 27 | -52 |
| DDUG4007 | 9082 | 45440 | 1000 | 201 | 13 | -67 |
| DDUG4008 | 9082 | 45440 | 1000 | 171 | 3 | -69 |
| DDUG4010 | 9084 | 45439 | 1000 | 117 | 47 | -68 |
| DDUG4011 | 9084 | 45438 | 1000 | 150 | 36 | -74 |
| DDUG4013 | 9084 | 45438 | 1000 | 150 | 83 | -76 |
| DDUG4014 | 9085 | 45435 | 1000 | 135 | 105 | -63 |
| DDUG4015 | 9085 | 45435 | 1000 | 144 | 115 | -72 |
| DDUG4016 | 9085 | 45435 | 1000 | 102 | 128 | -55 |
| DDUG4035 | 9040 | 45655 | 1070 | 149 | 39 | -38 |
| DDUG4080 | 9083 | 45439 | 1000 | 204 | 22 | -62 |
| DDUG4081 | 9084 | 45439 | 1000 | 188 | 34 | -57 |
| DDUG4082 | 9084 | 45439 | 1000 | 195 | 35 | -67 |
| DRDD456W7 | 8771 | 45475 | 1477 | 705 | 88 | -60 |

Note: Numbers have been rounded to the nearest integer.

For personal use only



Drilling results

| <i>HOLEID</i> | <i>Intercept</i> | <i>Depth from</i> | <i>Comment</i> | <i>Reporting</i> |
|---------------|------------------|-------------------|---------------------------------------|-------------------------|
| DDUG0025 | 5.3m @ 14.9 g/t | 414 | Previously Reported Hole ² | Grade Control intercept |
| DDUG3539 | 4.6m @ 6.7 g/t | 113.4 | | Grade Control intercept |
| DDUG3542 | 1.2m @ 1.7 g/t | 117.93 | | Grade Control intercept |
| DDUG3544 | 7.9m @ 0.9 g/t | 122.42 | | Grade Control intercept |
| DDUG3545 | 3m @ 1.7 g/t | 121.76 | | Grade Control intercept |
| DDUG3547 | 5.3m @ 2.3 g/t | 129.03 | | Grade Control intercept |
| DDUG3549 | 2.6m @ 2.3 g/t | 136.34 | | Grade Control intercept |
| DDUG3552 | 2.9m @ 2.6 g/t | 131.5 | | Grade Control intercept |
| DDUG3553 | 1.2m @ 0.8 g/t | 153.25 | | Grade Control intercept |
| DDUG3554 | 2.1m @ 29.1 g/t | 137.15 | | Grade Control intercept |
| DDUG3556 | 4.9m @ 3.5 g/t | 172.75 | | Grade Control intercept |
| DDUG3557 | 1.6m @ 1.6 g/t | 191.43 | | Grade Control intercept |
| DDUG3558 | 5.5m @ 10 g/t | 182.22 | | Grade Control intercept |
| DDUG3638 | 5.5m @ 5.4 g/t | 145.23 | | Grade Control intercept |
| DDUG3639 | 5.5m @ 3.3 g/t | 181.93 | | Grade Control intercept |
| DDUG3640 | 3.8m @ 15.7 g/t | 153.99 | | Grade Control intercept |
| DDUG3642 | 8.1m @ 16.9 g/t | 143.38 | | Grade Control intercept |
| DDUG3643 | 6m @ 31.9 g/t | 139 | | Grade Control intercept |
| DDUG3644 | 1.7m @ 16.6 g/t | 144.38 | | Grade Control intercept |
| DDUG3645 | 2m @ 2.5 g/t | 140.26 | | Grade Control intercept |
| DDUG3646 | 4m @ 20 g/t | 145.63 | | Grade Control intercept |
| DDUG3647 | 2.6m @ 14.2 g/t | 152.2 | | Grade Control intercept |
| DDUG3648 | 3m @ 10.8 g/t | 168.24 | | Grade Control intercept |
| DDUG3649 | 5.2m @ 15.8 g/t | 172.2 | | Grade Control intercept |
| DDUG3650 | 5.8m @ 4.4 g/t | 167.4 | | Grade Control intercept |
| DDUG3651 | 4.5m @ 29.2 g/t | 157.45 | | Grade Control intercept |
| DDUG3652 | 2.4m @ 6.8 g/t | 155.7 | | Grade Control intercept |
| DDUG3653 | 2.1m @ 12.9 g/t | 154 | | Grade Control intercept |
| DDUG3654 | 3.1m @ 10.5 g/t | 152.4 | | Grade Control intercept |
| DDUG3655 | 4.8m @ 2.3 g/t | 139.23 | | Grade Control intercept |
| DDUG3786 | 2m @ 24.2 g/t | 53.74 | | Grade Control intercept |
| DDUG3787 | 6.2m @ 6.6 g/t | 62.17 | | Grade Control intercept |
| DDUG3788 | 2.3m @ 7.2 g/t | 40.35 | | Grade Control intercept |
| DDUG3793 | 2.1m @ 1.6 g/t | 66.12 | | Grade Control intercept |
| DDUG3795 | 1.9m @ 2.7 g/t | 44.45 | | Grade Control intercept |
| DDUG3796 | 2m @ 1.5 g/t | 63.32 | | Grade Control intercept |
| DDUG3797 | 3.3m @ 2.2 g/t | 41.28 | | Grade Control intercept |
| DDUG3801 | 2.1m @ 7.5 g/t | 44.9 | | Grade Control intercept |
| DDUG3802 | 1.4m @ 2.2 g/t | 67.07 | | Grade Control intercept |
| DDUG3805 | 2m @ 2.1 g/t | 69.82 | | Grade Control intercept |
| DDUG3806 | 2.5m @ 59.1 g/t | 154.62 | | Grade Control intercept |
| DDUG3807 | 4m @ 15.2 g/t | 150.65 | | Grade Control intercept |

² Refer to the Company's ASX announcements dated 23 June 2021.

For personal use only



| <i>HOLEID</i> | <i>Intercept</i> | <i>Depth from</i> | <i>Comment</i> | <i>Reporting</i> |
|---------------|------------------|-------------------|----------------|-------------------------|
| DDUG3808 | 2.8m @ 8.2 g/t | 144.17 | | Grade Control intercept |
| DDUG3809 | 5.5m @ 16.4 g/t | 142.95 | | Grade Control intercept |
| DDUG3810 | 1.9m @ 10.1 g/t | 138.18 | | Grade Control intercept |
| DDUG3811 | 4.8m @ 4 g/t | 138.05 | | Grade Control intercept |
| DDUG3812 | 2.6m @ 3.7 g/t | 131.05 | | Grade Control intercept |
| DDUG3813 | 2.5m @ 1.6 g/t | 144.39 | | Grade Control intercept |
| DDUG3814 | 2.1m @ 1.5 g/t | 125.75 | | Grade Control intercept |
| DDUG3817 | 1.2m @ 3.3 g/t | 125.38 | | Grade Control intercept |
| DDUG3818 | 1m @ 0.5 g/t | 127 | | Grade Control intercept |
| DDUG3819 | 1.8m @ 1.7 g/t | 121.25 | | Grade Control intercept |
| DDUG3824 | 6.5m @ 4.9 g/t | 111.92 | | Grade Control intercept |
| DDUG3826 | 2.1m @ 8.5 g/t | 164.74 | | Grade Control intercept |
| DDUG3827 | 2.8m @ 23.6 g/t | 174.93 | | Grade Control intercept |
| DDUG3828 | 3.5m @ 6.8 g/t | 173.67 | | Grade Control intercept |
| DDUG3829 | 3.3m @ 7.4 g/t | 175.67 | | Grade Control intercept |
| DDUG3830 | 3.9m @ 23.4 g/t | 161.8 | | Grade Control intercept |
| DDUG3831 | 5.8m @ 8.1 g/t | 160.24 | | Grade Control intercept |
| DDUG3832 | 3.1m @ 7.2 g/t | 162.64 | | Grade Control intercept |
| DDUG3833 | 6.2m @ 3.4 g/t | 161 | | Grade Control intercept |
| DDUG3878 | 1.7m @ 3.7 g/t | 57.25 | | Grade Control intercept |
| DDUG3879 | 8.6m @ 6.5 g/t | 59.41 | | Grade Control intercept |
| DDUG3880 | 7.4m @ 14.2 g/t | 59.57 | | Grade Control intercept |
| DDUG3881 | 6.9m @ 2 g/t | 46.2 | | Grade Control intercept |
| DDUG3882 | 4.9m @ 6.2 g/t | 47.59 | | Grade Control intercept |
| DDUG3883 | 6.7m @ 5.4 g/t | 41 | | Grade Control intercept |
| DDUG3884 | 3.5m @ 2.1 g/t | 46 | | Grade Control intercept |
| DDUG3885 | 1.9m @ 20.5 g/t | 37.43 | | Grade Control intercept |
| DDUG3886 | 3m @ 2.3 g/t | 41.29 | | Grade Control intercept |
| DDUG3887 | 3.4m @ 1.6 g/t | 36.94 | | Grade Control intercept |
| DDUG3888 | 2.2m @ 3.4 g/t | 38.1 | | Grade Control intercept |
| DDUG3889 | 1.4m @ 2.8 g/t | 37.31 | | Grade Control intercept |
| DDUG3890 | 1.6m @ 30.1 g/t | 48.25 | | Grade Control intercept |
| DDUG3893 | 7.3m @ 5.6 g/t | 39.69 | | Grade Control intercept |
| DDUG3894 | 2m @ 10.9 g/t | 59.02 | | Grade Control intercept |
| DDUG3895 | 1.3m @ 5.6 g/t | 58.8 | | Grade Control intercept |
| DDUG3905 | 1.8m @ 1.2 g/t | 77.4 | | Grade Control intercept |
| DDUG3906 | 2.4m @ 8 g/t | 72 | | Grade Control intercept |
| DDUG3907 | 1.1m @ 8.2 g/t | 73.26 | | Grade Control intercept |
| DDUG3908 | 2.2m @ 4.6 g/t | 66.71 | | Grade Control intercept |
| DDUG3910 | 1.1m @ 36.4 g/t | 87.9 | | Grade Control intercept |
| DDUG3912 | 1m @ 1.3 g/t | 97 | | Grade Control intercept |
| DDUG3913 | 1m @ 1.1 g/t | 77.98 | | Grade Control intercept |
| DDUG3914 | 1.5m @ 3.6 g/t | 71.9 | | Grade Control intercept |
| DDUG3916 | 1.4m @ 12.6 g/t | 69.7 | | Grade Control intercept |
| DDUG3917 | 2.9m @ 3.3 g/t | 72.85 | | Grade Control intercept |
| DDUG3919 | 2m @ 4.2 g/t | 66 | | Grade Control intercept |

For personal use only



| <i>HOLEID</i> | <i>Intercept</i> | <i>Depth from</i> | <i>Comment</i> | <i>Reporting</i> |
|---------------|------------------|-------------------|---------------------------------------|-------------------------|
| DDUG3920 | 3.2m @ 29.5 g/t | 66.56 | | Grade Control intercept |
| DDUG3921 | 6.4m @ 7.3 g/t | 68.93 | | Grade Control intercept |
| DDUG3922 | 4m @ 10 g/t | 71.23 | | Grade Control intercept |
| DDUG3942 | 1.7m @ 4.8 g/t | 125.55 | | Grade Control intercept |
| DDUG3943 | 2.1m @ 8.2 g/t | 123.22 | | Grade Control intercept |
| DDUG3944 | 2.5m @ 2.9 g/t | 124.84 | | Grade Control intercept |
| DDUG3945 | 4.1m @ 1.5 g/t | 120.08 | | Grade Control intercept |
| DDUG3946 | 3.3m @ 1.3 g/t | 118.05 | | Grade Control intercept |
| DDUG3948 | 1.9m @ 7.1 g/t | 116.38 | | Grade Control intercept |
| DDUG3949 | 2.1m @ 11.4 g/t | 121.19 | | Grade Control intercept |
| DDUG3950 | 4.9m @ 4.1 g/t | 124.9 | | Grade Control intercept |
| DDUG3952 | 7.1m @ 10.1 g/t | 112.49 | | Grade Control intercept |
| DDUG3953 | 3.7m @ 6.2 g/t | 113.21 | | Grade Control intercept |
| DDUG3955 | 1.1m @ 44 g/t | 111.34 | | Grade Control intercept |
| DDUG3956 | 1m @ 3.2 g/t | 134 | | Grade Control intercept |
| DDUG3959 | 2.9m @ 4.9 g/t | 129.82 | | Grade Control intercept |
| DDUG3999 | 1.6m @ 6.5 g/t | 98.13 | | Grade Control intercept |
| DDUG4001 | 3.7m @ 1.5 g/t | 103.9 | | Grade Control intercept |
| DDUG4002 | 4.2m @ 11.5 g/t | 86.87 | | Grade Control intercept |
| DDUG4003 | 7.5m @ 2.3 g/t | 86.36 | | Grade Control intercept |
| DDUG4004 | 4.6m @ 29.6 g/t | 97.85 | | Grade Control intercept |
| DDUG4005 | 2.8m @ 6.1 g/t | 94.6 | | Grade Control intercept |
| DDUG4006 | 1.3m @ 4.1 g/t | 77.2 | | Grade Control intercept |
| DDUG4007 | 2.7m @ 9.5 g/t | 86.73 | | Grade Control intercept |
| DDUG4008 | 3.7m @ 3.9 g/t | 94.49 | | Grade Control intercept |
| DDUG4010 | 3.9m @ 1.6 g/t | 79.84 | | Grade Control intercept |
| DDUG4011 | 4.1m @ 5.4 g/t | 82.83 | | Grade Control intercept |
| DDUG4013 | 9.2m @ 5.1 g/t | 82.06 | | Grade Control intercept |
| DDUG4014 | 4.4m @ 2.4 g/t | 77.87 | | Grade Control intercept |
| DDUG4015 | 4.9m @ 11 g/t | 83.7 | | Grade Control intercept |
| DDUG4016 | 2m @ 2.5 g/t | 81.5 | | Grade Control intercept |
| DDUG4035 | 4.1m @ 7.5 g/t | 120.44 | | Grade Control intercept |
| DDUG4080 | 3.9m @ 7.5 g/t | 79.68 | | Grade Control intercept |
| DDUG4081 | 4.1m @ 10.1 g/t | 73.56 | | Grade Control intercept |
| DDUG4082 | 3m @ 2.3 g/t | 82 | | Grade Control intercept |
| DRDD456W7 | 1.6m @ 80.4 g/t | 629.5 | Previously reported hole ³ | Surface hole intercept |

³ Refer to the Company's ASX announcements dated 1 October 2020.

For personal use only

Table 1 – JORC Code, 2012 Edition

Section 1 Sampling Techniques and Data

| Criteria | Commentary |
|--|---|
| Sampling Techniques | Diamond Drilling was used to obtain core samples which were then crushed and sub-sampled to produce a 500g sample for PhotonAssay analysis. |
| Drilling Techniques | An underground diamond drill rig from a reputable contractor was used for diamond coring at NQ core size (45.1mm). The core was orientated using a Reflex Ez-Ori tool. |
| Drill Sample Recovery | Diamond core recovery was estimated as a percentage of the drilled interval, with fresh rock routinely achieving 100% recovery. |
| Logging | All core is geologically logged, recording lithology, veining, alteration, mineralisation, and weathering in a qualitative, descriptive manner. Dry and wet photographs are taken of all core samples. |
| Sub-Sampling Techniques and Sample Preparation | Core intervals are selected for sampling based on geological logging. Each sample is collected at lengths between 0.3m and 1.0m. Samples are sent to an accredited laboratory where they are dried, crushed so that 90% passes through a 3 to 3.15mm screen, linear split, and a nominal 500g subsample is taken. The sample sizes used are suitable for this style of gold mineralisation and follow industry standards for evaluating gold deposits in the Eastern Goldfields of Western Australia. |
| Quality of Assay Data and Laboratory Tests | Assaying and laboratory procedures used are NATA certified techniques for gold. Samples were prepared and assayed at NATA accredited SGS lab in Kalgoorlie. The 500g sample is assayed for gold by PhotonAssay along with quality control samples including BGL selected certified reference materials, and blanks. |
| Verification of Sampling and Assaying | Reported drill results were recorded by Bellevue's geologists and subsequently validated by the Chief Geologist. Data from logging and laboratory results are transferred digitally to the BGL drillhole database using standardized and consistent formats. No drillholes were twinned. There were no adjustments to the assay data. |
| Location of Data Points | Drillhole collar locations in underground workings are surveyed using a total station instrument. Surveys are tied to the site mine grid and established survey control network. Collar positions are recorded with survey accuracy consistent with mine survey standards. Downhole surveying was conducted using a north-seeking gyroscope tool, with directional readings recorded at 30m intervals. |
| Data Spacing and Distribution | Drillholes for this program were targeted to achieve a nominal 20m horizontal by 10m vertical spatial distribution. |
| Orientation of Data in Relation to Geological Structure | Drillholes have been designed to intersect the primary structures at near-perpendicular angles however fan drilling from underground drill platforms results in some variation in intersection angles. Minimal bias is considered to have been introduced by the existing sampling orientation. |
| Sample Security | Samples were placed in sealed bags at the mine and transported by dedicated road transport to the laboratory's sample receiving area in Kalgoorlie. |
| Audits or Reviews | No audits or reviews completed of the sampling for the reported program. |

Section 2 Reporting of Exploration Results

| Criteria | Commentary |
|---|--|
| Mineral Tenement and Land Tenure Status | All reported activity occurred on M26/24 and M26/25. Golden Spur Resources, a wholly owned subsidiary of Bellevue Gold Limited owns the tenements 100%. There are no known issues affecting the security of title or impediments to operating in the area. |
| Exploration Done by Other Parties | Given the active mining status of the area, previous exploration undertaken by other parties is considered to provide limited additional context to this announcement. |
| Geology | The Bellevue gold deposit is hosted by the partly tholeiitic meta-basalts of the Mount Goode Basalts in an area of faulting, shearing and dilation to form a shear hosted lode style quartz/basalt breccia. |
| Drillhole Information | Applicable drill hole information is set out in the tables at the beginning of this Appendix |
| Data Aggregation Methods | Reported intervals have been selected on the basis of mineralised interpretations for the main lode for the purpose of grade control modelling and are therefore not selected on a grade basis. |
| Relationship between Mineralisation Widths and Intercept Lengths | Drillholes have been designed to intersect the primary structures at near-perpendicular angles however fan drilling from underground drill platforms results in some variation in intersection angles. Minimal bias is considered to have been introduced to mineralisation widths. |
| Diagrams | Additional diagrams are not considered material to an understanding of the results reported in this announcement. |

For personal use only



ASX Announcement
19 May 2026

BELLEVUE
GOLD

| Criteria | Commentary |
|---|--|
| Balanced Reporting | All interpreted main lode intersections are for the area reported. |
| Other Substantive Exploration Data | There is no other data that is material to this report. |
| Further Work | Bellevue is currently actively mining the mining areas that have been grade control drilled. |

For personal use only